

Second edition
2022-04

Road vehicles — Unified diagnostic services (UDS) —

Part 7: UDS on local interconnect network (UDSonLIN)

*Véhicules routiers — Services de diagnostic unifiés (SDU) —
Partie 7: SDU sur l'implémentation LIN (SDU sur LIN)*



Reference number
ISO 14229-7:2022(E)

© ISO 2022



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

This is a preview of "ISO 14229-7:2022". Click here to purchase the full version from the ANSI store.

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	2
4.1 Symbols	2
4.2 Abbreviated terms	2
5 Conventions	2
6 Service primitive interface definition	2
7 Technical requirements	3
7.1 Overview	3
7.2 Implementation guidelines	4
7.2.1 General	4
7.2.2 Definition of diagnostic classes	4
7.2.3 LIN node requirements	5
7.2.4 Signal-based diagnostics	6
7.2.5 Tool suite support	7
8 Application layer	7
8.1 ISO 14229-1 service primitive parameters	7
8.2 A_Data.req, A_Data.ind, and A_Data.conf service interface	7
8.3 UDSONLIN services overview	7
8.4 A_PDU definition	9
8.5 A_Length definition	9
8.6 CommunicationControl service UDSONLIN implementation requirements	9
8.7 ResponseOnEvent service UDSONLIN implementation requirements	10
8.8 Timing parameter definition	10
9 Presentation layer	12
10 Session layer	12
10.1 Service primitive parameter definition	12
10.2 S_Data.req, S_Data.ind, and S_Data.conf service interface	12
11 Transport layer	12
11.1 General	12
11.2 Service primitive parameters	12
11.3 T_Data.req, T_Data.ind, and T_Data.conf service interface	12
11.4 T_PDU definition	13
11.5 LIN transport and network layer interface adaptation	13
11.5.1 Mapping of data link independent service primitives onto LIN data link-dependent service primitives	13
11.5.2 Mapping of T_PDU onto N_PDU	13
12 Network layer	14
12.1 Service primitive parameter definition	14
12.2 N_Data.req, N_Data.ind, and N_Data.conf service interface	14
12.3 N_PDU definition	14
12.4 N_TAType service primitive parameter	15
12.5 LIN responder node requirements	15
12.6 LIN commander node requirements	16
12.6.1 Network address requirements	16
12.6.2 Use of functional addressing	16

This is a preview of "ISO 14229-7:2022". Click [here](#) to purchase the full version from the ANSI store.

13	Data link layer	16
13.1	Service primitive parameter definition	16
13.2	L_Data.req, L_Data.ind, and L_Data.conf service interface	16
13.3	L_PDU definition	17
13.4	L_PID definition	17
13.5	L_CS definition	17
14	Physical layer	17
	Bibliography	18

This is a preview of "ISO 14229-7:2022". Click here to purchase the full version from the ANSI store.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 31, *Data communication*.

This second edition cancels and replaces the first edition (ISO 14229-7:2015), which has been technically revised.

The main changes are as follows:

- restructuration of the document;
- introduction of requirement numbers, names and definitions;
- technical content improvements based on implementation feedback from the automotive industry.

A list of all parts in the ISO 14229 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The ISO 14229 series has been established in order to define common requirements for diagnostic systems, whatever the serial data link is.

To achieve this, the ISO 14229 series is based on the Open Systems Interconnection (OSI) Basic Reference Model in accordance with ISO/IEC 7498-1^[1] and ISO/IEC 10731^[2], which structures communication systems into seven layers. When mapped on this model, the services used by a diagnostic tester (client) and an electronic control unit (ECU, server) are structured into the following layers:

- application layer (layer 7) specified in ISO 14229-1 and ISO 14229-3 to ISO 14229-8;
- presentation layer (layer 6) specified in ISO 14229-1 and ISO 14229-3 to ISO 14229-8;
- session layer services (layer 5) specified in ISO 14229-2 and ISO 14229-3 to ISO 14229-8.

Figure 1 illustrates the UDSONLIN document and related documents according to the OSI model.




Figure 1 — UDSONLIN document reference according to OSI model