

This is a preview of "ISO 14230-2:2013". [Click here to purchase the full version from the ANSI store.](#)

Second edition
2013-03-15

Road vehicles — Diagnostic communication over K-Line (DoK-Line) —

Part 2: Data link layer

Véhicules routiers — Communication de diagnostic sur la ligne K (DoK-Line) —

Partie 2: Couche de liaison de données



Reference number
ISO 14230-2:2013(E)

© ISO 2013

This is a preview of "ISO 14230-2:2013". [Click here to purchase the full version from the ANSI store.](#)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "ISO 14230-2:2013". Click here to purchase the full version from the ANSI store.

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms, definitions, symbols, and abbreviated terms	1
3.1 Terms and definitions	1
3.2 Abbreviated terms	2
4 Conventions	3
5 Document overview	4
6 Physical bus topology	6
7 Data link layer overview	7
7.1 General	7
7.2 Format description of data link layer services	7
7.3 Services provided by the data link layer to higher layers	7
7.4 Specification of DoK-Line data link layer service primitives	8
7.5 Service data unit specification	10
8 Protocol initialization	14
8.1 General	14
8.2 Timing parameters for 5-BAUD_INIT	14
8.3 Protocol determination	15
8.4 Protocol-specific key bytes	23
9 Message definition	26
9.1 Message structure	26
9.2 Message header	27
9.3 Protocol data unit (PDU)	29
9.4 Checksum byte (CS)	29
10 Protocol timing requirements	30
10.1 General timing measurement requirements	30
10.2 Protocol timing parameter definition	30
10.3 Inter-byte message timing	31
10.4 Data link layer timing at T-Data interface	33
11 Communication services	35
11.1 StartCommunication service	35
11.2 StopCommunication service	36
11.3 AccessTimingParameter service	38
11.4 SendData service	41
12 Data collisions	41
13 Error handling	42
13.1 Error handling during physical/functional 5-BAUD initialization	42
13.2 Error handling during physical/functional FAST_INIT	43
13.3 Error handling after physical/functional initialization	45
Annex A (normative) Server and client addresses for 5-BAUD_INIT	47
Annex B (informative) Recommended server and client addresses	48
Annex C (informative) Protocol comparison of initialization sequence	49
Bibliography	50

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 14230-2 was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 3, *Electrical and electronic equipment*.

This second edition cancels and replaces the first edition (ISO 14230-2:1999), which has been technically revised.

ISO 14230 consists of the following parts, under the general title *Road vehicles — Diagnostic communication over K-Line (DoK-Line)*:

- *Part 1: Physical layer*
- *Part 2: Data link layer*
- *Part 3: Application layer*
- *Part 4: Requirements for emission-related systems*

This is a preview of "ISO 14230-2:2013". Click here to purchase the full version from the ANSI store.

Introduction

This part of ISO 14230 has been established in order to define common requirements for vehicle diagnostic systems implemented on K-Line (UART-based) communication link, as specified in ISO 14230-1.

To achieve this, it is based on the Open Systems Interconnection (OSI) Basic Reference Model in accordance with ISO/IEC 7498-1:1994 and ISO/IEC 10731, which structures communication systems into seven layers. When mapped on this model, the services specified by ISO 14230 are broken into:

- Diagnostic services (layer 7), specified in ISO 14229-1, ISO 14229-6,
- Presentation layer (layer 6),
 - vehicle manufacturer specific,
 - legislated WWH-OBD: specified in ISO 27145-2, SAE J1930-DA, SAE J1979-DA, SAE J2012-DA, SAE J1939, Companion Spreadsheet (SPNs), SAE J1939-73:2010, Appendix A (FMIs),
- Session layer services (layer 5),
 - legislated OBD: specified in ISO 14229-2,
 - legislated WWH-OBD: specified in ISO 14229-2,
- Transport layer services (layer 4), specified in ISO 14230-2,
- Network layer services (layer 3), specified in ISO 14230-2,
- Data link layer (layer 2), specified in ISO 14230-4, ISO 14230-2,
- Physical layer (layer 1), specified in ISO 14230-1.

This breakdown is shown in [Table 1](#).

Table 1 — Enhanced and legislated OBD diagnostic specifications applicable to the OSI layers

Applicability	OSI seven layer	Enhanced diagnostics	Legislated OBD (On-Board Diagnostics)		Legislated WWH-OBD (On-Board Diagnostics)	
Seven layer according to ISO/IEC 7498-1 and ISO/IEC 10731	Application (layer 7)	ISO 14229-1, ISO 14229-6	ISO 15031-5		ISO 14229-1, ISO 27145-3	
	Presentation (layer 6)	vehicle manufacturer specific	ISO 15031-2, ISO 15031-5, ISO 15031-6, SAE J1930-DA, SAE J1979-DA, SAE J2012-DA		ISO 27145-2, SAE 1930-DA, SAE J1939 Companion Spreadsheet (SPNs), SAE J1939-73:2010, Appendix A (FMIs), SAE J1979-DA, SAE J2012-DA,	
	Session (layer 5)	ISO 14229-2				
	Transport (layer 4)	ISO 14230-2	ISO 15765-2	ISO 15765-4	ISO 15765-4, ISO 15765-2	ISO 27145-4
	Network (layer 3)					
	Data link (layer 2)	ISO 14230-2	ISO 11898-1, ISO 11898-2		ISO 15765-4, ISO 11898-1, ISO 11898-2	
	Physical (layer 1)	ISO 14230-1				

The application layer services covered by ISO 14229-6 have been defined in compliance with diagnostic services established in ISO 14229-1 and ISO 15031-5, but are not limited to use only with them.

ISO 14230-2:2013(E)

This is a preview of "ISO 14230-2:2013". [Click here to purchase the full version from the ANSI store.](#)

ISO 14229-6 is also compatible with most diagnostic services defined in national standards or vehicle manufacturer's specifications.