

This is a preview of "ISO 14306:2017". Click here to purchase the full version from the ANSI store.

Second edition
2017-11

Industrial automation systems and integration — JT file format specification for 3D visualization

*Systèmes d'automatisation industrielle et intégration — Spécification
de format de fichier JT pour visualisation 3D*



Reference number
ISO 14306:2017(E)

This is a preview of "ISO 14306:2017". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

This is a preview of "ISO 14306:2017". Click here to purchase the full version from the ANSI store.

Content

Content	iii
Foreword	xvi
Introduction.....	xvii
1 Scope	1
2 Normative references.....	1
3 Terms, definitions and abbreviated terms	1
3.1 Terms and definitions	1
3.2 Abbreviated terms	5
4 Notational conventions.....	6
5 File Format	14
5.1 File Structure	14
5.1.1 File Header	14
5.1.2 TOC Segment.....	16
5.1.3 Data Segment.....	17
5.2 Data Segments.....	22
6 LSG Segment	24
6.1 Graph Elements	24
6.1.1 Node Elements.....	25
6.1.2 Attribute Elements.....	48
6.2 Property Atom Elements.....	92
6.2.1 Base Property Atom Element	92
6.2.2 String Property Atom Element	93
6.2.3 Integer Property Atom Element	94
6.2.4 Floating Point Property Atom Element	94
6.2.5 JT Object Reference Property Atom Element.....	95
6.2.6 Date Property Atom Element.....	96
6.2.7 Late Loaded Property Atom Element	97
6.2.8 Vector4f Property Atom Element	99
6.3 Property Table	99
6.3.1 Element Property Table	100
7 Shape LOD Segment.....	102
7.1 Shape LOD Element	102
7.1.1 Base Shape LOD Element.....	102
7.1.2 Vertex Shape LOD Element	103
7.1.3 Tri-Strip Set Shape LOD Element	118
7.1.4 Polyline Set Shape LOD Element.....	118
7.1.5 Point Set Shape LOD Element	119
7.1.6 Null Shape LOD Element	120
7.2 Primitive Set Shape Element.....	120
7.2.1 Lossless Compressed Primitive Set Data.....	122
7.2.2 Lossy Quantized Primitive Set Data	124
8 Geometry Segments.....	129
8.1 STEP B-Rep Segment	129
8.2 XT B-Rep Segment	129
8.3 JT ULP Segment	129
8.4 JT LWPA Segment.....	129
8.5 Wireframe Segment.....	129
8.6 JT B-Rep Element (deprecated)	129
9 Meta Data Segment	131

This is a preview of "ISO 14306:2017". Click here to purchase the full version from the ANSI store.

9.1	Property Proxy Meta Data Element.....	131
9.1.1	Date Property Value	133
9.2	PMI Manager Meta Data Element	134
9.2.1	PMI Entities	137
9.2.2	PMI Associations	158
9.2.3	PMI User Attributes	160
9.2.4	PMI String Table	161
9.2.5	PMI Model Views.....	161
9.2.6	Generic PMI Entities.....	163
9.2.7	PMI CAD Tag Data	169
9.2.8	PMI Polygon Data	170
10	Data Compression and Encoding	174
10.1	Common Compression Data Collection Formats	174
10.1.1	Int32 Compressed Data Packet.....	174
10.1.2	Int32 Compressed Data Packet Mk. 2.....	179
10.1.3	Float64 Compressed Data Packet.....	185
10.1.4	Compressed Vertex Coordinate Array	189
10.1.5	Compressed Vertex Normal Array	190
10.1.6	Compressed Vertex Texture Coordinate Array	192
10.1.7	Compressed Vertex Colour Array.....	194
10.1.8	Compressed Vertex Flag Array	196
10.1.9	Point Quantizer Data	197
10.1.10	Texture Quantizer Data	197
10.1.11	Colour Quantizer Data.....	198
10.1.12	Uniform Quantizer Data	200
10.1.13	Compressed Entity List for Non-Trivial Knot Vector	200
10.1.14	Compressed Control Point Weights Data	204
10.1.15	Compressed Curve Data	205
10.1.16	Compressed CAD Tag Data.....	208
10.2	Encoding Algorithms	211
10.2.1	Uniform Data Quantization	211
10.2.2	Bitlength CODEC	211
10.2.3	Arithmetic CODEC.....	212
10.2.4	Deering Normal CODEC	217
10.3	zlib compression	219
11	Common Data Conventions and Constructs	220
11.1	Late-Loading Data	220
11.2	TOC Segment Location.....	220
11.3	Bit Fields.....	220
11.4	Empty Field	220
11.5	Local version numbers	220
11.5.1	Version numbers	221
11.6	Hash Value	223
11.7	Scene graph construction	223
11.8	Metadata Conventions	224
11.8.1	CAD Properties	224
11.8.2	PMI Properties	228
11.8.3	Tessellation Properties	324
11.8.4	Miscellaneous Properties	325
11.9	LSG Attribute Accumulation Semantics	326
11.10	LSG Part Structure	327
11.11	Range LOD Node Alternative Rep Selection	327
11.12	Brep Face Group Associations	327
11.13	Handling of different states / variants in a JT file	328
11.13.1	Reference Sets.....	329
11.14	Watermarks	329
11.14.1	Background.....	329
11.14.2	Issue – Missing specification in the ISO	330

This is a preview of "ISO 14306:2017". Click here to purchase the full version from the ANSI store.

11.14.3 Recommended Solution	330
11.14.4 Issue – Protection of data.....	332
12 Conformance requirements.....	333
Annex A (informative) Object Type Identifiers	334
Annex B (normative) STEP B-Rep	338
B.1 STEP B-Rep Element.....	338
B.1.1 STEP B-Rep Data.....	338
B.1.2 STEP schema.....	339
B.1.3 STEP format	339
B.1.4 STEP external element reference in ISO 10303-21.....	339
Annex C (normative) STEP schema	341
Annex D (informative) Coding Algorithms – An Implementation.....	414
D.1 Common classes	414
D.1.1 CtxEntry class	414
D.1.2 CtxEntryBase2 class	414
D.1.3 ProbabilityContext class.....	415
D.1.4 ProbContex2 class	416
D.1.5 CodecDriver class	419
D.1.6 CodecDriver2 class	422
D.2 Bitlength decoding classes	426
D.2.1 BitLengthCodec class	426
D.2.2 BitLengthCodec2 class	430
D.3 Arithmetic decoding classes.....	438
D.3.1 ArithmeticProbabilityRange class	438
D.3.2 ArithmeticCodec class	438
D.3.3 ArithmeticCodec2 class	442
D.4 Deering Normal decoding classes.....	446
D.4.1 DeeringNormalLookupTable class	446
D.4.2 DeeringNormalCodec class.....	448
Annex E (informative) Hashing – An Implementation	451
Annex F (informative) Polygon Mesh Topology Coder	454
F.1 DualVFMesh	455
F.2 Topology Decoder	461
F.2.1 MeshCoderDriver class.....	461
F.2.2 MeshCodec class	464
F.2.3 MeshDecoder class	470
Annex G (informative) XT B- Rep segment.....	473
G.1 XT B-Rep Element	473
G.1.1 XT B-Rep Data.....	474
G.2 Procedural Geometry.....	474
G.2.1 Background.....	474
G.2.2 Issue.....	474
G.2.3 Recommended Solution	476
G.3 Non-Manifold Bodies.....	476
G.3.1 Background.....	476
G.3.2 Issue.....	477
G.3.3 Recommended Solution	477
Annex H (informative) XT B- Rep data segment.....	478
H.1 Introduction to the XT B- Rep data segment	478
H.2 Logical Layout	478
H.2.1 Schema	479
H.2.2 Embedded schemas	479
H.2.3 Field types	480
H.2.4 Variable-length nodes	481
H.2.5 Unresolved indices.....	481

This is a preview of "ISO 14306:2017". Click here to purchase the full version from the ANSI store.

H.3	Physical Layout	481
H.3.1	Binary.....	481
H.4	Model Structure	482
H.4.1	Topology.....	482
H.4.2	General points	483
H.4.3	Entity definitions	483
H.4.4	Entity matrix.....	487
H.4.5	Representation of manifold bodies	487
H.5	Schema Definition	489
H.5.1	Underlying types	489
H.5.2	Geometry	489
H.5.3	Topology.....	521
H.5.4	Associated Data.....	534
H.6	Node Types	545
H.7	Node Classes	547
H.8	System Attribute Definitions	547
H.8.1	Hatching Attributes	547
H.8.2	Density Attributes.....	549
H.8.3	Region.....	551
H.8.4	Colour	551
H.8.5	Reflectivity	551
H.8.6	Translucency	552
H.8.7	Name	552
H.8.8	Incremental faceting.....	552
H.8.9	Transparency	552
H.8.10	Non-mergeable edges	553
H.8.11	Group merge behaviour.....	553
H.8.12	Unicode name	553
H.8.13	Monikers	553
Annex I (informative) PMI Data Segment	559	
Annex J (informative) Mapping table from ISO 10303-42 to XT B-Rep	560	
J.1	Wireframe Geometry	560
J.2	Surfaces without topology	560
J.3	Shapes represented by wireframe models with topology.....	561
J.4	Manifold Surfaces with Topology	561
J.5	Advanced boundary representation solids	563
J.5.1	Color	564
J.5.2	Name	565
J.5.3	Wireframe style	565
J.5.4	Visibility	566
Annex K (informative) JT B-rep Segment	567	
K.1	JT B-Rep Element.....	567
K.1.1	Topological Entity Counts	569
K.1.2	Geometric Entity Counts	570
K.1.3	Topology Data.....	571
K.1.4	Geometric Data	580
K.1.5	Topological Entity Tag Counters	589
K.1.6	B-Rep CAD Tag Data	591
Annex L (informative) Wireframe Segment.....	592	
L.1	Wireframe Rep Element	592
L.1.1	Wireframe MCS Curves Geometric Data	594
L.1.2	Wireframe Rep CAD Tag Data	594
Annex M (informative) JT ULP Segment	596	
M.1	JT ULP Element	596
M.1.1	Topology Data.....	598
M.1.2	Geometric Data	615
M.1.3	Material Attribute Element Properties	637

This is a preview of "ISO 14306:2017". Click here to purchase the full version from the ANSI store.

M.1.4	Information Recovery	638
M.1.5	Non-Manifold Bodies	643
M.2	JT LWPA Segment	643
M.2.1	JT LWPA Element	644
M.2.2	Analytic Surface Geometry	644
	Annex N (informative) Change History	647
N.1	General	647
N.2	Changes made in edition 2	647
N.2.1	Summary of the changes	647
N.2.2	Additions made to the document	647
N.2.3	Addition of a new STEP B-rep segment definition	647
N.2.4	Updates of the documentation from the Prostep industrialization guidelines	648
N.2.5	Addition of a conformance clause	648
N.2.6	Addition of a mapping table JT ISO to STEP	648
N.2.7	Content modified from edition 1	648
N.2.8	Elements deprecated from edition 1	648
	Bibliography	649

Figures

Figure 1 — rectangle box diagram	6
Figure 2 — folder diagram	6
Figure 3 — rectangle box with lines at left and right sides diagram	7
Figure 4 — rectangle box with clipped right side corners	7
Figure 5 — compressed data packet diagram	7
Figure 6 — data type : field name diagram	8
Figure 7 — data filed dependency example	9
Figure 8 — loop construct example	10
Figure 9 — loop construct with iterations example	10
Figure 10 — JT File Structure	14
Figure 11 — File Header data collection	15
Figure 12 — TOC Segment data collection	16
Figure 13 — TOC Entry data collection	17
Figure 14 — Data Segment data collection	18
Figure 15 — Segment Header data collection	18
Figure 16 — Data collection	20
Figure 17 — Logical Element Header data collection	20
Figure 18 — Element Header data collection	20
Figure 19 — Logical Element Header ZLIB data collection	22
Figure 20 — LSG Segment data collection	24
Figure 21 — Base Node Element data collection	25
Figure 22 — Base Node Data collection	25
Figure 23 — Partition Node Element data collection	27
Figure 24 — Vertex Count Range data collection	28
Figure 25 — Group Node Element data collection	29
Figure 26 — Group Node Data collection	30
Figure 27 — Instance Node Element data collection	31
Figure 28 — Part Node Element data collection	32
Figure 29 — Assembly node with SUBNODE	32
Figure 30 — Assembly node without SUBNODE	33
Figure 31 — Displaying Nodes that have SUBNODE properties	33
Figure 32 — Meta Data Node Element data collection	34
Figure 33 — Meta Data Node Data collection	34
Figure 34 — LOD Node Element data collection	34
Figure 35 — LOD Node Data collection	35
Figure 36 — Range LOD Node Element data collection	36
Figure 37 — Switch Node Element data collection	37

This is a preview of "ISO 14306:2017". Click here to purchase the full version from the ANSI store.

Figure 38 — Base Shape Node Element data collection	38
Figure 39 — Base Shape Data collection	38
Figure 40 — Vertex Count Range data collection	40
Figure 41 — Vertex Shape Node Element data collection	41
Figure 42 — Vertex Shape Data collection	41
Figure 43 — Quantization Parameters data collection	42
Figure 44 — Tri-Strip Set Shape Node Element data collection	42
Figure 45 — Polyline Set Shape Node Element data collection	43
Figure 46 — Point Set Shape Node Element data collection	44
Figure 47 — Polygon Set Shape Node Element data collection	45
Figure 48 — NULL Shape Node Element data collection	45
Figure 49 — Primitive Set Shape Node Element data collection	46
Figure 50 — Primitive Set Quantization Parameters data collection	48
Figure 51 — Base Attribute Data collection	49
Figure 52 — Material Attribute Element data collection	51
Figure 53 — Texture Image Attribute Element data collection	54
Figure 54 — Texture Vers-1 Data collection	56
Figure 55 — Texture Environment data collection	58
Figure 56 — Texture Coord Generation Parameters data collection	61
Figure 57 — Inline Texture Image Data collection	62
Figure 58 — Image Format Description data collection	63
Figure 59 — Texture Vers-2 Data collection	66
Figure 60 — Texture Vers-3 Data collection	69
Figure 61 — Draw Style Attribute Element data collection	72
Figure 62 — Light Set Attribute Element data collection	73
Figure 63 — Infinite Light Attribute Element data collection	74
Figure 64 — Base Light Data collection	75
Figure 65 — Shadow Parameters data collection	76
Figure 66 — Point Light Attribute ElementPoint Light Attribute Element data collection	78
Figure 67 — Spread Angle value with respect to the light cone	79
Figure 68 — Attenuation Coefficients data collection	80
Figure 69 — Linestyle Attribute Element data collection	81
Figure 70 — Pointstyle Attribute Element data collection	82
Figure 71 — Geometric Transform Attribute Element data collection	83
Figure 72 — Shader Effects Attribute Element data collection	85
Figure 73 — Texture Coordinate Generator Attribute Element data collection	87
Figure 74 — Mapping Plane Element data collection	88
Figure 75 — Mapping Cylinder Element data collection	89
Figure 76 — Mapping Sphere Element data collection	90
Figure 77 — Mapping TriPlanar Element data collection	91
Figure 78 — Base Property Atom Element data collection	92
Figure 79 — Base Property Atom Data collection	93
Figure 80 — String Property Atom Element data collection	93
Figure 81 — Integer Property Atom Element data collection	94
Figure 82 — Floating Point Property Atom Element data collection	95
Figure 83 — JT Object Reference Property Atom Element data collection	95
Figure 84 — Date Property Atom Element data collection	96
Figure 85 — Late Loaded Property Atom Element data collection	98
Figure 86 — Vector4f Property Atom Element data collection	99
Figure 87 — Property Table data collection	100
Figure 88 — Element Property Table data collection	101
Figure 89 — Shape LOD Segment data collection	102
Figure 90 — Base Shape LOD Element data collection	102
Figure 91 — Base Shape LOD Data collection	103
Figure 92 — Vertex Shape LOD Element data collection	103
Figure 93 — Vertex Shape LOD Data collection	104
Figure 94 — TopoMesh LOD Data collection	106
Figure 95 — TopoMesh LOD Data collection	106
Figure 96 — TopoMesh Topologically Compressed LOD Data collection	107

This is a preview of "ISO 14306:2017". Click here to purchase the full version from the ANSI store.

Figure 97 — Topologically Compressed Rep Data Collection.....	108
Figure 98 — Topologically Compressed Vertex Records data collection.....	111
Figure 99 — TopoMesh Compressed Rep Data V1 data collection.....	112
Figure 100 — TopoMesh Compressed Rep Data V2 data collection.....	115
Figure 101 — Tri-Strip Set Shape LOD Element data collection	118
Figure 102 — Polyline Set Shape LOD Element data collection.....	119
Figure 103 — Point Set Shape LOD Element data collection	119
Figure 104 — Null Shape LOD Element data collection	120
Figure 105 — Primitive Set Shape Element data collection.....	121
Figure 106 — Lossless Compressed Primitive Set Data collection	123
Figure 107 — Lossy Quantized Primitive Set Data collection	125
Figure 108 — Compressed params1 data collection	127
Figure 109 — Meta Data Segment data collection	131
Figure 110 — Meta Data Segment data collection	132
Figure 111 — Date Property Value data collection	134
Figure 112 — PMI Manager Meta Data Element data collection	135
Figure 113 — PMI Entities data collection	137
Figure 114 — PMI Dimension Entities data collection.....	137
Figure 115 — PMI 2D Data collection	138
Figure 116 — PMI Base Data collection	139
Figure 117 — 2D-Reference Frame data collection	140
Figure 118 — 2D Text Data collection	140
Figure 119 — Text Box data collection	142
Figure 120 — Constructing Text Polylines from data arrays.....	143
Figure 121 — Text Polyline Data collection	144
Figure 122 — Constructing Non-Text Polylines from packed 2D data arrays	145
Figure 123 — Non-Text Polyline Data collection.....	146
Figure 124 — PMI Note Entities data collection	147
Figure 125 — PMI Datum Feature Symbol Entities data collection.....	148
Figure 126 — PMI Datum Target Entities data collection	148
Figure 127 — PMI Feature Control Frame Entities data collection	149
Figure 128 — PMI Line Weld Entities data collection	149
Figure 129 — PMI Spot Weld Entities data collection	150
Figure 130 — PMI 3D Data collection	151
Figure 131 — PMI Surface Finish Entities data collection	152
Figure 132 — PMI Measurement Point Entities data collection.....	153
Figure 133 — PMI Locator Entities data collection	154
Figure 134 — PMI Reference Geometry Entities data collection.....	154
Figure 135 — PMI Design Group Entities data collection	155
Figure 136 — Design Group Attribute data collection.....	156
Figure 137 — PMI Coordinate System Entities data collection	157
Figure 138 — PMI Associations data collection.....	158
Figure 139 — PMI User Attributes data collection	160
Figure 140 — PMI String Table data collection	161
Figure 141 — PMI Model Views data collection.....	162
Figure 142 — Generic PMI Entities data collection	164
Figure 143 — PMI Property data collection	166
Figure 144 — PMI Property Atom data collection	168
Figure 145 — PMI CAD Tag Data collection.....	169
Figure 146 — PMI Polygon Data	171
Figure 147 — Int32 Compressed Data Packet data collection	175
Figure 148 — Int32 Probability Contexts data collection	177
Figure 149 — Int32 Probability Context Table Entry data collection	178
Figure 150 — Int32 Compressed Data Packet Mk. 2 data collection	181
Figure 151 — Int32 Probability Contexts Mk. 2 data collection	183
Figure 152 — Int32 Probability Context Table Entry Mk. 2 data collection	184
Figure 153 — Float64 Compressed Data Packet data collection.....	186
Figure 154 — Float64 Probability Contexts data collection.....	188
Figure 155 — Float64 Probability Context Table Entry data collection	188

This is a preview of "ISO 14306:2017". Click here to purchase the full version from the ANSI store.

Figure 156 — Compressed Vertex Coordinate Array data collection	189
Figure 157 — Compressed Vertex Normal Array data collection	191
Figure 158 — Compressed Vertex Texture Coordinate Array data collection	193
Figure 159 — Compressed Vertex Colour Array data collection.....	195
Figure 160 — Compressed Vertex Flag Array data collection.....	197
Figure 161 — Point Quantizer Data collection.....	197
Figure 162 — Texture Quantizer Data collection.....	198
Figure 163 — Colour Quantizer Data collection	199
Figure 164 — Uniform Quantizer Data collection.....	200
Figure 165 — Compressed Entity List for Non-Trivial Knot Vector data collection	202
Figure 166 — Compressed Control Point Weights Data collection	204
Figure 167 — Compressed Curve Data collection	205
Figure 168 — Non-Trivial Knot Vector NURBS Curve Indices data collection.....	207
Figure 169 — NURBS Curve Control Point Weights data collection	207
Figure 170 — NURBS Curve Control Points data collection.....	207
Figure 171 — Compressed CAD Tag Data collection	209
Figure 172 — Compressed CAD Tag Type-2 Data collection	210
Figure 173 — Sextant Coding on the Sphere	218
Figure 174 — ISO 14306 format Convention for Modelling each Part in LSG	327
Figure 175 — CAD Component with Reference sets	329
Figure 176 — Watermark Example	330
Figure 177 — JT Data with Watermark in JT2GO	331
Figure 178 — JT Data with Watermark in LiteBox3D - ISO based JT Viewer	332
Figure 179 — STEP B-Rep Element data collection	338
Figure 180 — XT B-Rep Element data collection	473
Figure 181 — Non-manifold body	477
Figure 182 — Split a face	556
Figure 183 — Merge faces	557
Figure 184 —JT B-Rep Segment data collection.....	567
Figure 185 — JT B-Rep Segment data collection.....	568
Figure 186 — Topological Entity Counts data collection	569
Figure 187 — Geometric Entity Counts data collection	570
Figure 188 — Topology Data collection	571
Figure 189 — Regions Topology Data collection	572
Figure 190 — Shells Topology Data collection	573
Figure 191 — Trim Loop example in parameter Space - One Face with 2 Holes.....	574
Figure 192 — Faces Topology Data collection.....	575
Figure 193 — Loops Topology Data collection	576
Figure 194 — CoEdges Topology Data collection	577
Figure 195 — Edges Topology Data collection	578
Figure 196 — Vertices Topology Data collection	579
Figure 197 — Geometric Data collection	580
Figure 198 — Surfaces Geometric Data collection	581
Figure 199 — Non-Trivial Knot Vector NURBS Surface Indices data collection.....	582
Figure 200 — NURBS Surface Degree data collection	583
Figure 201 — NURBS Surface Control Point Counts data collection	583
Figure 202 — NURBS Surface Control Point Weights data collection	584
Figure 203 — NURBS Surface Control Points data collection.....	584
Figure 204 — NURBS Surface Knot Vectors data collection	585
Figure 205 — NURBS Surface Knot Vectors collection	585
Figure 206 — Trivial PCS Curves data collection	586
Figure 207 — Equality of corresponding curve end coordinates of opposite sides of the box	587
Figure 208 — MCS Curves Geometric Data collection	589
Figure 209 — Point Geometric Data collection	589
Figure 210 — Topological Entity Tag Counters data collection	590
Figure 211 — B-Rep CAD Tag Data collection	591
Figure 212 — wireframe segment data collection	592
Figure 213 — Wireframe Rep Element data collection	593
Figure 214 — Wireframe MCS Curves Geometric Data collection	594

This is a preview of "ISO 14306:2017". Click here to purchase the full version from the ANSI store.

Figure 215 — Wireframe Rep CAD Tag Data collection	595
Figure 216 — JT ULP Segment data collection	596
Figure 217 — JT ULP Element data collection	597
Figure 218 — Topology Data collection	598
Figure 219 — Topological Entity Counts data collection	599
Figure 220 — Combined Predictor Type data collection	600
Figure 221 — Regions Topology Data collection	601
Figure 222 — Shells Topology Data collection	602
Figure 223 — Faces Topology Data collection	603
Figure 224 — Loops Topology Data collection	606
Figure 225 — CoEdges Topology Data collection	608
Figure 226 — Surface Domain Classification	610
Figure 227 — Edges Topology Data collection	612
Figure 228 — Vertices Topology Data collection	614
Figure 229 — Geometric Data collection	615
Figure 230 — Geometric Entity Counts data collection	616
Figure 231 — Degree Table data collection	617
Figure 232 — Recover Nurbs Degree	618
Figure 233 — Number of Control Points Table data collection	619
Figure 234 — Recover Number of Control Points	620
Figure 235 — Dimension Table data collection	621
Figure 236 — Recover Dimension	622
Figure 237 — 3D Unit Vector Table data collection	623
Figure 238 — Recover Dimension	624
Figure 239 — 2D Unit Vector Table data collection	625
Figure 240 — Recover 2D Unit Vector	625
Figure 241 — 3D MCS Point Table data collection	626
Figure 242 — Recover 3D MCS Points	627
Figure 243 — Knot Vector Table data collection	628
Figure 244 — Recover Knot Vectors	629
Figure 245 — 1D MCS Table data collection	631
Figure 246 — Recover 1D MCS Table	632
Figure 247 — PCS Value Table data collection	633
Figure 248 — Recover PCS Value Table	634
Figure 249 — Radian Table data collection	634
Figure 250 — Recover Radian Table	635
Figure 251 — Weight Table data collection	636
Figure 252 — Recover Weight Table	637
Figure 253 — Material Attribute Element Properties	638
Figure 254 — Material Attribute Element Properties	639
Figure 255 — PCS Curve Recovery from Surface Domain	640
Figure 256 — MCS Curve Recovery	641
Figure 257 — MCS Curve Recovery from Surface Geometry	642
Figure 258 — PCS Curve Recovery from MCS Curve and Surface Geometry	643
Figure 259 — JT LWPA Segment data collection	643
Figure 260 — JT LWPA Element data collection	644
Figure 261 — Analytic Surface Geometry data collection	645
Figure 262 — Analytic Surface Creation	646

Tables

Table 1 — Symbols	6
Table 2 — Predictor Type	8
Table 3 — Basic Data Types	10
Table 4 — Composite Data Types	11
Table 5 — Segment attributes	17
Table 6 — Segment Types	18

This is a preview of "ISO 14306:2017". Click here to purchase the full version from the ANSI store.

Table 7 — Object Base Types	21
Table 8 — Compression flag values	22
Table 9 — Compression algorithm values	22
Table 10 — Node Flag values	26
Table 11 — Partition flag bits	27
Table 12 — SUBNODE Property	33
Table 13 — Compression level values	39
Table 14 — Texture Coord Binding values	47
Table 15 — Version Number values	47
Table 16 — Texture Coord Gen Type values	47
Table 17 — State Flag values	49
Table 18 — Material Attribute data field inhibit values	50
Table 19 — Material Attribute Version number value	52
Table 20 — Material Attribute Data Flag values	52
Table 21 — Texture Image Attribute data field inhibit values	53
Table 22 — Texture Image Version Number values	54
Table 23 — Texture Vers-1 type values	56
Table 24 — Texture Vers-1 Inline Image Storage Flag values	57
Table 25 — Texture Vers-1 Texture Environment Border Mode values	58
Table 26 — Texture Vers-1 Texture Environment Mipmap Magnification Filter values	59
Table 27 — Texture Vers-1 Texture Environment Mipmap Minification Filter values	59
Table 28 — Texture Vers-1 Texture Environment S-Dimen Wrap Mode values	60
Table 29 — Texture Vers-1 Texture Environment Blend Type values	60
Table 30 — Texture Vers-1 Texture Environment Internal Compression Level values	60
Table 31 — Texture Vers-1 Texture Coord Generation Gen Mode values	61
Table 32 — Texture Vers-1 Image Format Description Pixel Format values	63
Table 33 — Texture Vers-1 Image Format Description Pixel Data values	64
Table 34 — Texture Vers-1 Image Format Description Dimensionality values	64
Table 35 — Texture Vers-1 Image Format Description Shared Image Flag values	65
Table 36 — Texture Vers-2 Texture Type values	67
Table 37 — Texture Vers-2 Inline Image Storage Flag values	68
Table 38 — Texture Vers-3 Texture Type values	70
Table 39 — Texture Vers-3 Inline Image Storage Flag values	71
Table 40 — Draw Style Attribute Field Inhibit flag values	71
Table 41 — Draw Style Attribute Data Flag values	72
Table 42 — Light Set Attribute Version Number values	75
Table 43 — Base Light Data Cood System values	76
Table 44 — Base Light Data Shadow Caster Flag values	76
Table 45 — Point Light Attribute Version Number values	79
Table 46 — Point Light Attribute Spread Angle values	79
Table 47 — Linestyle Attribute Data Flag values	81
Table 48 — Pointstyle Attribute Data Flag values	82
Table 49 — Geometric Transform Attribute Stored Value Mask individual bit-flag values	84
Table 50 — Shader Effects Attribute Enable Flag values	85
Table 51 — Shader Effects Attribute Phong Shading Flag values	86
Table 52 — Mapping Plane Matrix Coordinate System values	88
Table 53 — Mapping Cylinder Matrix Coordinate System values	89
Table 54 — Mapping Sphere Matrix Coordinate System values	91
Table 55 — Mapping TriPlanar Matrix Coordinate System values	92
Table 56 — Vertex Shape LOD Bindings values	104
Table 57 — TopoMesh Compressed Rep Data V2 Field Type values	116
Table 58 — Primitive Set Shape Texture Coord Binding values	121
Table 59 — Primitive Set Shape Version Number values	122
Table 60 — Primitive Set Shape Texture Coord Gen Type values	122
Table 61 — Lossless Compressed Primitive Set Data Field values	123
Table 62 — Primitive Set “params#” Data Fields Interpretation	124
Table 63 — Property Proxy Meta Data Property Value Type values	133
Table 64 — PMI Manager Meta Data Version Number values	136
Table 65 — PMI 2D Base Data Font values	141

This is a preview of "ISO 14306:2017". Click here to purchase the full version from the ANSI store.

Table 66 — PMI 2D Non-Text Polyline Type values	146
Table 67 — PMI 3D Data Polyline Dimensionality values	151
Table 68 — PMI Reference Geometry Entity values	154
Table 69 — PMI Design Group Attribute Type values.....	156
Table 70 — PMI Associations Source Data values	158
Table 71 — PMI Associations Reason Code values	159
Table 72 — PMI Model Views Active Flag values	163
Table 73 — Generic PMI Entity Type values	165
Table 74 — Generic PMI User Flag values	166
Table 75 — Common Property Keys and Their Value Encoding formats.....	167
Table 76 — PMI Property Atom Hidden Flag values	168
Table 77 — Common Compression CODEC Type values	176
Table 78 — Int32 Probability Contexts CODEC Type values	182
Table 79 — Float64 Compressed Data Packet CODEC Type values.....	186
Table 80 — Colour Quantizer values	198
Table 81 — Colour Quantizer HSV Flag values	199
Table 82 — Knot Type Exist Flag values.....	202
Table 83 — Compressed Curve Base Type values	206
Table 84 — NURB UV Curve entity dimensionality values.....	206
Table 85 — NURB XYZ Curve entity dimensionality values.....	206
Table 86 — Compressed CAD Tag Type values	210
Table 87 — Example assigned probability values	214
Table 88 — Example “probability line” values	214
Table 89 — Example input integer sequence values	214
Table 90 — Example integer number sequence values	215
Table 91 — CAD Property Conventions	224
Table 92 — CAD Optional Property Units	228
Table 93 — PMI Properties	229
Table 94 — Tessellation Property values.....	324
Table 95 — Miscellaneous Property values.....	325
Table 96 — Texture watermark properties	330
Table 97 — Object Type Identifiers	334
Table 98 — Object Nodes	479
Table 99 — Field types in order one by one	480
Table 100 — Entity Matrix relations	487
Table 101 — Curve node common fields	490
Table 102 — Line Fields	491
Table 103 — Circle fields	492
Table 104 — Ellipse fields.....	493
Table 105 — NURB curve fields	496
Table 106 — Curve intersection fields	499
Table 107 — Trimmed curve fields	502
Table 108 — SP curve fields.....	503
Table 109 — Surface node fields	504
Table 110 — Plane fields.....	504
Table 111 — Cylinder fields.....	505
Table 112 — Cone fields	506
Table 113 — Sphere fields	507
Table 114 — Torus fields	508
Table 115 — Blended edge fields	509
Table 116 — Blend boundary surface fields	511
Table 117 — Offset surface fields	511
Table 118 — B-Surface fields	512
Table 119 — NURB Surface fields	513
Table 120 — Swept surface fields	517
Table 121 — Spun surface fields	518
Table 122 — Point fields	519
Table 123 — Transform fields	519
Table 124 — Transform action fields.....	520

This is a preview of "ISO 14306:2017". Click here to purchase the full version from the ANSI store.

Table 125 — Geometry owner fields	521
Table 126 — World topology fields	521
Table 127 — Assembly fields	522
Table 128 — Instance fields	524
Table 129 — Body fields	525
Table 130 — Geometry to Topology attachment	528
Table 131 — Region fields	528
Table 132 — Shell fields	529
Table 133 — Face fields	529
Table 134 — Loop fields	530
Table 135 — Fin fields	531
Table 136 — Vertex fields	532
Table 137 — Edge fields	532
Table 138 — Associated List	534
Table 139 — Pointer List Block	535
Table 140 — Attribute Definition ID	535
Table 141 — Field Names	536
Table 142 — Attribute definition	536
Table 143 — Attribute definition action fields	537
Table 144 — Corresponding attribute classes	537
Table 145 — Attribute fields	539
Table 146 — Integer values	541
Table 147 — Real values	541
Table 148 — Character values	541
Table 149 — Unicode values	541
Table 150 — Point values	542
Table 151 — Vector values	542
Table 152 — Direction values	542
Table 153 — Axis values	542
Table 154 — Tag values	543
Table 155 — Group fields	543
Table 156 — Group member fields	544
Table 157 — Node types	545
Table 158 — Node classes	547
Table 159 — Hatching	547
Table 160 — Planar Hatch	548
Table 161 — Radial Hatch	548
Table 162 — Parametric Hatch	548
Table 163 — Body Density	549
Table 164 — Region Density	549
Table 165 — Face Density	550
Table 166 — Edge Density	550
Table 167 — Vertex Density	550
Table 168 — Region	551
Table 169 — Colour	551
Table 170 — Reflectivity	551
Table 171 — Translucency	552
Table 172 — Name	552
Table 173 — Incremental faceting	552
Table 174 — Transparency	552
Table 175 — Non-mergable edges	553
Table 176 — Group merge behaviour	553
Table 177 — Unicode name	553
Table 178 — Moniker attribute use example	555
Table 179 — MONIKER/GUID_TABLE_ATTRIB and MONIKER/MONIKER_DATA_ATTRIB	557
Table 180 — MONIKER/BODY_ID_ATTRIB	558
Table 181 — JT B-Rep Shell Topology Anti-Hole Flag values	573
Table 182 — JT B-Rep Face Reverse Normal Flag values	576
Table 183 — JT B-Rep Loops Topology Data Anti-Hole Flag values	577

This is a preview of "ISO 14306:2017". Click here to purchase the full version from the ANSI store.

Table 184 — JT B-Rep MCS Curve Reversed Flag values	578
Table 185 — JT B-Rep Surface Base Type value	582
Table 186 — JT B-Rep NURBS Surface Control Point Dimensionality values.....	582
Table 187 — Trivial Domain Loops Exist Flag values	587
Table 188 — Trivial Box Loops Exist Flag values	587
Table 189 — Trivial Domain UV Curves Exist Flag values	588
Table 190 — Trivial UV Curve Para Domain Side Codes values.....	588
Table 191 — JT ULP Shell Anti-Hole Flag values.....	602
Table 192 — JT ULP Flag Bit Array Look Index values	604
Table 193 — JT ULP Supported Surface Type values	605
Table 194 — JT ULP Supported Knot Type Values	605
Table 195 — JT ULP Face Reverse Normal Flag values.....	605
Table 196 — JT ULP Loops Topology Flag Bit Array values	606
Table 197 — JT ULP Loops Topology Reverse Normal Flag values.....	607
Table 198 — JT ULP Recover Edge Indices Flag Bit Array values.....	609
Table 199 — JT ULP Recover Edge Indices PCS curve type values.....	610
Table 200 — JT ULP PCS Curve Type values	610
Table 201 — JT ULP PCS Curve Type XYZ Reversed Flag values	611
Table 202 — JT ULP PCS Curve Type isUVInc Flag values	611
Table 203 — JT ULP Edges Topology Recover MCS Curve Indices Flag Bit Array values	613
Table 204 — JT ULP Edges Topology Recover MCS Curve Type values	613
Table 205 — Parameter Domain.....	631

This is a preview of "ISO 14306:2017". Click here to purchase the full version from the ANSI store.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 184, *Automation systems and integration*, Subcommittee SC 4, *Industrial data*.

This second edition cancels and replaces the first edition (ISO 14306:2012), which has been technically revised.

The main changes compared to the previous edition are as follows:

- addition of a STEP B-Rep Segment based on the ISO 10303 STEP suite of standards;
- addition of a new geometry chapter listing all geometry segments in the annexes;
- updates of the documentation from the ProSTEP iViP industrialization guidelines;
- addition of a conformance clause;
- addition of a mapping table JT ISO to STEP;
- deprecation of the JT Brep segment;
- deprecation of the PMI data segment which is superseded by the meta data segment.

This is a preview of "ISO 14306:2017". Click here to purchase the full version from the ANSI store.

Introduction

The ISO 14306 format is an industry focused, high-performance, lightweight, flexible file format for capturing and repurposing 3D product definition data for visualization to enable collaboration and validation throughout the extended enterprise. The ISO 14306 format is streamable and contains compression for compact and efficient representation.

Some of the highlights of the ISO 14306 format include:

- built-in support for assemblies, sub-assemblies and part constructs;
- a flexible partitioning scheme, supporting single or multiple files;
- b-rep solid shape representations to provide precision to the light-weight viewing processes;
- product manufacturing information in support of paperless manufacturing initiatives;
- precise and imprecise wireframe shape representations;
- discrete purpose-built levels of detail;
- triangle sets, polygon sets, point sets, line sets and implicit primitive sets (such as cylinder, cone and sphere);
- a full array of visual attributes such as for materials, textures, lights;
- hierarchical bounding box and bounding spheres;
- data compression that allows producers of JT files to fine tune the trade-off between compression ratio and fidelity of the data.

Beyond the data contents description of the ISO 14306 format, the overall physical structure/organization of the format is also designed to support operations such as:

- offline optimizations of the data contents, i.e. file granularity and flexibility optimized to meet the needs of enterprise data translation solutions;
- asynchronous streaming of content, i.e. viewing optimizations such as view frustum and occlusion culling and fixed-framerate display modes;
- layers, and layer filters.

NOTE This document is based on the JT Open version 9.5 specification, which defines a scene graph with geometry specific node and attribute support, extended to support ISO 10303.

The International Organization for Standardization (ISO) draws attention to the fact that it is claimed that compliance with this document may involve the use of patents USA 20110199382, 8019788.

ISO takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured ISO that he is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with ISO. Information may be obtained from:

Siemens PLM Software Product Development
 345 Woodcliff Drive
 Fairport
 NY 14450
 USA

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. ISO shall not be held responsible for identifying any or all such patent rights.

This is a preview of "ISO 14306:2017". Click here to purchase the full version from the ANSI store.

This is a preview of "ISO 14306:2017". Click here to purchase the full version from the ANSI store.

Industrial automation systems and integration — JT file format specification for 3D visualization

1 Scope

This document defines the syntax and semantics of a file format for the 3D visualization and interrogation of lightweight geometry and product manufacturing information derived from CAD systems, using visualization software tools that do not need the full capability of a CAD system.

This document has been adopted as a 3D visualization capability in addition to the ISO 10303 series.

The ISO 10303 series are the ISO standards adopted for the engineering data exchange, sharing and long term archiving of product definition information throughout the product lifecycle.

In this document 3D visualization is defined as the visual presentation on a screen or another media of graphical and textual 3 dimensional representations of a set of data representing an object, information or results of a computational process in order to enable decision process by a human looking at the data visualized in a medium.

The file format supports the following information:

- facet information (triangles), stored with geometry compression techniques
- visual attributes such as lights, textures and materials
- product manufacturing information, such as dimensions, tolerances and other attributes
- boundary representation (b-rep) solid model shape representations. Several alternatives are available, including a representation based on the geometry standard defined in ISO 10303
- configuration representations
- delivery methods such as asynchronous streaming of content

The document does not specify the implementation of, or definition of a run-time architecture for viewing or processing of the file format.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10303-21:2014, *Industrial automation systems and integration — Product data representation and exchange — Part 21: Implementation methods: Clear text encoding of the exchange structure*

ISO 10303-42:2014, *Industrial automation systems and integration — Product data representation and exchange — Part 42: Integrated generic resource: geometric and topological representation*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>