

This is a preview of "ISO 14405-1:2010". [Click here to purchase the full version from the ANSI store.](#)

First edition
2010-12-15

Geometrical product specifications (GPS) — Dimensional tolerancing —

Part 1: Linear sizes

*Spécification géométrique des produits (GPS) — Tolérancement
dimensionnel —*

Partie 1: Tailles linéaires



Reference number
ISO 14405-1:2010(E)

© ISO 2010

This is a preview of "ISO 14405-1:2010". [Click here to purchase the full version from the ANSI store.](#)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "ISO 14405-1:2010". Click here to purchase the full version from the ANSI store.

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope.....	1
2 Normative references.....	2
3 Terms and definitions	3
4 Specification modifiers and symbols.....	14
5 Default specification operator for size.....	16
5.1 General	16
5.2 ISO default specification operator for size	17
5.3 Drawing-specific default specification operator for size	18
6 Drawing indication for special specification operators for size.....	18
6.1 General	18
6.2 Indication with one or more specification operators.....	20
7 Indication of the toleranced feature on which the size characteristic is defined.....	23
7.1 Complete toleranced feature of size.....	23
7.2 Specific fixed restricted portion of the feature of size	24
7.3 Any restricted portion of the feature of size of a specified length.....	25
7.4 Any cross section of a feature of size.....	26
7.5 Specific cross section of a feature of size.....	27
7.6 Requirement applied individually for more than one feature of size.....	28
7.7 Requirement applied simultaneously for more than one feature and considered as one feature of size	28
7.8 Flexible/non-rigid parts.....	29
Annex A (normative) Proportions and dimensions of graphical symbols	30
Annex B (informative) Overview diagram for size	31
Annex C (informative) Former practice and consequences	32
Annex D (informative) Relation to the GPS matrix model.....	33
Bibliography.....	35

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 14405-1 was prepared by Technical Committee ISO/TC 213, *Dimensional and geometrical product specifications and verification*.

ISO 14405 consists of the following parts, under the general title *Geometrical product specification (GPS) — Dimensional tolerancing*:

- *Part 1: Linear sizes*
- *Part 2: Dimensions other than linear sizes*

This is a preview of "ISO 14405-1:2010". [Click here to purchase the full version from the ANSI store.](#)

Introduction

This part of ISO 14405 is a geometrical product specification (GPS) standard and is to be regarded as a general GPS standard (see ISO/TR 14638). It influences chain links 1 to 3 of the chain of standards on size.

The ISO/GPS Masterplan given in ISO/TR 14638 gives an overview of the ISO/GPS system of which this document is a part. The fundamental rules of ISO/GPS given in ISO 8015 apply to this document and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this document, unless otherwise indicated.

For more detailed information of the relation of this part of ISO 14405 to other standards and the GPS matrix model, see Annex D.

Produced workpieces exhibit deviations from the ideal geometric form. The real value of the dimension of a feature of size is dependent on the form deviations and on the specific type of size applied.

The type of size to be applied to a feature of size depends on the function of the workpiece.

The type of size can be indicated on the drawing by a specification modifier for controlling the feature definition and evaluation method to be used.