Second edition 2018-12

## Geometrical product specifications (GPS) — Dimensional tolerancing —

### Part 2:

# Dimensions other than linear or angular sizes

Spécification géométrique des produits (GPS) — Tolérancement dimensionnel —

Partie 2: Dimensions autres que tailles linéaires ou angulaires



#### ISO 14405-2:2018(E)

This is a preview of "ISO 14405-2:2018". Click here to purchase the full version from the ANSI store.



#### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

| Con    | tents  | Page             |
|--------|--|------------------|
| Forew  | ord  | iv               |
| Introd | luction  | v                |
| 1      | Scope  | 1                |
| 2      | Normative references   | 1                |
| 3      | Terms and definitions  | 2                |
| 4      | Principles and rules for indication of dimensions and related tolerances   | 2                |
| 5      | Units used in drawings for dimensions  | 3                |
| 6      | Indication of tolerances for linear or angular dimensions  | 4                |
| 7      | Illustrations of ambiguous ± tolerancing vs. unambiguous geometrical specifications 7.1 General 7.2 Linear distance between two integral features 7.3 Linear distance between an integral and a derived feature 7.4 Linear distance between two derived features 7.5 Radius dimension 7.6 Linear distance between non-planar integral features 7.7 Linear distance in two directions | 4<br>6<br>7<br>8 |
| 8      | 7.7 Linear distance in two directions  Angular tolerancing  8.1 Examples of geometrical specifications applied to angular distance between two integral features   | 10               |
|        | 8.2 Angular distance between an integral feature and a derived feature   |                  |
| Annex  | A (informative) Explanations and examples of the ambiguity caused by using ± tolerances for dimensions other than linear size or angular size  | 13               |
| Annex  | B (informative) Relation to the GPS matrix model   |                  |
|        | graphy   |                  |

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 213, *Dimensional and geometrical product specifications and verification.* 

This second edition cancels and replaces the first edition (ISO 14405-2:2011), which has been technically revised.

The main changes compared to the previous edition are as follows:

- the addition of angular sizes to reflect ISO 14405-3;
- clarifications around specification ambiguity and the use of geometrical tolerancing;
- a review and update of all normative references and other ISO GPS standards referenced in the text.

A list of all parts in the ISO 14405 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

### Introduction

This document is a geometrical product specification (GPS) standard and is to be regarded as a general GPS standard (see ISO 14638). It influences chain link A of the chain of standards on distance.

The ISO GPS Matrix model given in ISO 14638 gives an overview of the ISO GPS system of which this document is a part. The fundamental rules of ISO GPS given in ISO 8015 apply to this document and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this document, unless otherwise indicated.

For dimensions other than linear or angular sizes, the requirement is ambiguous when applied to the real workpiece. It is the presence of form and angular deviations on all real workpieces that makes these requirements ambiguous, i.e. there is a specification ambiguity.

This specification ambiguity can only be avoided for features of size toleranced in accordance with ISO 14405-1 or ISO 14405-3. For all other dimensions, geometrical specifications should be used in order to control the specification ambiguity.

For more detailed information on the relation of this document to other standards and to the GPS matrix model, see  $\underline{\text{Annex B}}$ .