

This is a preview of "ISO 148-2:2016". Click [here](#) to purchase the full version from the ANSI store.

Third edition  
2016-10-15

---

---

# Metallic materials — Charpy pendulum impact test — Part 2: Verification of testing machines

*Matériaux métalliques — Essai de flexion par choc sur éprouvette  
Charpy —*

*Partie 2: Vérification des machines d'essai (mouton-pendule)*



Reference number  
ISO 148-2:2016(E)

This is a preview of "ISO 148-2:2016". Click here to purchase the full version from the ANSI store.



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

This is a preview of "ISO 148-2:2016". Click [here](#) to purchase the full version from the ANSI store.

## Contents

	Page
<b>Foreword</b>	<b>iv</b>
<b>Introduction</b>	<b>v</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms and definitions</b>	<b>2</b>
3.1 Definitions pertaining to the machine	2
3.2 Definitions pertaining to energy	3
3.3 Definitions pertaining to test pieces	4
<b>4 Symbols and abbreviated terms</b>	<b>4</b>
<b>5 Testing machine</b>	<b>6</b>
<b>6 Direct verification</b>	<b>6</b>
6.1 General	6
6.2 Foundation/installation	6
6.3 Machine framework	7
6.4 Pendulum	8
6.5 Anvil and supports	11
6.6 Indicating equipment	12
<b>7 Indirect verification by use of reference test pieces</b>	<b>13</b>
7.1 Reference test pieces used	13
7.2 Absorbed energy levels	13
7.3 Requirements for reference test pieces	13
7.4 Limited direct verification	13
7.5 Bias and repeatability	13
7.5.1 Repeatability	13
7.5.2 Bias	14
<b>8 Frequency of verification</b>	<b>14</b>
<b>9 Verification report</b>	<b>14</b>
9.1 General	14
9.2 Direct verification	15
9.3 Indirect verification	15
<b>10 Uncertainty</b>	<b>15</b>
<b>Annex A (informative) Measurement uncertainty of the result of the indirect verification of a Charpy pendulum impact machine</b>	<b>21</b>
<b>Annex B (informative) Measurement uncertainty of the results of the direct verification of a Charpy pendulum impact testing machine</b>	<b>25</b>
<b>Annex C (informative) Direct method of verifying the geometric properties of pendulum impact testing machines using a jig</b>	<b>32</b>
<b>Bibliography</b>	<b>38</b>

This is a preview of "ISO 148-2:2016". Click here to purchase the full version from the ANSI store.

## **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

The committee responsible for this document is ISO/TC 164, *Mechanical testing of metals*, Subcommittee SC 4, *Toughness testing — Fracture (F), Pendulum (P), Tear (T)*.

This third edition cancels and replaces the second edition (ISO 148-2:2008), which has been technically revised.

ISO 148 consists of the following parts, under the general title *Metallic materials — Charpy pendulum impact test*:

- *Part 1: Test method*
- *Part 2: Verification of testing machines*
- *Part 3: Preparation and characterization of Charpy V-notch test pieces for indirect verification of pendulum impact machines*

This is a preview of "ISO 148-2:2016". Click [here](#) to purchase the full version from the ANSI store.

## Introduction

The suitability of a pendulum impact testing machine for acceptance testing of metallic materials has usually been based on a calibration of its scale and verification of compliance with specified dimensions, such as the shape and spacing of the anvils supporting the specimen. The scale calibration is commonly verified by measuring the mass of the pendulum and its elevation at various scale readings. This procedure for evaluation of machines had the distinct advantage of requiring only measurements of quantities that could be traced to national standards. The objective nature of these traceable measurements minimized the necessity for arbitration regarding the suitability of the machines for material acceptance tests.

However, sometimes two machines that had been evaluated by the direct-verification procedures described above, and which met all dimensional requirements, were found to give significantly different impact values when testing test pieces of the same material.

This difference was commercially important when values obtained using one machine met the material specification, while the values obtained using the other machine did not. To avoid such disagreements, some purchasers of materials added the requirement that all pendulum impact testing machines used for acceptance testing of material sold to them are to be indirectly verified by testing reference test pieces supplied by them. A machine was considered acceptable only if the values obtained using the machine agreed, within specified limits, with the value furnished with the reference test pieces.

This part of ISO 148 describes both the original direct verification and the indirect verification procedures.