This is a preview of "ISO 14853:2016". Click here to purchase the full version from the ANSI store.

Second edition 2016-07-15

Plastics — Determination of the ultimate anaerobic biodegradation of plastic materials in an aqueous system — Method by measurement of biogas production

Plastiques — Évaluation de la biodégradabilité anaérobie ultime des matériaux plastiques en milieu aqueux — Méthode par détermination de la production de biogaz



Reference number ISO 14853:2016(E)

ISO 14853:2016(E)

This is a preview of "ISO 14853:2016". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org This is a preview of "ISO 14853:2016". Click here to purchase the full version from the ANSI store.

Con	tents	Page
Forew	ord	v
Introd	luction	vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	
4	Principle	
5	Reagents and materials	
6	Apparatus	
	6.1 Laboratory equipment	
	6.2 Apparatus for use when biogas is measured by a manometric method	6
	6.3 Apparatus for use when biogas is measured by a volumetric method	6
7	Procedure	
	7.1 General	
	7.2 Digested sludge7.3 Preparation of the inoculum	
	7.4 Preparation of test suspensions and controls	
	7.5 Incubation and gas measurement	
	7.6 Test duration	
	7.7 Measurement of inorganic carbon	9
	7.8 Specific analyses	9
8	Calculation and expression of results	9
	8.1 Amount of carbon in headspace	9
	8.2 Calculation of amount of carbon in headspace when manometric measurement method is used	10
	8.3 Calculation of amount of carbon in headspace when volumetric measurement method is used	11
	8.4 Amount of inorganic carbon in the liquid	11
	8.5 Total amount of carbon converted to gas	
	8.6 Amount of carbon in test material	12
	8.7 Calculation of percentage biodegradation	12
9	Validity of results	12
	9.1 Maintenance of anaerobic conditions	
	9.2 Inhibition of degradation	
	9.3 Validity of the test	12
10	Test report	13
Annex	A (informative) Example of apparatus for determining the amount of biogas produced by measuring the increase in gas pressure	14
Annex	B (informative) Example of apparatus for determining volumetrically the amount of biogas produced	15
Annex	κ C (informative) Example of a biodegradation curve	17
	x D (informative) Examples of data sheets for anaerobic biodegradability tests	
	K E (informative) Table of water vapour pressures at various temperatures	
	F (informative) Calculation of theoretical carbon dioxide (ThCO ₂) and theoretical	
	methane (ThCH ₄) production	
Annex	G (informative) Example of determination of recovery rate	23
Annex	x H (informative) Example of a workflow scheme	26

iii

ISO 14853:2016(E)

This is a preview of "ISO 14853:2016". Click here to purchase the full version from the ANSI store.

Bibliography 28

This is a preview of "ISO 14853:2016". Click here to purchase the full version from the ANSI store.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 61, *Plastics*, Subcommittee SC 5, *Physical-chemical properties*.

This second edition cancels and replaces the first edition (ISO 14853:2005), which has been technically revised. It also incorporates the Technical Corrigendum ISO 14853:2005/Cor.1:2009.

ISO 14853:2016(E)

This is a preview of "ISO 14853:2016". Click here to purchase the full version from the ANSI store.

Introduction

With the increasing use of plastics, their recovery and disposal have become a major issue. As a first priority, recovery should be promoted. For example, plastic litter, which originates mainly from consumers, is difficult to recover completely. Additional examples of materials difficult to recover are found in the disposal of fishing tackle, agricultural mulch films and water-soluble polymers. These plastic materials tend to leak from closed waste management infrastructures into natural environments. Biodegradable plastics are now emerging as one of the available options to solve such environmental issues. Plastic materials, such as products or packaging, which are sent to anaerobic treatment facilities should be potentially biodegradable. Therefore, it is very important to determine the potential biodegradability of such materials and to obtain a quantitative measure of their biodegradability in anaerobic environments.