

INTERNATIONAL  
STANDARD  
ISO

This is a preview of "ISO 14982:1998". [Click here to purchase the full version from the ANSI store.](#)

First edition  
1998-07-01

---

---

## **Agricultural and forestry machinery — Electromagnetic compatibility — Test methods and acceptance criteria**

*Machines agricoles et forestières — Compatibilité électromagnétique —  
Méthodes d'essai et critères d'acceptation*



Reference number  
ISO 14982:1998(E)

This is a preview of "ISO 14982:1998". [Click here to purchase the full version from the ANSI store.](#)

<b>Contents</b>	<b>Page</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Definitions</b> .....	<b>2</b>
<b>4 Fulfilment of the requirements</b> .....	<b>4</b>
<b>5 Testing</b> .....	<b>4</b>
<b>5.1 Procedure</b> .....	<b>4</b>
<b>5.2 General requirements for immunity testing</b> .....	<b>4</b>
<b>6 Test/measurement methods and reference limits</b> .....	<b>5</b>
<b>6.1 Broadband electromagnetic emissions from machines</b> .....	<b>5</b>
<b>6.1.1 Method of measurement</b> .....	<b>5</b>
<b>6.1.2 Broadband reference limits</b> .....	<b>5</b>
<b>6.2 Narrowband electromagnetic emissions from machines</b> .....	<b>5</b>
<b>6.2.1 Method of measurement</b> .....	<b>5</b>
<b>6.2.2 Narrowband reference limits</b> .....	<b>5</b>
<b>6.3 Immunity of machines to electromagnetic radiation</b> .....	<b>5</b>
<b>6.3.1 Test method</b> .....	<b>5</b>
<b>6.3.2 Machine immunity reference limits</b> .....	<b>6</b>
<b>6.4 Broadband electromagnetic emissions radiated from ESA's</b> .....	<b>6</b>
<b>6.4.1 Method of measurement</b> .....	<b>6</b>
<b>6.4.2 ESA broadband reference limits</b> .....	<b>6</b>

© ISO 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization  
Case postale 56 • CH-1211 Genève 20 • Switzerland  
Internet iso@iso.ch

Printed in Switzerland

This is a preview of "ISO 14982:1998". [Click here to purchase the full version from the ANSI store.](#)

<b>6.5 Narrowband electromagnetic emissions radiated from ESA's</b> .....	<b>6</b>
6.5.1 Method of measurement .....	6
6.5.2 ESA narrowband reference limits .....	6
<b>6.6 Immunity of ESA's to electromagnetic radiation</b> .....	<b>6</b>
6.6.1 Test method .....	6
6.6.2 ESA immunity reference limits .....	7
<b>6.7 Electrostatic discharge</b> .....	<b>7</b>
6.7.1 Test method .....	7
6.7.2 Reference limits .....	7
<b>6.8 Conducted transients</b> .....	<b>7</b>
6.8.1 Method of testing .....	7
6.8.2 Reference limits .....	7
<b>7 Exceptions</b> .....	<b>8</b>
<b>8 Test report</b> .....	<b>9</b>
<b>Annex A (normative) Reference limits</b> .....	<b>10</b>
<b>Annex B (normative) Method of measurement of radiated broadband electromagnetic emissions from machines</b> .....	<b>16</b>
<b>Annex C (normative) Method of measurement of radiated narrowband electromagnetic emissions from machines</b> .....	<b>21</b>
<b>Annex D (normative) Method of measurement of radiated broadband electromagnetic emissions from electrical/electronic sub-assemblies</b> .....	<b>24</b>
<b>Annex E (normative) Method of measurement of radiated narrowband electromagnetic emissions from electrical/electronic sub-assemblies</b> .....	<b>30</b>
<b>Annex F (informative) Guide for "worst case" selection</b> .....	<b>33</b>
<b>Annex G (informative) Specimen test report for electromagnetic compatibility</b> .....	<b>36</b>
<b>Annex H (informative) Bibliography</b> .....	<b>37</b>

This is a preview of "ISO 14982:1998". [Click here to purchase the full version from the ANSI store.](#)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 14982 was prepared by Technical Committee ISO/TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 2, *Common tests*.

Annexes A to E form an integral part of this International Standard. Annexes F to H are for information only.

This is a preview of "ISO 14982:1998". [Click here to purchase the full version from the ANSI store.](#)

## Introduction

In the past years more and more electronic devices designed to control, supervise and indicate multiple functions have been used in agricultural machines and tractors. The electrical and electromagnetic environment in which these devices work needs to be taken into consideration.

Electrical and high frequency disturbances emerge during the normal operation of many parts of the machine devices. They are generated within a large frequency range with different electrical characteristics and, by conduction and/or radiation, can be imparted to other electronic devices and systems of the machine.

Narrowband signals generated by sources of interference inside or outside the agricultural machines and tractors can also be coupled in electrical and electronic systems where they can influence the normal function of electrical devices. Sources of narrowband electromagnetic disturbances are, for example, machines with integrated micro-processors.

The elaboration of this International Standard is based upon the Commission Directive 95/54/EC (31 October 1995) "Commission Directive 95/54/EC of 31 October 1995 adapting to technical progress Council Directive 72/245/EEC on the approximation of the laws of the Member States, relating to the suppression of radio interference produced by spark-ignition engines fitted to motor vehicles and amending Directive 70/156/EEC on the approximation of the laws of the Member States relating to the type approval of motor vehicles and their trailers". This procedure was chosen due to the large conformity of the disturbance phenomena in many domains (motor vehicles, tractors, self-propelled machinery), similar operation and ambient conditions and the possibility of using the same measuring rig and measuring apparatus. As far as possible, the measuring procedures described in Directive 95/54/EC have been replaced by equivalent internationally standardized measuring procedures. However, it was not possible to refer to International Standards for radiated broadband and narrowband electromagnetic disturbances from machines and for radiated broadband and narrowband electromagnetic disturbances of electrical/electronic sub-assemblies (ESA). Therefore the necessary procedures are described in detail in annexes B, C, D and E. International standardization of the measuring procedures for all types of machines would be desirable for the future.

The electrostatic discharge and the conducted transients are considered to be relevant for agricultural machines and tractors and therefore (in contrast with the Directive 95/54/EC) are included in this International Standard.

Electrostatic discharges are relevant because also control elements can be positioned outside the cabin and potential differences can emerge at contact. Conducted transients have to be taken into account because agricultural machines often represent open systems and several machines are combined with one another. Up to now, however, only conducted transients along supply lines in 12 V- and 24 V-onboard systems have been dealt with. The manufacturer is therefore responsible for ensuring that the equipment may withstand conducted transients which may occur at the switching under load and interactions between systems. Internal cabling and networks should comply with the state of the art. Conducted transients at signal lines have not yet been treated.

This International Standard has been established as a means of achieving conformity with the requirements of the EMC Directive (89/336/EEC) and the EMC requirements of the Machine Directive (89/392/EEC).