

This is a preview of "ISO 15031-5:2015". [Click here to purchase the full version from the ANSI store.](#)

Third edition
2015-08-01

Road vehicles — Communication between vehicle and external equipment for emissions-related diagnostics —

Part 5: Emissions-related diagnostic services

*Véhicules routiers — Communications entre un véhicule et un
équipement externe pour le diagnostic relatif aux émissions —*

Partie 5: Services de diagnostic relatif aux émissions



Reference number
ISO 15031-5:2015(E)

© ISO 2015



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

This is a preview of "ISO 15031-5:2015". Click here to purchase the full version from the ANSI store.

Contents

| | Page |
|--|------------|
| Foreword | vi |
| Introduction | vii |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms, definitions, and abbreviated terms | 2 |
| 3.1 Terms and definitions..... | 2 |
| 3.2 Abbreviated terms..... | 4 |
| 4 Conventions | 6 |
| 5 Document overview | 6 |
| 6 Technical requirements | 6 |
| 6.1 General requirements..... | 6 |
| 6.2 Diagnostic service requirements..... | 6 |
| 6.2.1 Multiple responses to a single data request..... | 6 |
| 6.2.2 Application timing parameter definition..... | 7 |
| 6.2.3 Minimum time between requests from external test equipment..... | 18 |
| 6.2.4 Data not available..... | 26 |
| 6.2.5 Maximum values..... | 36 |
| 6.2.6 Invalid signals..... | 36 |
| 6.3 Diagnostic message format..... | 36 |
| 6.3.1 Addressing method..... | 36 |
| 6.3.2 Maximum message length..... | 37 |
| 6.3.3 Request/Response message format..... | 37 |
| 6.3.4 Response code parameter definition..... | 38 |
| 6.3.5 Header byte definition of ISO 9141-2, ISO 14230-4, and SAE J1850..... | 39 |
| 6.3.6 Header byte definition of ISO 15765-4..... | 40 |
| 6.3.7 Data bytes definition of ISO 9141-2, ISO 14230-4, SAE J1850, and ISO 15765-4..... | 40 |
| 6.3.8 Non-data bytes included in diagnostic messages with SAE J1850..... | 40 |
| 6.3.9 Non-data bytes included in diagnostic messages with ISO 9141-2 and ISO 14230-4..... | 41 |
| 6.4 Byte order convention..... | 41 |
| 6.5 Allowance for expansion and enhanced diagnostic services..... | 41 |
| 6.6 Definition of PIDs for services 01 ₁₆ and 02 ₁₆ | 41 |
| 6.7 Format of data to be displayed..... | 41 |
| 7 Diagnostic service definition for ISO 9141-2, ISO 14230-4, and SAE J1850 | 42 |
| 7.1 Service 01 ₁₆ — Request current powertrain diagnostic data..... | 42 |
| 7.1.1 Functional description..... | 42 |
| 7.1.2 Message data bytes..... | 42 |
| 7.1.3 Parameter definition..... | 43 |
| 7.1.4 Message example..... | 44 |
| 7.2 Service 02 ₁₆ — Request powertrain freeze frame data..... | 47 |
| 7.2.1 Functional description..... | 47 |
| 7.2.2 Message data bytes..... | 48 |
| 7.2.3 Parameter definition..... | 49 |
| 7.2.4 Message example..... | 49 |
| 7.3 Service 03 ₁₆ — Request emission-related diagnostic trouble codes..... | 51 |
| 7.3.1 Functional description..... | 51 |
| 7.3.2 Message data bytes..... | 52 |
| 7.3.3 Parameter definition..... | 53 |
| 7.3.4 Message example..... | 53 |
| 7.4 Service 04 ₁₆ — Clear/reset emission-related diagnostic information..... | 56 |
| 7.4.1 Functional description..... | 56 |
| 7.4.2 Message data bytes..... | 56 |

This is a preview of "ISO 15031-5:2015". [Click here to purchase the full version from the ANSI store.](#)

| | | |
|----------|---|-----------|
| 7.4.3 | Parameter definition | 57 |
| 7.4.4 | Message example | 57 |
| 7.5 | Service 05 ₁₆ — Request oxygen sensor monitoring test results | 58 |
| 7.5.1 | Functional description | 58 |
| 7.5.2 | Message data bytes | 58 |
| 7.5.3 | Parameter definition | 59 |
| 7.5.4 | Message example | 61 |
| 7.6 | Service 06 ₁₆ — Request On-board monitoring test results for specific monitored systems | 63 |
| 7.6.1 | Functional description | 63 |
| 7.6.2 | Message data bytes | 64 |
| 7.6.3 | Parameter definition | 65 |
| 7.6.4 | Message example | 66 |
| 7.7 | Service 07 ₁₆ — Request emission-related diagnostic trouble codes detected during current or last completed driving cycle | 68 |
| 7.7.1 | Functional description | 68 |
| 7.7.2 | Message data bytes | 68 |
| 7.7.3 | Parameter definition | 69 |
| 7.7.4 | Message example | 69 |
| 7.8 | Service 08 ₁₆ — Request control of on-board system, test, or component | 69 |
| 7.8.1 | Functional description | 69 |
| 7.8.2 | Message data bytes | 69 |
| 7.8.3 | Parameter definition | 71 |
| 7.8.4 | Message example | 71 |
| 7.9 | Service 09 ₁₆ — Request vehicle information | 72 |
| 7.9.1 | Functional description | 72 |
| 7.9.2 | Message data bytes | 72 |
| 7.9.3 | Parameter definition | 73 |
| 7.9.4 | Message example | 74 |
| 8 | Diagnostic service definition for ISO 15765-4 | 91 |
| 8.1 | Service 01 ₁₆ — Request current powertrain diagnostic data | 91 |
| 8.1.1 | Functional description | 91 |
| 8.1.2 | Message data bytes | 92 |
| 8.1.3 | Parameter definition | 94 |
| 8.1.4 | Message example | 94 |
| 8.2 | Service 02 ₁₆ — Request powertrain freeze frame data | 97 |
| 8.2.1 | Functional description | 97 |
| 8.2.2 | Message data bytes | 98 |
| 8.2.3 | Parameter definition | 100 |
| 8.2.4 | Message example | 100 |
| 8.3 | Service 03 ₁₆ — Request emission-related diagnostic trouble codes | 103 |
| 8.3.1 | Functional description | 103 |
| 8.3.2 | Message data bytes | 104 |
| 8.3.3 | Parameter definition | 104 |
| 8.3.4 | Message example | 104 |
| 8.4 | Service 04 ₁₆ — Clear/Reset emission-related diagnostic information | 106 |
| 8.4.1 | Functional description | 106 |
| 8.4.2 | Message data bytes | 107 |
| 8.4.3 | Parameter definition | 107 |
| 8.4.4 | Message example | 107 |
| 8.5 | Service 05 ₁₆ — Request oxygen sensor monitoring test results | 108 |
| 8.6 | Service 06 ₁₆ — Request on-board monitoring test results for specific monitored systems | 108 |
| 8.6.1 | Functional description | 108 |
| 8.6.2 | Message data bytes | 109 |
| 8.6.3 | Parameter definition | 112 |
| 8.6.4 | Message example | 117 |

This is a preview of "ISO 15031-5:2015". [Click here to purchase the full version from the ANSI store.](#)

| | | |
|---------------------------|--|------------|
| 8.7 | Service 07 ₁₆ — Request emission-related diagnostic trouble codes detected during current or last completed driving cycle | 119 |
| 8.7.1 | Functional description | 119 |
| 8.7.2 | Message data bytes | 120 |
| 8.7.3 | Parameter definition | 120 |
| 8.7.4 | Message example | 120 |
| 8.8 | Service 08 ₁₆ — Request control of on-board system, test, or component | 120 |
| 8.8.1 | Functional description | 120 |
| 8.8.2 | Message data bytes | 121 |
| 8.8.3 | Parameter definition | 123 |
| 8.8.4 | Message example | 123 |
| 8.9 | Service 09 ₁₆ — Request vehicle information | 124 |
| 8.9.1 | Functional description | 124 |
| 8.9.2 | Message data bytes | 125 |
| 8.9.3 | Parameter definition | 126 |
| 8.9.4 | Message example | 127 |
| 8.10 | Service 0A ₁₆ — Request emission-related diagnostic trouble codes with permanent status | 138 |
| 8.10.1 | Functional description | 138 |
| 8.10.2 | Message data bytes | 139 |
| 8.10.3 | Parameter definition | 139 |
| 8.10.4 | Message example | 139 |
| Bibliography | | 140 |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 22, *Road vehicles*, Subcommittee SC 31, *Data communication*.

This third edition cancels and replaces the second edition (ISO 15031-5:2011), which has been technically revised.

ISO 15031 consists of the following parts, under the general title *Road vehicles — Communication between vehicle and external equipment for emissions-related diagnostics*:

- *Part 1: General information and use case definition*
- *Part 2: Guidance on terms, definitions, abbreviations and acronyms*
- *Part 3: Diagnostic connector and related electrical circuits, specification and use*
- *Part 4: External test equipment*
- *Part 5: Emissions-related diagnostic services*
- *Part 6: Diagnostic trouble code definitions*
- *Part 7: Data link security*

This is a preview of "ISO 15031-5:2015". [Click here to purchase the full version from the ANSI store.](#)

Introduction

Overview

ISO 15031 consists of a number of parts which, taken together, provide a coherent self-consistent set of specifications to facilitate emissions-related diagnostics. ISO 15031-1 provides an introduction to the series of International Standards. ISO 15031-2 through ISO 15031-7 are based on SAE recommended practices. This part of ISO 15031 is based on SAE J1979.

This International Standard includes the communication between the vehicle's On-Board Diagnostic (OBD) systems and test equipment implemented across vehicles within the scope of the legislated emissions-related OBD.

To achieve this, it is based on the Open Systems Interconnection (OSI) Basic Reference Model in accordance with ISO/IEC 7498-1 and ISO/IEC 10731, which structures communication systems into seven layers. When mapped on this model, the services specified by this International Standard are broken into the following layers in accordance with [Table 1](#).

- Diagnostic services (layer 7), specified in the following:
 - this part of ISO 15031;
 - ISO 27145-3 (WWH-OBD).
- Presentation layer (layer 6), specified in the following:
 - ISO 15031-2, SAE J1930-DA;
 - this part of ISO 15031, SAE J1979-DA;
 - ISO 15031-6, SAE J2012-DA;
 - ISO 27145-2, SAE J2012-DA.
- Session layer services (layer 5), specified in the following:
 - ISO 14229-2 supports ISO 15765-4 DoCAN and ISO 14230-4 DoK-Line protocols;
 - ISO 14229-2 is not applicable to the SAE J1850 and ISO 9141-2 protocols.
- Transport layer services (layer 4), specified in the following:
 - ISO 15765-2;
 - SAE J1850 defined in this part of ISO 15031;
 - ISO 9141-2 defined in this part of ISO 15031;
 - ISO 14230-4, defined in this part of ISO 15031.
- Network layer services (layer 3), specified in the following:
 - ISO 15765-2;
 - SAE J1850 defined in this part of ISO 15031;
 - ISO 9141-2 defined in this part of ISO 15031;
 - ISO 14230-4 defined in this part of ISO 15031.
- Data link layer (layer 2), specified in the following:
 - ISO 15765-4, ISO 11898-1, and ISO 11898-2;

This is a preview of "ISO 15031-5:2015". Click here to purchase the full version from the ANSI store.

- SAE J1850;
- ISO 9141-2;
- ISO 14230-2.
- Physical layer (layer 1), specified in the following:
 - ISO 15765-4, ISO 11898-1, and ISO 11898-2;
 - SAE J1850;
 - ISO 9141-2;
 - ISO 14230-1.

Table 1 — Legislated emissions-related OBD/WWH^a-OBD diagnostic specifications applicable to the OSI layers

| Applicability | OSI 7 layers | Emissions-related OBD communication requirements | | | | Emissions-related WWH-OBD communication requirements | | | |
|--|------------------------|--|------------|-------------|--------------------------|--|--------------------------|-------------|-------------|
| Seven layers according to ISO/IEC 7498-1 and ISO/IEC 10731 | Application (layer 7) | ISO 15031-5/SAE J1979 | | | | ISO 27145-3 | | | |
| | Presentation (layer 6) | ISO 15031-2, ISO 15031-5, ISO 15031-6 | | | | ISO 27145-2 | | | |
| | | SAE J1930-DA, SAE J1979-DA, SAE J2012-DA | | | | SAE J1930-DA, SAE J1979-DA, SAE J2012-DA | | | |
| | Session (layer 5) | Not applicable | | ISO 14229-2 | | | | | |
| | Transport (layer 4) | ISO 15031-5 | | ISO 14230-4 | ISO 15765-2 | ISO 15765-4 | ISO 15765-2 | ISO 15765-4 | ISO 13400-2 |
| | Network (layer 3) | | | ISO 14230-2 | ISO 11898-1, ISO 11898-2 | | ISO 11898-1, ISO 11898-2 | | ISO 13400-3 |
| | Data link (layer 2) | SAE J1850 | ISO 9141-2 | ISO 14230-1 | | | | | |
| Physical (layer 1) | | | | | | | | | |

^a World-Wide Harmonized.


SAE document reference concept

ISO 15031 references several SAE documents which contain all terms, data, and DTC (diagnostic trouble code) definitions. This is illustrated in [Figure 1](#).

Additional information on the content of the referenced documents is given below:

- SAE J1930: the document is concerned with a procedure for naming objects and systems and with the set of words from which names are built. It references SAE J1930-DA which contains all standardized naming objects, terms, and abbreviations.
- SAE J1979: the document is concerned with the definition of emissions-related diagnostic services (diagnostic test modes). It references SAE J1979-DA which contains all standardized data items such as PIDs, Test IDs, Monitor IDs, and INFOTYPE IDs.
- SAE J2012: the document is concerned with the procedure for defining emissions-related DTCs. It references SAE J2012-DA which contains all standardized data items such as DTCs and FTBs (failure type bytes).

This is a preview of "ISO 15031-5:2015". Click here to purchase the full version from the ANSI store.



Key

1 SAE Digital Annexes

Figure 1 — SAE Digital Annex document reference

OB D regulations require passenger cars and light, medium, and heavy duty trucks to support a minimum set of diagnostic information to external (off-board) “generic” test equipment.

SAE J1979-DA (OB D) Digital Annex

This part of ISO 15031 references SAE J1979-DA. SAE J1979-DA is concerned with the definition of the following:

- Parameter Identifiers (PIDs);
- Test Identifiers (TIDs);
- OB D Monitor Identifiers (OB DMIDs);
- Unit and Scaling Identifiers (UASIDs);
- INFOTYPES (INFOTYPES).

SAE Digital Annex revision procedure

New emissions-related regulatory requirements drive new in-vehicle technology to lower emissions. New technology-related OB D monitor data and DTCs need to be standardized to support the external (off-board) “generic” test equipment. All relevant information is proposed by the automotive industry represented by members of the appropriate SAE task force.

The revision request form and instructions for updating the registers to this part of ISO 15031 can be obtained on the Registration Authority’s website at:

<http://www.sae.org/servlets/works/committeeHome.do?comtID=TEVDS14>

The column titled “Resources” shows a document with the title: J1979-DA_Revision_Request_Form.doc. Double click on the name and you will be asked to download the document with the file name:

SAE_J1979-DA_Revision_Request_Form.doc

ISO 15031-5:2015(E)

This is a preview of "ISO 15031-5:2015". [Click here to purchase the full version from the ANSI store.](#)

Fill out the revision request form with your request.

Please send an e-mail with the completed revision request form as an attachment to:

SAE Headquarters
755 West Big Beaver Road
Suite 1600
Troy, MI 48084-4093, USA
Fax: +1 (248) 273-2494
Email: saej1979@sae.org