

First edition  
2019-07

---

---

# Microbiology of the food chain — Horizontal method for determination of hepatitis A virus and norovirus using real-time RT-PCR —

## Part 2: Method for detection

*Microbiologie dans la chaîne alimentaire — Méthode horizontale  
pour la recherche des virus de l'hépatite A et norovirus par la  
technique RT-PCR en temps réel —*

*Partie 2: Méthode de détection*



Reference number  
ISO 15216-2:2019(E)

© ISO 2019



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

This is a preview of "ISO 15216-2:2019". Click here to purchase the full version from the ANSI store.

## Contents

	Page
<b>Foreword</b> .....	<b>v</b>
<b>Introduction</b> .....	<b>vi</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Principle</b> .....	<b>3</b>
4.1 Virus extraction.....	3
4.2 RNA extraction.....	3
4.3 Real-time RT-PCR.....	3
4.4 Control materials.....	4
4.4.1 Process control virus.....	4
4.4.2 EC RNA control.....	4
4.5 Test results.....	4
<b>5 Reagents</b> .....	<b>4</b>
5.1 General.....	4
5.2 Reagents used as supplied.....	4
5.3 Reagents requiring preparation.....	6
<b>6 Equipment and consumables</b> .....	<b>7</b>
<b>7 Sampling</b> .....	<b>8</b>
<b>8 Procedure</b> .....	<b>8</b>
8.1 General laboratory requirements.....	8
8.2 Virus extraction.....	8
8.2.1 General.....	8
8.2.2 Process control virus material.....	9
8.2.3 Negative process control.....	9
8.2.4 Surfaces.....	9
8.2.5 Soft fruit and leaf, stem and bulb vegetables.....	9
8.2.6 Bottled water.....	10
8.2.7 Bivalve molluscan shellfish (BMS).....	10
8.3 RNA extraction.....	11
8.4 Real-time RT-PCR.....	11
8.4.1 General requirements.....	11
8.4.2 Real-time RT-PCR analysis.....	12
<b>9 Interpretation of results</b> .....	<b>14</b>
9.1 General.....	14
9.2 Construction of process control virus RNA standard curve.....	14
9.3 Control for RT-PCR inhibition.....	14
9.4 Calculation of extraction efficiency.....	15
<b>10 Expression of results</b> .....	<b>15</b>
<b>11 Performance characteristics of the method</b> .....	<b>16</b>
11.1 Validation study.....	16
11.2 Sensitivity.....	16
11.3 Specificity.....	16
11.4 LOD <sub>50</sub> .....	16
<b>12 Test report</b> .....	<b>16</b>
<b>Annex A (normative) Diagram of procedure</b> .....	<b>17</b>
<b>Annex B (normative) Composition and preparation of reagents and buffers</b> .....	<b>18</b>
<b>Annex C (informative) Real-time RT-PCR mastermixes and cycling parameters</b> .....	<b>21</b>

This is a preview of "ISO 15216-2:2019". [Click here to purchase the full version from the ANSI store.](#)

<b>Annex D (informative) Real-time RT-PCR primers and hydrolysis probes for the detection of HAV, norovirus GI and GII and mengo virus (process control)</b> .....	<b>22</b>
<b>Annex E (informative) Growth of mengo virus strain MC<sub>0</sub> for use as a process control</b> .....	<b>25</b>
<b>Annex F (informative) RNA extraction using the BioMerieux NucliSens® system</b> .....	<b>26</b>
<b>Annex G (informative) Generation of external control RNA (EC RNA) stocks</b> .....	<b>28</b>
<b>Annex H (informative) Typical optical plate layout</b> .....	<b>31</b>
<b>Annex I (informative) Method validation studies and performance characteristics</b> .....	<b>32</b>
<b>Bibliography</b> .....	<b>40</b>

This is a preview of "ISO 15216-2:2019". [Click here to purchase the full version from the ANSI store.](#)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 275, *Food analysis — Horizontal methods*, in collaboration with ISO Technical Committee TC 34, *Food products*, Subcommittee SC 9, *Microbiology*, in accordance with the agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This first edition cancels and replaces ISO/TS 15216-2:2013, which has been technically revised with the following changes:

- a requirement to use a suitable buffer for the dilution of control materials has been added;
- the method for generating process control virus RNA for the standard curve has been changed;
- breakpoints with a defined temperature and time parameters in the extraction methods have been added;
- the terminology has been changed from amplification efficiency to RT-PCR inhibition;
- extra real-time RT-PCR reactions for sample RNA and negative controls have been added;
- method characteristics and the results of method validation studies have been added.

A list of all parts in the ISO 15216 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

Hepatitis A virus (HAV) and norovirus are important agents of food-borne human viral illness. No routine methods exist for culture of norovirus, and HAV culture methods are not appropriate for routine application to food matrices. Detection is therefore reliant on molecular methods using the reverse-transcriptase polymerase chain reaction (RT-PCR). As many food matrices contain substances that are inhibitory to RT-PCR, it is necessary to use an extraction method that produces highly clean RNA preparations that are fit for purpose. For surfaces, viruses are removed by swabbing. For soft fruit and leaf, stem and bulb vegetables, virus extraction is by elution with agitation followed by precipitation with PEG/NaCl. For bottled water, adsorption and elution using positively charged membranes followed by concentration by ultrafiltration is used. For bivalve molluscan shellfish (BMS), viruses are extracted from the tissues of the digestive glands using treatment with a proteinase K solution. For all matrices that are not covered by this document, it is necessary to validate this method. All matrices share a common RNA extraction method based on virus capsid disruption with chaotropic reagents followed by adsorption of RNA to silica particles. Real-time RT-PCR monitors amplification throughout the real-time RT-PCR cycle by measuring the excitation of fluorescently labelled molecules. In real-time RT-PCR with hydrolysis probes, the fluorescent label is attached to a sequence-specific nucleotide probe that also enables simultaneous confirmation of target template. These modifications increase the sensitivity and specificity of the real-time RT-PCR method, and obviate the need for additional amplification product confirmation steps post real-time RT-PCR. Due to the complexity of the method, it is necessary to include a comprehensive suite of controls. The method described in this document enables detection of virus RNA in the test sample. A schematic diagram of the testing procedure is shown in [Annex A](#).

The main changes, listed in the Foreword, introduced in this document compared to ISO/TS 15216-2:2013, are considered as minor (see ISO 17468).