First edition 2000-04-01

Optics and optical instruments — Microscopes — Testing of stereomicroscopes

Optique et instruments d'optique — Microscopes — Essai des stéréomicroscopes



Reference number ISO 15227:2000(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 734 10 79 E-mail copyright@iso.ch Web www.iso.ch

Printed in Switzerland

Contents

Forewordiv		
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Accuracy of testing	1
5 5.1	Test conditions Total visual magnification ($M_{\text{TOT VIS}}$)	
5.1 5.2	Difference in total visual magnification between left and right optical systems	
5.3	Difference in axes between left and right optical systems	2
5.4 5.5	Difference in the centres of the image fields between left and right optical systems Difference in imaging rotations between right and left images	
5.6	Axial shift of object plane by magnification change	
5.7	Lateral shift of image plane by magnification change	
5.8 5.9	Focus difference between left and right optical systems Resolution for the highest magnification at the centre of the field	
5.10	Difference in exit pupil heights between left and right optical systems	
5.11	Minimum range for interpupillary distance	2
5.12 5.13	Calibration error if a dioptre scale is used Minimum eyepiece dioptre adjustment range	
6	Test methods	
6.1	Apparatus	
6.2 6.3	Apparatus configuration Test procedures	
Bibliography		9

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 15227 was prepared by Technical Committee ISO/TC 172, *Optics and optical instruments*, Subcommittee SC 5, *Microscopes and endoscopes*.