First edition 2008-06-15

# Buildings and constructed assets — Service-life planning —

## Part 8:

Reference service life and service-life estimation

Bâtiments et biens immobiliers construits — Prévision de la durée de vie —

Partie 8: Durée de vie documentée et estimation de la durée de vie



Reference number ISO 15686-8:2008(E)

#### **PDF** disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



#### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

| Contents   | Page                       |
|--|----------------------------|
| Foreword   | iv                         |
| Introduction   | v                          |
| 1 Scope  | 1                          |
| 2 Normative references   | 1                          |
| 3 Terms and definitions  | 1                          |
| 4 Abbreviated terms  | 3                          |
| 5 Reference service life   | 3<br>3<br>5                |
| 6 Service-life estimation using the factor method 6.1 General                            | 11<br>12<br>12<br>12<br>14 |
| Annex A (normative) Description of the factors and factor categories                     |                            |
| Annex B (informative) Example of a reference service-life data record                    | 18                         |
| Annex C (informative) Worked examples of service-life estimation using the factor method |                            |
| Annex E (informative) Remarks on the factor method                                       | 35                         |
| Bibliography   | 36                         |

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 15686-8 was prepared by Technical Committee ISO/TC 59, *Building construction*, Subcommittee SC 14, *Design life*.

ISO 15686 consists of the following parts, under the general title *Buildings and constructed assets* — *Service-life planning*:

- Part 1: General principles
- Part 2: Service life prediction procedures
- Part 3: Performance audits and reviews
- Part 5: Life-cycle costing
- Part 6: Procedures for considering environmental impacts
- Part 7: Performance evaluation for feedback of service-life data from practice
- Part 8: Reference service life and service-life estimation

The following parts are in preparation:

- Part 9: Guidance on assessment of service-life data
- Part 10: Levels of functional requirements and levels of serviceability Principles, measurement and use

### Introduction

Typically, a person working with service-life planning of a design object is faced with the problem of estimating the service life of its components. Even if there are certain reference service life (RSL) data of a component available from various actual sources, such RSL data, as found, can rarely be used satisfactorily. This is because the in-use conditions specific to the design object usually are different from the reference in-use conditions, i.e. the in-use conditions under which the RSL data are valid.

Accordingly, in order to determine an appropriate estimated service life (ESL), it is necessary to modify the RSL by taking into account the differences between the object-specific in-use conditions and the reference in-use conditions. The factor method described in this part of ISO 15686 provides one systematic way of carrying out such a modification. It is necessary that any possible alternative method of determining the ESL from the RSL also be based on similar information on in-use conditions.

When applying the factor method, basically an ESL is estimated by multiplying an RSL value by a modifying number representing a combination of factor categories, each of which reflects a particular difference between the object-specific and reference in-use conditions. Several strategies at various levels of sophistication to determine this modifying number are described herein.

Beyond the knowledge of the RSL itself, it is necessary to have available detailed information of the reference in-use conditions as well as the object-specific in-use conditions in order to apply the factor method and allow an estimation of the modification. It is necessary that the reference in-use conditions be provided together with the RSL, while the object-specific in-use conditions are determined from the knowledge of the design object and the location of the site.

An RSL and the appurtenant reference in-use conditions, together with additional required or useful information concerning the RSL, form a set of RSL data. It is necessary that a set of RSL data be formatted into an RSL data record.

This part of ISO 15686 provides guidance on RSL issues and a means of determining the ESL through application of the factor method. The guidance for reference service life is structured into discussions regarding

- provision of RSL data utilizing existing general data (see 5.2);
- selection of RSL data or general data (see 5.3);
- formatting of general data into RSL data records (see 5.4).

Manufacturers of building and construction products are usually in possession of considerable knowledge concerning the service life and durability of their products. However, such information is only occasionally made public, typically in product declarations, other documents, company websites and/or databases. Use of this part of ISO 15686 is expected to motivate manufacturers to compile their knowledge and provide service-life data following the guidelines and requirements stated.