

This is a preview of "ISO 16090-1:2017". [Click here to purchase the full version from the ANSI store.](#)

First edition
2017-12

Machine tools safety — Machining centres, Milling machines, Transfer machines —

Part 1: Safety requirements

Sécurité des machines-outils — Centres d'usinage, fraiseuses, machines transfert —

Partie 1: Exigences de sécurité



Reference number
ISO 16090-1:2017(E)

© ISO 2017

This is a preview of "ISO 16090-1:2017". [Click here to purchase the full version from the ANSI store.](#)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

This is a preview of "ISO 16090-1:2017". Click here to purchase the full version from the ANSI store.

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	2
3 Terms and definitions	4
3.1 General terms.....	4
3.2 Groups of machines.....	7
3.3 Parts of machines.....	8
3.4 Mode of safe operations.....	10
3.5 Maximum permissible spindle speed and feed rate.....	11
4 List of significant hazards	12
4.1 General.....	12
4.2 Main hazard zones.....	12
4.3 Significant hazards and hazardous situations covered by this document.....	12
5 Safety requirements and/or protective/risk reduction measures	17
5.1 General requirements.....	17
5.1.1 General.....	17
5.1.2 Required characteristics for guards of all machine groups.....	17
5.1.3 Power-operated moveable guards for user access.....	18
5.2 Specific requirements resulting from mechanical hazards.....	20
5.2.1 Protective measures for Group 1 machines.....	20
5.2.2 Protective measures for Group 2 machines.....	20
5.2.3 Protective measures for Group 3 and Group 4 machines.....	21
5.2.4 MSO of machine operation.....	23
5.2.5 Optional or additional equipment for machines.....	30
5.3 Specific requirements resulting from electrical hazards.....	38
5.4 Specific requirements resulting from noise hazards.....	39
5.5 Specific requirements resulting from radiation hazards.....	39
5.6 Specific requirements resulting from material or substance hazards.....	39
5.6.1 Combustible coolants.....	39
5.6.2 Minimum quantity lubrication (MQL).....	41
5.6.3 Dry processing and combustible dust.....	41
5.6.4 Requirements for biological or microbiological hazards.....	41
5.7 Specific requirements resulting from neglect of ergonomic principles hazards.....	42
5.8 Specific requirements resulting from unexpected start-up, over-run or over-speed hazards.....	43
5.8.1 General.....	43
5.8.2 Starting.....	43
5.8.3 Normal stop.....	44
5.8.4 Emergency stop.....	44
5.8.5 Safety related parts of control system (SRP/CS).....	44
5.8.6 Monitoring rotational speed limits and limits of linear and rotary movements.....	45
5.8.7 Requirements for electromagnetic compatibility of electrical equipment.....	45
5.9 Specific requirements resulting from failure of any power supply.....	45
5.10 Release of trapped and/or clamped persons.....	46
5.11 Specific requirements resulting from errors of fitting hazards.....	46
5.12 Specific requirements resulting from ejected fluids or parts.....	46
5.12.1 General requirements.....	46
5.12.2 Ejection of parts — Guard strength.....	47
5.12.3 Power-operated workpiece and tool clamping.....	47
5.12.4 Additional requirements for Group 3 and Group 4 machines.....	48
5.13 Specific requirements resulting from loss of stability hazards.....	48

This is a preview of "ISO 16090-1:2017". Click here to purchase the full version from the ANSI store.

5.14	Requirements resulting from slips, trips, and fall of persons hazards	48
5.15	Requirements resulting from accessibility for maintenance or troubleshooting on high parts of the machine	48
5.16	Requirements for machinery with operator cabins and perimeter fencing	49
5.16.1	General	49
5.16.2	Overall concept for entering/leaving machinery	49
5.16.3	Requirements for moveable/adjustable operator cabins and operation platforms	49
5.16.4	Requirements for perimeter fencing	52
5.17	Verification of the safety requirements and/or protective measures	52
6	Information for use	56
6.1	General	56
6.2	Marking	56
6.3	Instruction for use	57
6.3.1	General	57
6.3.2	Tooling	59
6.3.3	Workpiece clamping	60
6.3.4	Machine functions accessible from the NC panel	60
6.3.5	Restart	60
6.3.6	Noise	60
6.3.7	Residual risks to be addressed to the machinery user	61
6.3.8	Installations instructions of machinery	62
6.3.9	Cleaning instructions of machinery	62
6.3.10	Machinery with operator cabins and/or perimeter fencing	62
	Annex A (normative) Impact test method for guards on machines	63
	Annex B (informative) Equipment for impact test and examples of tested materials	66
	Annex C (informative) Illustrative figures as examples of machines	68
	Annex D (informative) Illustrative figures as examples of guards	77
	Annex E (informative) Examples of the integration of exhaust and extinguishing systems when using combustible coolants or combustible dust	84
	Annex F (informative) Provisions when using combustible coolants and combustible dust	86
	Annex G (normative) Gravity-loaded axes	90
	Annex H (informative) Examples: Concept for leaving/returning to a cabin (control station) at Group 3 and Group 4 machines	97
	Annex I (informative) Typical demand rates of safety functions for calculations according to Table 5 and Annex J	99
	Annex J (normative) Safety functions	104
	Annex K (normative) Noise emission measurement	151
	Bibliography	153

This is a preview of "ISO 16090-1:2017". Click here to purchase the full version from the ANSI store.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 39, *Machine tools*, Subcommittee SC 10, *Safety*.

Introduction

This document is a type-C standard as stated in ISO 12100.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises);
- health and safety bodies (regulators, accident prevention organisations, market surveillance, etc.).

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, e.g. for maintenance (small, medium and large enterprises);
- consumers (in case of machinery intended for use by consumers).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document.

The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the Scope of this document.

When requirements of this type-C standard are different from those stated in type-A or type-B standards, the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard.

Milling machines present a wide range of hazards. Protection of operators and other persons from contact with moving cutting tools, especially when being rapidly rotated in the spindle or being swung from a tool magazine to the spindle during power-operated tool changing, or from contact with fast-moving workpieces, is of great importance.

When power-operated mechanisms are provided for workpiece transfer, they can also create hazardous situations during loading/unloading and workpiece alignment, clamping or releasing of the workpiece.

The significant hazards covered by this document are those listed in [Clause 4](#). The safety requirements and/or protective measures to prevent or minimize those hazards identified in [Table 2](#) and procedures for verification of these requirements or measures are found in [5.17](#).

The figures in [Annex D](#) are examples only and are not intended to illustrate the only interpretation of the text.