

This is a preview of "ISO 16112:2017". [Click here to purchase the full version from the ANSI store.](#)

Second edition
2017-02

Compacted (vermicular) graphite cast irons — Classification

Fontes à graphite vermiculaire (compacté) — Classification



Reference number
ISO 16112:2017(E)

© ISO 2017

This is a preview of "ISO 16112:2017". [Click here to purchase the full version from the ANSI store.](#)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

This is a preview of "ISO 16112:2017". Click here to purchase the full version from the ANSI store.

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Designation	2
5 Order information	2
6 Manufacture	2
7 Requirements	3
7.1 General.....	3
7.2 Test pieces machined from separately cast samples.....	3
7.3 Test pieces machined from side-by-side and cast-on samples.....	6
7.4 Test pieces machined from samples cut from a casting.....	8
7.5 Hardness.....	9
7.6 Graphite structure.....	9
8 Sampling	9
8.1 General.....	9
8.2 Cast samples.....	10
8.2.1 Frequency and number of tests.....	10
8.2.2 Separately cast samples.....	10
8.2.3 Side-by-side cast samples.....	10
8.2.4 Cast-on samples.....	10
8.2.5 Test pieces machined from cast samples.....	11
8.3 Samples cut from a casting.....	11
8.3.1 General.....	11
8.3.2 Other conditions.....	11
8.4 Formation of test units and number of tests.....	11
8.4.1 Examples of test units.....	11
8.4.2 Number of tests per test unit.....	11
9 Test methods	12
9.1 Tensile test.....	12
9.2 Hardness test.....	13
10 Retests	14
10.1 Need for retests.....	14
10.2 Test validity.....	14
10.3 Nonconforming test results.....	14
10.4 Heat treatment of samples and castings.....	14
Annex A (informative) Additional information on compacted (vermicular) graphite cast irons	15
Annex B (informative) Compacted (vermicular) graphite cast iron nodularity evaluation	18
Annex C (informative) Compacted (vermicular) graphite cast irons — Properties and typical applications	22
Annex D (informative) Cross-references of ISO 16112 grade designations to other standard grades of compacted (vermicular) graphite cast iron	23
Bibliography	24

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 25, *Cast irons and pig irons*.

This second edition cancels and replaces the first edition (ISO 16112:2006), which has been technically revised with the following changes:

- Brinell hardness values have been moved from [Table 1](#) and [Table 2](#) to [Table A.1](#);
- property values for cast-on samples with relevant wall thickness $t \leq 12,5$ mm have been removed from [Table 2](#) because all data entries for $t \leq 12,5$ mm were the same as the values for relevant wall thickness $12,5 \text{ mm} < t \leq 30 \text{ mm}$;
- [Annex B](#) has been expanded to provide a more comprehensive explanation of the nodularity evaluation technique;
- [Annex C](#) has been deleted and replaced because the series production experience gained since the first publication of ISO 16112 in 2006 has surpassed the scope of the annex.

This is a preview of "ISO 16112:2017". [Click here to purchase the full version from the ANSI store.](#)

Introduction

This document deals with the classification of compacted (vermicular) graphite cast irons (CGI) in accordance with the mechanical properties of the material.

The properties of compacted (vermicular) graphite cast irons depend on their graphite and matrix microstructure.

The mechanical properties of the material can be evaluated on machined test pieces prepared from

- separately cast samples,
- samples cast in the mould alongside the casting, with a joint running system, hereafter called side-by-side samples, or
- samples cast onto either the casting or the running system, hereafter referred to as cast-on samples, or
- samples cut from a casting (only when an agreement is made between the manufacturer and the purchaser).

The material grade is defined by mechanical properties measured on machined test pieces prepared from separately cast samples, cast-on samples, or samples cut from the casting by agreement between the manufacturer and the purchaser.

[Annex A](#) provides typical properties for compacted (vermicular) graphite cast irons obtained in separately cast test bars.

[Annex B](#) provides information on a procedure to determine the graphite nodularity of the microstructure.

[Annex C](#) provides information on properties and examples for typical applications of compacted (vermicular) graphite cast irons.

[Annex D](#) provides cross-references of ISO 16112 grade designations to other national and international standard grades of compacted (vermicular) graphite cast iron.

References used in the preparation of this document are listed in the Bibliography.