

This is a preview of "ISO 16811:2012". [Click here to purchase the full version from the ANSI store.](#)

First edition
2012-04-01

Non-destructive testing — Ultrasonic testing — Sensitivity and range setting

Essais non destructifs — Contrôle par ultrasons — Réglage de la sensibilité et de la base de temps



Reference number
ISO 16811:2012(E)

© ISO 2012

This is a preview of "ISO 16811:2012". [Click here to purchase the full version from the ANSI store.](#)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "ISO 16811:2012". Click here to purchase the full version from the ANSI store.

Contents

Page

| | |
|--|----|
| Foreword | V |
| Introduction | vi |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 General | 1 |
| 3.1 Quantities and symbols | 1 |
| 3.2 Test objects, reference blocks and reference reflectors..... | 1 |
| 3.3 Categories of test objects..... | 1 |
| 3.4 Contouring of probes | 2 |
| 3.4.1 Longitudinally curved probes | 3 |
| 3.4.2 Transversely curved probes | 3 |
| 3.4.3 Concave scanning surface | 4 |
| 4 Determination of probe index and beam angle | 4 |
| 4.1 General | 4 |
| 4.2 Flat probes | 4 |
| 4.2.1 Calibration block technique | 4 |
| 4.2.2 Reference block technique..... | 4 |
| 4.3 Probes curved longitudinally | 4 |
| 4.3.1 Mechanical determination | 4 |
| 4.3.2 Reference Block Technique | 6 |
| 4.4 Probes curved transversely | 6 |
| 4.4.1 Mechanical determination | 6 |
| 4.4.2 Reference block technique..... | 7 |
| 4.5 Probes curved in two directions..... | 8 |
| 4.6 Probes for use on materials other than non-alloy steel | 9 |
| 5 Time base setting | 9 |
| 5.1 General | 9 |
| 5.2 Reference blocks and reference reflectors..... | 9 |
| 5.3 Straight beam probes..... | 10 |
| 5.3.1 Single reflector technique | 10 |
| 5.3.2 Multiple reflector technique..... | 10 |
| 5.4 Angle beam probes | 10 |
| 5.4.1 Radius technique..... | 10 |
| 5.4.2 Straight beam probe technique | 10 |
| 5.4.3 Reference block technique..... | 10 |
| 5.4.4 Contoured probes | 10 |
| 5.5 Alternative range settings for angle beam probes | 11 |
| 5.5.1 Flat surfaces | 11 |
| 5.5.2 Curved surfaces | 11 |
| 6 Sensitivity setting and echo height evaluation | 13 |
| 6.1 General | 13 |
| 6.2 Angle of impingement..... | 13 |
| 6.3 Distance Amplitude Curve (DAC) technique | 13 |
| 6.3.1 Reference blocks | 13 |
| 6.3.2 Preparation of a Distance Amplitude Curve | 14 |
| 6.3.3 Evaluation of signals using a Distance Amplitude Curve..... | 15 |
| 6.3.4 Evaluation of signals using a reference height..... | 15 |
| 6.4 Distance Gain Size (DGS) technique | 16 |
| 6.4.1 General | 16 |
| 6.4.2 Reference blocks | 18 |
| 6.4.3 Use of DGS diagrams..... | 18 |
| 6.4.4 Restrictions on use of the DGS technique due to geometry | 20 |

This is a preview of "ISO 16811:2012". [Click here to purchase the full version from the ANSI store.](#)

| | | |
|---------------------|--|-----------|
| 6.5 | Transfer correction | 20 |
| 6.5.1 | General..... | 20 |
| 6.5.2 | Fixed path length technique | 20 |
| 6.5.3 | Comparative technique | 21 |
| 6.5.4 | Compensation for local variations in transfer correction | 22 |
| Annex A | (normative) Quantities and symbols | 23 |
| Annex B | (normative) Reference blocks and reference reflectors | 26 |
| Annex C | (normative) Determination of sound path distance and impingement angle in concentrically curved objects | 29 |
| C.1 | Impingement angle | 29 |
| C.2 | Sound path when scanning from the outer (convex) surface: | 29 |
| C.2.1 | Full skip | 30 |
| C.2.2 | Half skip | 30 |
| C.3 | Soundpath when scanning from the inner (concave) surface:..... | 31 |
| C.3.1 | Full skip | 31 |
| C.3.2 | Half skip | 32 |
| Annex D | (informative) General DGS diagram | 33 |
| D.1 | Distance | 33 |
| D.2 | Gain | 33 |
| D.3 | Size..... | 34 |
| Annex E | (informative) Determination of contact transfer correction factors..... | 35 |
| E.1 | General..... | 35 |
| E.2 | Measurement..... | 35 |
| E.3 | Evaluation..... | 35 |
| Bibliography | | 38 |

This is a preview of "ISO 16811:2012". [Click here to purchase the full version from the ANSI store.](#)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 16811 was prepared by Technical Committee ISO/TC 135, *Non-destructive testing*, Subcommittee SC 3, *Ultrasonic testing*.

This is a preview of "ISO 16811:2012". [Click here to purchase the full version from the ANSI store.](#)

Introduction

This International Standard is based on EN 583-2:2001, *Non-destructive testing — Ultrasonic examination — Part 2: Sensitivity and range setting*.

The following International Standards are linked.

ISO 16810, *Non-destructive testing — Ultrasonic testing — General principles*

ISO 16811, *Non-destructive testing — Ultrasonic testing — Sensitivity and range setting*

ISO 16823, *Non-destructive testing — Ultrasonic testing — Transmission technique*

ISO 16826, *Non-destructive testing — Ultrasonic testing — Examination for discontinuities perpendicular to the surface*

ISO 16827, *Non-destructive testing — Ultrasonic testing — Characterization and sizing of discontinuities*

ISO 16828, *Non-destructive testing — Ultrasonic testing — Time-of-flight diffraction technique as a method for detection and sizing of discontinuities*