

This is a preview of "ISO 16828:2012". [Click here to purchase the full version from the ANSI store.](#)

First edition
2012-04-01

Non-destructive testing — Ultrasonic testing — Time-of-flight diffraction technique as a method for detection and sizing of discontinuities

Essais non destructifs — Contrôle par ultrasons — Technique de diffraction du temps de vol utilisée comme méthode de détection et de dimensionnement des discontinuités



Reference number
ISO 16828:2012(E)

© ISO 2012

This is a preview of "ISO 16828:2012". [Click here to purchase the full version from the ANSI store.](#)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "ISO 16828:2012". [Click here to purchase the full version from the ANSI store.](#)

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms, definitions, symbols and abbreviations	2
3.1 Terms and definitions	2
3.2 Abbreviations	2
3.3 Symbols	2
4 General	3
4.1 Principle of the technique	3
4.2 Requirements for surface condition and couplant	5
4.3 Materials and process type	5
5 Qualification of personnel	5
6 Equipment requirements	5
6.1 Ultrasonic equipment and display	5
6.2 Ultrasonic probes	6
6.3 Scanning mechanisms	7
7 Equipment set-up procedures	7
7.1 General	7
7.2 Probe choice and probe separation	8
7.2.1 Probe selection	8
7.2.2 Probe separation	9
7.3 Time window setting	9
7.4 Sensitivity setting	9
7.5 Scan resolution setting	10
7.6 Setting of scanning speed	10
7.7 Checking system performance	10
8 Interpretation and analysis of data	10
8.1 Basic analysis of discontinuities	10
8.1.1 General	10
8.1.2 Characterisation of discontinuities	10
8.1.3 Estimation of discontinuity position	11
8.1.4 Estimation of discontinuity length	11
8.1.5 Estimation of discontinuity depth and height	12
8.2 Detailed analysis of discontinuities	12
8.2.1 General	12
8.2.2 Additional scans	13
8.2.3 Additional algorithms	14
9 Detection and sizing in complex geometries	14
10 Limitations of the technique	14
10.1 General	14
10.2 Accuracy and resolution	15
10.2.1 General	15
10.2.2 Errors in the lateral position	15
10.2.3 Timing errors	15
10.2.4 Errors in sound velocity	15
10.2.5 Errors in probe centre separation	15
10.2.6 Spatial resolution	16
10.3 Dead zones	16

This is a preview of "ISO 16828:2012". [Click here to purchase the full version from the ANSI store.](#)

11	TOFD examination without data recording	16
12	Test procedure	17
13	Test report	17
Annex A (normative) Reference blocks		18
Bibliography		19

This is a preview of "ISO 16828:2012". [Click here to purchase the full version from the ANSI store.](#)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 16828 was prepared by Technical Committee ISO/TC 135, *Non-destructive testing*, Subcommittee SC 3, *Ultrasonic testing*.

This is a preview of "ISO 16828:2012". [Click here to purchase the full version from the ANSI store.](#)

Introduction

This International Standard is based on EN 583-6:2008, *Non-destructive testing — Ultrasonic examination — Part 6: Time-of-flight diffraction technique as a method for detection and sizing of discontinuities*.

The following International Standards are linked.

ISO 16810, *Non-destructive testing — Ultrasonic testing — General principles*

ISO 16811, *Non-destructive testing — Ultrasonic testing — Sensitivity and range setting*

ISO 16823, *Non-destructive testing — Ultrasonic testing — Transmission technique*

ISO 16826, *Non-destructive testing — Ultrasonic testing — Examination for discontinuities perpendicular to the surface*

ISO 16827, *Non-destructive testing — Ultrasonic testing — Characterization and sizing of discontinuities*

ISO 16828, *Non-destructive testing — Ultrasonic testing — Time-of-flight diffraction technique as a method for detection and sizing of discontinuities*