

This is a preview of "ISO 16845-1:2016". [Click here to purchase the full version from the ANSI store.](#)

First edition
2016-11-01

Road vehicles — Controller area network (CAN) conformance test plan —

Part 1: Data link layer and physical signalling

Véhicules routiers — Plan d'essai de conformité du gestionnaire de réseau de communication (CAN) —

Partie 1: Couche liaison de données et signalisation physique



Reference number
ISO 16845-1:2016(E)

© ISO 2016



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

This is a preview of "ISO 16845-1:2016". [Click here to purchase the full version from the ANSI store.](#)

Contents

	Page
Foreword	vii
Introduction	viii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviated terms	3
5 Global overview	4
5.1 Scope of test plan.....	4
5.2 Architecture of test plan.....	4
5.3 Organization.....	5
5.3.1 General organization.....	5
5.3.2 Test case organization.....	6
5.3.3 Hierarchical structure of tests.....	7
6 LT parameters	8
6.1 Overview.....	8
6.2 Description of parameters.....	8
6.2.1 Communication parameters.....	8
6.2.2 Application parameters.....	9
6.2.3 Bit rate configuration parameter variation for bit timing tests.....	10
7 Test type 1, received frame	10
7.1 Test class 1, valid frame format.....	10
7.1.1 Identifier and number of data test in base format.....	10
7.1.2 Identifier and number of data test in extended format.....	11
7.1.3 Reception after arbitration lost.....	12
7.1.4 Acceptance of non-nominal bit in base format frame.....	13
7.1.5 Acceptance of non-nominal bit in extended format frame.....	13
7.1.6 Protocol exception behaviour on non-nominal bit.....	14
7.1.7 Minimum time for bus idle after protocol exception handling.....	15
7.1.8 DLC greater than 8.....	15
7.1.9 Absent bus idle — Valid frame reception.....	16
7.1.10 Stuff acceptance test in base format frame.....	16
7.1.11 Stuff acceptance test in extended format frame.....	17
7.1.12 Message validation.....	18
7.2 Test class 2, error detection.....	19
7.2.1 Bit error in data frame.....	19
7.2.2 Stuff error for basic frame.....	19
7.2.3 Stuff error for extended frame.....	20
7.2.4 Stuff error for FD frame payload bytes.....	21
7.2.5 CRC error.....	22
7.2.6 Combination of CRC error and form error.....	23
7.2.7 Form error in data frame at “CRC delimiter” bit position.....	24
7.2.8 Form error at fixed stuff bit in FD frames.....	24
7.2.9 Form error in data frame at “ACK delimiter” bit position.....	25
7.2.10 Form error in data frame at “EOF”.....	25
7.2.11 Message non-validation.....	26
7.3 Test class 3, error frame management.....	26
7.3.1 Error flag longer than 6 bits.....	26
7.3.2 Data frame starting on the third bit of intermission field.....	27
7.3.3 Bit error in error flag.....	27
7.3.4 Form error in error delimiter.....	28
7.4 Test class 4, overload frame management.....	28
7.4.1 MAC overload generation during intermission field.....	28

7.4.2	Last bit of EOF	29
7.4.3	Eighth bit of an error and overload delimiter	29
7.4.4	Bit error in overload flag	30
7.4.5	Form error in overload delimiter	30
7.4.6	MAC overload generation during intermission field following an error frame	31
7.4.7	MAC overload generation during intermission field following an overload frame	31
7.5	Test class 5, passive error state class	32
7.5.1	Passive error flag completion test 1	32
7.5.2	Data frame acceptance after passive error frame transmission	33
7.5.3	Acceptance of 7 consecutive dominant bits after passive error flag	33
7.5.4	Passive state unchanged on further errors	34
7.5.5	Passive error flag completion — Test case 2	34
7.5.6	Form error in passive error delimiter	35
7.5.7	Transition from active to passive ERROR FLAG	35
7.6	Test class 6, error counter management	36
7.6.1	REC increment on bit error in active error flag	36
7.6.2	REC increment on bit error in overload flag	37
7.6.3	REC increment when active error flag is longer than 13 bits	37
7.6.4	REC increment when overload flag is longer than 13 bits	38
7.6.5	REC increment on bit error in the ACK field	38
7.6.6	REC increment on form error in CRC delimiter	38
7.6.7	REC increment on form error in ACK delimiter	39
7.6.8	REC increment on form error in EOF field	39
7.6.9	REC increment on stuff error	40
7.6.10	REC increment on CRC error	41
7.6.11	REC increment on dominant bit after end of error flag	41
7.6.12	REC increment on form error in error delimiter	42
7.6.13	REC increment on form error in overload delimiter	42
7.6.14	REC decrement on valid frame reception	43
7.6.15	REC decrement on valid frame reception during passive state	43
7.6.16	REC non-increment on last bit of EOF field	44
7.6.17	REC non-increment on 13-bit length overload flag	44
7.6.18	REC non-increment on 13-bit length error flag	45
7.6.19	REC non-increment on last bit of error delimiter	45
7.6.20	REC non-increment on last bit of overload delimiter	46
7.6.21	REC non-decrement on transmission	46
7.6.22	REC increment on form error at fixed stuff bit in FD frames	47
7.6.23	REC non-increment on protocol exception in FD frames	47
7.7	Test class 7, bit timing Classical CAN frame format	48
7.7.1	Sample point test	48
7.7.2	Hard synchronization on SOF reception	49
7.7.3	Synchronization when $e > 0$ and $e \leq \text{SJW}(N)$	49
7.7.4	Synchronization when $e > 0$ and $e > \text{SJW}(N)$	50
7.7.5	Synchronization when $e < 0$ and $ e \leq \text{SJW}(N)$	50
7.7.6	Synchronization when $e < 0$ and $ e > \text{SJW}(N)$	51
7.7.7	Glitch filtering test on positive phase error	51
7.7.8	Glitch filtering test on negative phase error	52
7.7.9	Glitch filtering test in idle state	53
7.7.10	Non-Synchronization after a dominant sampled bit	54
7.7.11	Synchronization when $e < 0$ and $ e \leq \text{SJW}(N)$ at "ACK" bit position	55
7.8	Test class 8, bit timing CAN FD frame format	55
7.8.1	Sample point test	55
7.8.2	Hard synchronization on "res" bit	58
7.8.3	Synchronization when $e > 0$ and $e \leq \text{SJW}(D)$	59
7.8.4	Synchronization when $e > 0$ and $e > \text{SJW}(D)$	61
7.8.5	Synchronization when $e < 0$ and $ e \leq \text{SJW}$	63
7.8.6	Synchronization when $e < 0$ and $ e > \text{SJW}$	65

This is a preview of "ISO 16845-1:2016". [Click here to purchase the full version from the ANSI store.](#)

	7.8.7	Glitch filtering test on positive phase error.....	67
	7.8.8	Glitch filtering test on negative phase error.....	69
	7.8.9	No synchronization after a dominant sampled bit.....	71
8		Test type 2, transmitted frame.....	73
	8.1	Test class 1, valid frame format.....	73
	8.1.1	Identifier and number of data bytes test in base format.....	73
	8.1.2	Identifier and number of data bytes test in extended format.....	73
	8.1.3	Arbitration in base format frame.....	74
	8.1.4	Arbitration in extended format frame test.....	75
	8.1.5	Message validation.....	76
	8.1.6	Stuff bit generation capability in base format frame.....	76
	8.1.7	Stuff bit generation capability in extended frame.....	77
	8.1.8	Transmission on the third bit of intermission field after arbitration lost.....	78
	8.2	Test class 2, error detection.....	79
	8.2.1	Bit error test in base format frame.....	79
	8.2.2	Bit error in extended format frame.....	80
	8.2.3	Stuff error test in base format frame.....	81
	8.2.4	Stuff error test in extended frame format.....	81
	8.2.5	Form error test.....	82
	8.2.6	Acknowledgement error.....	83
	8.2.7	Form field tolerance test for FD frame format.....	84
	8.2.8	Bit error at stuff bit position for FD frame payload bytes.....	84
	8.3	Test class 3, error frame management.....	85
	8.3.1	Error flag longer than 6 bit.....	85
	8.3.2	Transmission on the third bit of intermission field after error frame.....	85
	8.3.3	Bit error in error flag.....	86
	8.3.4	Form error in error delimiter.....	86
	8.4	Test class 4, overload frame management.....	87
	8.4.1	MAC overload generation in intermission field.....	87
	8.4.2	Eighth bit of an error and overload delimiter.....	88
	8.4.3	Transmission on the third bit of intermission after overload frame.....	88
	8.4.4	Bit error in overload flag.....	89
	8.4.5	Form error in overload delimiter.....	89
	8.5	Test class 5, passive error state and bus-off.....	90
	8.5.1	Acceptance of active error flag overwriting passive error flag.....	90
	8.5.2	Frame acceptance after passive error frame transmission.....	90
	8.5.3	Acceptance of 7 consecutive dominant bits after passive error flag.....	91
	8.5.4	Reception of a frame during suspend transmission.....	92
	8.5.5	Transmission of a frame after suspend transmission — Test case 1.....	92
	8.5.6	Transmission of a frame after suspend transmission — Test case 2.....	93
	8.5.7	Transmission of a frame after suspend transmission — Test case 3.....	93
	8.5.8	Transmission of a frame without suspend transmission.....	93
	8.5.9	No transmission of a frame between the third bit of intermission field and eighth bit of suspend transmission.....	94
	8.5.10	Bus-off state.....	94
	8.5.11	Bus-off recovery.....	95
	8.5.12	Completion condition for a passive error flag.....	96
	8.5.13	Form error in passive error delimiter.....	96
	8.5.14	Maximum recovery time after a corrupted frame.....	97
	8.5.15	Transition from active to passive ERROR FLAG.....	97
	8.6	Test class 6, error counter management.....	98
	8.6.1	TEC increment on bit error during active error flag.....	98
	8.6.2	TEC increment on bit error during overload flag.....	99
	8.6.3	TEC increment when active error flag is followed by dominant bits.....	99
	8.6.4	TEC increment when passive error flag is followed by dominant bits.....	100
	8.6.5	TEC increment when overload flag is followed by dominant bits.....	100
	8.6.6	TEC increment on bit error in data frame.....	101
	8.6.7	TEC increment on form error in a frame.....	102

This is a preview of "ISO 16845-1:2016". Click here to purchase the full version from the ANSI store.

8.6.8	TEC increment on acknowledgement error	102
8.6.9	TEC increment on form error in error delimiter	103
8.6.10	TEC increment on form error in overload delimiter	103
8.6.11	TEC decrement on successful frame transmission for TEC < 128	104
8.6.12	TEC decrement on successful frame transmission for TEC > 127	104
8.6.13	TEC non-increment on 13-bit long overload flag	105
8.6.14	TEC non-increment on 13-bit long error flag	105
8.6.15	TEC non-increment on form error at last bit of overload delimiter	106
8.6.16	TEC non-increment on form error at last bit of error delimiter	106
8.6.17	TEC non-increment on acknowledgement error in passive state	107
8.6.18	TEC increment after acknowledgement error in passive state	107
8.6.19	TEC non-increment on stuff error during arbitration	108
8.6.20	TEC non-decrement on transmission while arbitration lost	108
8.6.21	TEC non-increment after arbitration lost and error	109
8.7	Test class 7, bit timing	109
8.7.1	Sample point test	109
8.7.2	Hard synchronization on SOF reception before sample point	110
8.7.3	Hard synchronization on SOF reception after sample point	111
8.7.4	Synchronization when $e < 0$ and $ e \leq \text{SJW}(N)$	111
8.7.5	Synchronization for $e < 0$ and $ e > \text{SJW}(N)$	112
8.7.6	Glitch filtering test on negative phase error	113
8.7.7	Non-synchronization on dominant bit transmission	113
8.7.8	Synchronization before information processing time	114
8.7.9	Synchronization after sample point while sending a dominant bit	114
8.8	Test class 8, bit timing CAN FD frame format	115
8.8.1	Sample point test	115
8.8.2	Secondary sample point test	118
8.8.3	No synchronization within data phase bits when $e < 0$; $ e \leq \text{SJW}(D)$	121
8.8.4	Glitch filtering test on negative phase error within FD frame bits	123
8.8.5	No synchronization on dominant bit transmission in FD frames	124
9	Test type 3, bi-directional frame	125
9.1	Test class 1, valid frame format	125
9.2	Test class 2, error detection	125
9.3	Test class 3, active error frame management	125
9.4	Test class 4, overload frame management	125
9.5	Test class 5, passive-error state and bus-off	125
9.6	Test class 6, error counter management	126
9.6.1	REC unaffected when increasing TEC	126
9.6.2	TEC unaffected when increasing REC	126

This is a preview of "ISO 16845-1:2016". [Click here to purchase the full version from the ANSI store.](#)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 22, *Road vehicles*, Subcommittee SC 31, *Data communication*.

This first edition of ISO 16845-1 cancels and replaces ISO 16845:2004, which has been technically revised.

A list of all parts in the ISO 16845 series can be found on the ISO website.

This is a preview of "ISO 16845-1:2016". [Click here to purchase the full version from the ANSI store.](#)

Introduction

ISO 16845 was first published in 2004 to provide the methodology and abstract test suite necessary for checking the conformance of any CAN implementation of the CAN specified in ISO 11898-1.