

This is a preview of "ISO 18441:2021". [Click here to purchase the full version from the ANSI store.](#)

Third edition
2021-06

Space data and information transfer systems — Space link extension — Application program interface for transfer services — Core specification

Systèmes de transfert des informations et données spatiales — Extension de liaisons spatiales — Interface du programme d'application pour les services de transfert — Spécification de base



Reference number
ISO 18441:2021(E)

© ISO 2021



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

This is a preview of "ISO 18441:2021". [Click here to purchase the full version from the ANSI store.](#)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by the Consultative Committee for Space Data Systems (CCSDS) (as CCSDS 914.0-M-2 Cor.1, August 2016) and was adopted (without modifications) by Technical Committee ISO/TC 20, *Space vehicles*, Subcommittee SC 13, *Space data and information transfer systems*.

This third edition cancels and replaces the second edition (ISO 18441:2016), which has been technically revised.

The main changes compared to the previous edition are as follows:

- references CCSDS 913.1-B for one-way hash function algorithm and removes reference to Secure Hash Algorithm standard.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

CONTENTS

<u>Section</u>	<u>Page</u>
1 INTRODUCTION	1-1
1.1 PURPOSE OF THIS RECOMMENDED PRACTICE	1-1
1.2 SCOPE	1-1
1.3 APPLICABILITY	1-2
1.4 RATIONALE.....	1-3
1.5 DOCUMENT STRUCTURE	1-4
1.6 DEFINITIONS	1-7
1.7 REFERENCES	1-10
2 DESCRIPTION OF THE SLE API	2-1
2.1 INTRODUCTION	2-1
2.2 SPECIFICATION METHOD AND NOTATION	2-2
2.3 LOGICAL VIEW	2-7
2.4 SECURITY ASPECTS OF CORE SLE API CAPABILITIES.....	2-58
3 SPECIFICATION OF API COMPONENTS	3-1
3.1 INTRODUCTION	3-1
3.2 API PROXY	3-1
3.3 API SERVICE ELEMENT.....	3-27
3.4 SLE OPERATIONS	3-52
3.5 SLE UTILITIES	3-56
3.6 SLE APPLICATION	3-64
3.7 HANDLING OF IN PROCESS THREADS AND EXTERNAL EVENTS	3-71
4 STATE TABLES	4-1
4.1 INTRODUCTION	4-1
4.2 NOTATION.....	4-1
4.3 GENERAL ERROR HANDLING CONVENTIONS.....	4-2
4.4 STATE TABLE FOR ASSOCIATIONS	4-2
4.5 STATE TABLES FOR SERVICE INSTANCES	4-15
ANNEX A SPECIFICATION OF COMMON INTERFACES (NORMATIVE)	A-1
ANNEX B RESULT CODES (NORMATIVE)	B-1
ANNEX C STRUCTURE OF THE SERVICE INSTANCE IDENTIFIER FOR VERSION 1 OF THE SLE SERVICES RAF, RCF, AND CLTU (NORMATIVE)	C-1
ANNEX D SIMPLE COMPONENT MODEL (NORMATIVE)	D-1

This is a preview of "ISO 18441:2021". [Click here to purchase the full version from the ANSI store.](#)

CONTENTS (continued)

<u>Section</u>	<u>Page</u>
ANNEX E CONFORMANCE (NORMATIVE)	E-1
ANNEX F INTERACTION OF COMPONENTS (INFORMATIVE)	F-1
ANNEX G INTERFACE CROSS REFERENCE (INFORMATIVE)	G-1
ANNEX H INDEX TO DEFINITIONS (INFORMATIVE)	H-1
ANNEX I ACRONYMS AND ABBREVIATIONS (INFORMATIVE)	I-1
ANNEX J INFORMATIVE REFERENCES (INFORMATIVE)	J-1

Figure

1-1 SLE Services and SLE API Documentation.....	1-6
2-1 UML Stereotypes Used in This Recommended Practice.....	2-3
2-2 Top Level Decomposition of the API.....	2-7
2-3 Structure of the Package API Proxy.....	2-9
2-4 Reporting and Tracing by the Proxy.....	2-10
2-5 Configuration Database of the Proxy.....	2-20
2-6 Structure of the Package API Service Element.....	2-23
2-7 Reporting and Tracing by the Service Element.....	2-24
2-8 Sequential Control Interface Component Class Controlled Component.....	2-39
2-9 Concurrent Control Interface.....	2-43
2-10 Structure of the Package SLE Application.....	2-44
2-11 Reporting and Tracing Interfaces Provided by the Application.....	2-45
2-12 Operation Objects.....	2-49
2-13 Operation Object Interfaces for Common Association Management.....	2-53
2-14 Common SLE Operation Objects.....	2-54
2-15 SLE Utilities.....	2-56
4-1 Processing Context for the Association State Table.....	4-3
4-2 Processing Context for the Service Instance State Table.....	4-16
B-1 Structure of Result Codes.....	B-1
F-1 Configuration of Components.....	F-3
F-2 Configuration of Interfaces for Service Provisioning.....	F-3
F-3 Interaction of API Components.....	F-4
F-4 Initialization and Shutdown.....	F-5
F-5 Collaboration Diagram for Use of Operation Objects.....	F-8
F-6 Sequence Diagram for Use of Operation Objects.....	F-9
F-7 User Side Binding (User Initiated Bind).....	F-12
F-8 User Side Unbinding (User Initiated Bind).....	F-13
F-9 Provider Side Binding (User Initiated Bind).....	F-14
F-10 Provider Side Unbinding (User Initiated Bind).....	F-16

This is a preview of "ISO 18441:2021". [Click here to purchase the full version from the ANSI store.](#)

CONTENTS (continued)

<u>Table</u>	<u>Page</u>
C-1 Identifiers and Abbreviations for Attributes.....	C-3
E-1 Optional Features for the API Proxy	E-3
E-2 Optional Features for the API Service Element.....	E-6
E-3 Parameters That May Be Constrained by a Proxy.....	E-9
E-4 Parameters That May Be Constrained by a Service Element	E-10

This is a preview of "ISO 18441:2021". [Click here to purchase the full version from the ANSI store.](#)

1 INTRODUCTION

1.1 PURPOSE OF THIS RECOMMENDED PRACTICE

The purpose of this Recommended Practice is to define a C++ Application Program Interface (API) for CCSDS Space Link Extension (SLE) Transfer Services, which is independent of any specific technology used for communications between an SLE service user and an SLE service provider.

This API is intended for use by application programs implementing SLE services. It can be configured to support SLE service user applications or SLE service provider applications.

This API is also intended to simplify the implementation of gateways that are required to achieve interoperability between SLE service provider and SLE service user applications using different communications technologies.

Using this Application Program Interface Recommended Practice, API implementations (software packages) able to run on specific platforms can be developed. Once developed, such a package can be supplied to new users of SLE services for integration with their user or production facilities, thus minimizing their investment to buy into SLE support.

1.2 SCOPE

1.2.1 ITEMS COVERED BY THIS RECOMMENDED PRACTICE

This Recommended Practice defines the Application Program Interface in terms of:

- a) the components that provide the services of the API;
- b) the functionality provided by each of the components;
- c) the interfaces provided by each of the components; and
- d) the externally visible behavior associated with the interfaces exported by the components.

It does not specify:

- a) individual implementations or products;
- b) the internal design of the components; and
- c) the technology used for communications.

This Recommended Practice defines those aspects of the Application Program Interface, which are common for all SLE service types or for a subset of the SLE service types, e.g., all return link services or all forward link services. It also defines a framework for specification of service type-specific elements of the API. Service-specific aspects of the API are defined by supplemental Recommended Practice documents for SLE return link services (references [10], [11], and [12]) and SLE forward link services (references [13] and [14]).

This Recommended Practice for the Application Program Interface responds to the requirements imposed on such an API by the CCSDS SLE transfer service Recommended Standards that were available when this Recommended Practice was released.

1.2.2 CONFORMANCE TO CCSDS RECOMMENDED STANDARDS

This version of the SLE API Recommended Practice conforms to the CCSDS Recommended Standards for Space Link Extension Services, referenced in 1.7, with the exception of the following optional features:

- a) The negotiation procedure for version numbers in the BIND operation is not supported. If the responder does not support the version number identified in the BIND Invocation, it responds with a BIND Return containing a negative result and the diagnostic 'version number not supported'. The responder does not propose an alternative version number.
- b) Provider-initiated binding, specified by CCSDS Recommended Standards for return link services is not included in this Recommended Practice. The management parameters that specify the bind initiative are supported to simplify addition of this procedure in later versions.

1.3 APPLICABILITY

The Application Program Interface specified in this document supports three generations of SLE Transfer Service specifications, namely:

- a) Generation 1 covering the services RAF, RCF, and FCLTU identified by the version number 1 in the BIND operation, as specified by references [C1], [C2], and [C3];
- b) Generation 2 covering
 - 1) the services RAF, RCF, and FCLTU identified by the version number 2 in the BIND operation, as specified by references [J9], [J10], and [J12];
 - 2) the services ROCF and FSP identified by the version number 1 in the BIND operation, as specified by references [J11] and [J13];
- c) Generation 3 covering the services RAF, RCF, ROCF, FCLTU, and FSP identified by the version number 4 in the BIND operation, as specified by references [4], [5], [6], [7], and [8].

This is a preview of "ISO 18441:2021". [Click here to purchase the full version from the ANSI store.](#)

Support for Generation 1 and Generation 2 of these services is included for backward compatibility purposes for a limited time and may not be continued in future versions of this specification. Support for Generation 1 (i.e., version 1 of the RAF, RCF and CLTU services) implies that SLE API implementations of this specification are able to interoperate with peer SLE systems that comply with the specification of the Transport Mapping Layer (TML) in 'Specification of a SLE API Proxy for TCP/IP and ASN.1', ESOC, SLES-SW-API-0002-TOS-GCI, Issue 1.1, February 2001. For Generation 2 and 3 of these services, SLE API implementations of this specification are able to interoperate with peer SLE systems that comply with the specification of the Transport Mapping Layer (TML) in reference [9].

Provisions within this Recommended Practice that are specific for one or more generations are marked as follows:

- [Gn:] for provisions specific to Generation n;
- [Gn,m:] for provisions specific to Generation n and Generation m.

Provisions that apply to all generations are not marked.

1.4 RATIONALE

This Recommended Practice describes the services provided by a software package implementing the API to application software using the API. It specifies the mapping of the SLE Transfer Services specifications to specific functions and parameters of the SLE API. It also specifies the distribution of responsibility for specific functions between SLE API software and application software. The distribution of responsibility has been defined with due consideration for reusability of software packages implementing the SLE API.

The goal of this Recommended Practice is to create a guide for interoperability between

- a) software packages implementing the SLE API; and
- b) application software using the SLE API.

This interoperability guide also allows exchangeability of different products implementing the SLE API, as long as they adhere to the interface specification of this Recommended Practice.