

This is a preview of "ISO 18869:2017". Click here to purchase the full version from the ANSI store.

First edition 2017-07

# Hydraulic fluid power — Test methods for couplings actuated with or without tools

Transmissions hydrauliques — Méthodes d'essai pour les raccords actionné avec ou sans outils



Reference number ISO 18869:2017(E)

#### ISO 18869:2017(E)

This is a preview of "ISO 18869:2017". Click here to purchase the full version from the ANSI store.



#### COPYRIGHT PROTECTED DOCUMENT

 $\, @ \,$  ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org This is a preview of "ISO 18869:2017". Click here to purchase the full version from the ANSI store.

Coı	ntents	S	Page
Fore	word		v
Intro	oduction	1	vi
1	Scope	3	1
2	Norm	native references	1
3		s and definitions	
4		tion of test assemblies	
5	5.1	ral test conditions Safety considerations	
	5.2	Thread lubrication	
	5.3	Torque	
	5.4	Test fluid and temperature	
	5.5 5.6	Test pressure	
_		Test report	
6		apparatus	
7		ect force or torque test	
8	Disco	onnect force or torque test	6
9		age test	
	9.1	Low pressure, coupled	
	9.2	Low-pressure, uncoupled (valved only)	
	9.3 9.4	Maximum working pressure, coupled	10 10
10	Vacuum test		
10	10.1	General	
	10.2	Coupled test	
	10.3	Uncoupled test (valved only)	12
11	Air in	iclusion test	12
12	Fluid	loss test	14
13	Press	sure drop ( $\Delta p$ ) test	15
14	Statio	pressure test	16
	14.1	Coupled	
	14.2	Uncoupled (valved type only)	17
<b>15</b>	Speci	fic temperature test	
	15.1	Maximum working temperature exposure	
		15.1.1 General 15.1.2 Coupled	
		15.1.3 Uncoupled (valved only)	
	15.2	Maximum working temperature service	
		15.2.1 Coupled	
		15.2.2 Uncoupled (valved only)	
	15.3	Minimum working temperature	
		15.3.1 Coupled	
16	Des Jee		
16	<b>Endu</b> 16.1	rance test Couplings other than screw-to-connect types	18 1Ω
	16.1	Screw-to-connect couplings	19
	- <del></del>	16.2.1 Principle	19
		16.2.2 Procedure	19

## ISO 18869:2017(E)

This is a preview of "ISO 18869:2017". Click here to purchase the full version from the ANSI store.

	16.2.3 Re-use of components	20
17	Overtightening test for screw-to-connect couplings only 17.1 Principle	20 20
18	Burst test 18.1 Safety precautions. 18.2 Burst pressure, uncoupled (valved only) 18.3 Burst pressure, coupled	22 22
19	Pressure impulse test in accordance with ISO 6803  19.1 General  19.2 Coupled  19.3 Uncoupled (valved only)	22 23
20	Pressure impulse test in accordance with ISO 6802 (for coupling assemblies only)  20.1 General  20.2 Test apparatus  20.3 Positioning of the test item  20.4 Procedure	24 24
21	Rotating impulse test 21.1 General 21.2 Procedure	26
22	Surge flow test — Long duration	27
23	Surge flow test — Short duration	27
24	Corrosion resistance test	29
25	Test report and data presentation	29
26	Summary of information to be reported	29
27	Identification statement (reference to this document)	29
Anne	x A (normative) Test data form	30
Anne	x B (normative) Characteristic test with presence of internal pressure	35
Biblio	graphy	38

This is a preview of "ISO 18869:2017". Click here to purchase the full version from the ANSI store.

#### Foreword

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 131, *Fluid power systems*, Subcommittee SC 4, *Connectors and similar products and components*.

This first edition of ISO 18869 cancels and replaces ISO 7241-2:2000, which has been technically revised with the following changes:

- the title has been changed;
- the scope has been expanded.

### ISO 18869:2017(E)

This is a preview of "ISO 18869:2017". Click here to purchase the full version from the ANSI store.

## Introduction

In hydraulic fluid power systems, power is transmitted and controlled through a liquid under pressure within an enclosed circuit. Couplings are used to join or quickly separate fluid conductors. Quick-action couplings, as defined in ISO 5598, can be connected and disconnected without the use of tools. Other types of couplings require the use of tools for connection and disconnection.