First edition 2000-03-15

Imaging materials — Processed photographic plates — Storage practices

Matériaux pour image — Plaques photographiques développées — Directives pour l'archivage



ISO 18918:2000(E)

This is a preview of "ISO 18918:2000". Click here to purchase the full version from the ANSI store.

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 734 10 79
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents

Forewo	ord	iv
Introdu	ıction	v
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Photographic-plate housings: Storage enclosures and containers	3
4.1	Individual enclosures	4
4.2	Multiple-plate containers	4
5	Storage housings	5
5.1	Drawer cabinets	5
5.2	Shelving and cabinets	6
6	Storage rooms	6
6.1	Medium-term storage rooms	6
6.2	Extended-term storage rooms	6
7	Environmental conditions	6
7.1	Introduction	6
7.2	Temperature and humidity specifications for storage (see annexes D, E and F)	7
7.3	Environmental conditioning requirements	8
7.4	Air purity (see annex G)	8
8	Fire-protective storage (see annex H)	9
9	Photographic plate identification, handling and inspection (see annexes C, F and I)	9
9.1	Identification	9
9.2	Handling	9
9.3	Inspection	9
Annex	A (informative) Numbering system for related International Standard	11
Annex	B (informative) Photographic filing enclosures for plates	12
Annex	C (informative) Silver-image degradation	13
Annex	D (informative) Humidity during storage	14
Annex	E (informative) Temperature during storage	15
Annex	F (informative) Historic records for photographic plates	16
Annex	G (informative) Air-entrained and gaseous impurities	17
Annex	H (informative) Fire protection	18
Annex	I (informative) Distinction between storage (record) copies and work (reference) copies	19
Bibliog	ıraphy	20

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 18918 was prepared by Technical Committee ISO/TC 42, Photography.

This first edition cancels and replaces the fourth edition of ISO 3897:1997 of which it constitutes a technical revision.

This International Standard is one of a series of standards dealing with the physical properties and stability of imaging materials. To facilitate identification of these International Standards, they are assigned a number within the block from 18900 to 18999 (see annex A).

Annexes A to I of this International Standard are for information only.

Introduction

Photographic plates on glass or metal supports have been in existence almost since the beginning of photography. They have become increasingly important as documentary and pictorial reference material in archives, libraries, government, commerce and academia.

The stability and useful life of processed photographic plates depends on their physical and chemical properties, as well as on the conditions under which they are stored and used. This International Standard provides recommendations on proper storage conditions and practices. Although it is difficult to distinguish between the various types of plates covered by the definitions (see 3.7.1 to 3.7.8) with respect to storage life, the recommendations may be applied to all processed photographic plates.

The important storage elements affecting the preservation of processed photographic plates are as follows:

- relative humidity and temperature of the storage environment;
- hazards of fire, water, and light exposure;
- fungal growth and other microorganisms;
- contact with certain chemicals in solid, liquid or gaseous form;
- physical damage.

The extent to which relative humidity and temperature, or variations of both, can be permitted to reach beyond recommended limits without producing adverse effects will depend upon the duration of exposure, biological conditions conducive to fungal growth, and the accessibility of the atmosphere to the surfaces.

The term "archival" is no longer specified to express longevity or stability in International Standards on image materials, since it has been interpreted to have many meanings, ranging from preserving information "forever", which is unattainable, to temporary storage of actively used materials.

This International Standard defines two levels of recommended storage conditions: medium-term and extended-term. Medium-term storage conditions can be used to preserve plates for a minimum of 10 years. Extended-term storage conditions will prolong the life of all plates, even those not optimized for permanence.

The space requirements and costs for establishing and operating the two levels of storage conditions (medium-term and extended-term) differ significantly. Furthermore, the specified limits of temperature and relative humidity for both sets of storage conditions may not be realizable due to budgetary constraints, energy considerations, climatic conditions, building construction, etc. However, it must be recognized that temperatures and relative humidities which are higher than the specified conditions will reduce the effectiveness of the storage environment. If such deviation is unavoidable, the environmental conditions closest to the specified limits should be provided. In any event, the best preservation of plates will be attained with extended-term conditions.

The recommendations of this International Standard for processed photographic plates encompass the following:

- storage enclosures, housing and rooms;
- atmospheric and environmental conditions;
- fire protection;
- handling and inspection procedures.

This International Standard does not pertain to means or methods for protecting photographic plates against natural or man-made catastrophes, with the exception of fire and its associated hazards; these are sufficiently common to warrant inclusion of protective measures.

© ISO 2000 – All rights reserved