

This is a preview of "ISO 19107:2003". [Click here to purchase the full version from the ANSI store.](#)

First edition
2003-05-01

Geographic information — Spatial schema

Information géographique — Schéma spatial



Reference number
ISO 19107:2003(E)

© ISO 2003

This is a preview of "ISO 19107:2003". [Click here to purchase the full version from the ANSI store.](#)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "ISO 19107:2003". [Click here to purchase the full version from the ANSI store.](#)

Contents

	Page
Foreword	viii
Introduction	ix
1 Scope	1
2 Conformance	1
2.1 Overview	1
2.2 Conformance classes	3
3 Normative references	4
4 Terms and definitions	4
5 Symbols, notation and abbreviated terms	14
5.1 Presentation and notation	14
5.1.1 Unified Modeling Language (UML) concepts	14
5.1.2 Attributes, operations, and associations	14
5.1.3 Stereotypes	17
5.1.4 Data types and collection types	18
5.1.5 Strong substitutability	19
5.2 Organization	20
5.3 Abbreviated terms	22
6 Geometry packages	22
6.1 Semantics	22
6.2 Geometry root package	24
6.2.1 Semantics	24
6.2.2 GM_Object	25
6.3 Geometric primitive package	32
6.3.1 Semantics	32
6.3.2 GM_Boundary	33
6.3.3 GM_ComplexBoundary	34
6.3.4 GM_PrimitiveBoundary	34
6.3.5 GM_CurveBoundary	34
6.3.6 GM_Ring	34
6.3.7 GM_SurfaceBoundary	34
6.3.8 GM_Shell	35
6.3.9 GM_SolidBoundary	35
6.3.10 GM_Primitive	35
6.3.11 GM_Point	38
6.3.12 Bearing	39
6.3.13 GM_OrientablePrimitive	40
6.3.14 GM_OrientableCurve	42
6.3.15 GM_OrientableSurface	42
6.3.16 GM_Curve	43
6.3.17 GM_Surface	44
6.3.18 GM_Solid	46
6.4 Coordinate geometry package	47
6.4.1 DirectPosition	47
6.4.2 GM_PointRef	48
6.4.3 GM_Envelope	48
6.4.4 TransfiniteSet<DirectPosition>	49
6.4.5 GM_Position	49
6.4.6 GM_PointArray, GMPointGrid	49
6.4.7 GM_GenericCurve	49
6.4.8 GM_CurveInterpolation	53

This is a preview of "ISO 19107:2003". [Click here to purchase the full version from the ANSI store.](#)

6.4.9	GM_CurveSegment	54
6.4.10	GM_LineString	55
6.4.11	GM_LineSegment	56
6.4.12	GM_GeodesicString	57
6.4.13	GM_Geodesic.....	58
6.4.14	GM_ArcString	58
6.4.15	GM_Arc.....	60
6.4.16	GM_Circle.....	62
6.4.17	GM_ArcStringByBulge.....	62
6.4.18	GM_ArcByBulge	63
6.4.19	GM_Conic.....	64
6.4.20	GM_Placement.....	66
6.4.21	GM_AffinePlacement	67
6.4.22	GM_Clothoid	67
6.4.23	GM_OffsetCurve	68
6.4.24	GM_Knot.....	70
6.4.25	GM_KnotType	71
6.4.26	GM_SplineCurve.....	71
6.4.27	GM_PolynomialSpline.....	71
6.4.28	GM_CubicSpline	72
6.4.29	GM_SplineCurveForm.....	73
6.4.30	GM_BSplineCurve	73
6.4.31	GM_Bezier	74
6.4.32	GM_SurfaceInterpolation.....	75
6.4.33	GM_GenericSurface	75
6.4.34	GM_SurfacePatch.....	77
6.4.35	GM_PolyhedralSurface	78
6.4.36	GM_Polygon.....	78
6.4.37	GM_TriangulatedSurface	80
6.4.38	GM_Triangle.....	80
6.4.39	GM_Tin	81
6.4.40	GM_ParametricCurveSurface.....	82
6.4.41	GM_GriddedSurface.....	85
6.4.42	GM_Cone.....	86
6.4.43	GM_Cylinder	86
6.4.44	GM_Sphere.....	86
6.4.45	GM_BilinearGrid	87
6.4.46	GM_BicubicGrid	87
6.4.47	GM_BSplineSurfaceForm	87
6.4.48	GM_BSplineSurface	88
6.5	Geometric aggregate package	89
6.5.7	Semantics.....	89
6.5.8	GM_Aggregate	89
6.5.9	GM_MultiPrimitive	89
6.5.10	GM_MultiPoint	90
6.5.11	GM_MultiCurve	91
6.5.12	GM_MultiSurface	91
6.5.13	GM_MultiSolid.....	91
6.6	Geometric complex package.....	92
6.6.7	Semantics.....	92
6.6.8	GM_Complex.....	93
6.6.9	GM_Composite	94
6.6.10	GM_CompositePoint	95
6.6.11	GM_CompositeCurve.....	96
6.6.12	GM_CompositeSurface	97
6.6.13	GM_CompositeSolid	97
7	Topology packages	98
7.4	Semantics.....	98
7.5	Topology root package	100

This is a preview of "ISO 19107:2003". [Click here to purchase the full version from the ANSI store.](#)

7.5.1	Semantics	100
7.5.2	TP_Object.....	101
7.6	Topological primitive package	105
7.6.1	Semantics	105
7.6.2	TP_Boundary.....	105
7.6.3	TP_ComplexBoundary.....	105
7.6.4	TP_PrimitiveBoundary.....	105
7.6.5	TP_EdgeBoundary	106
7.6.6	TP_FaceBoundary.....	107
7.6.7	TP_SolidBoundary	107
7.6.8	TP_Ring.....	107
7.6.9	TP_Shell	107
7.6.10	TP_Primitive	108
7.6.11	TP_DirectedTopo	109
7.6.12	TP_Node.....	112
7.6.13	TP_DirectedNode	113
7.6.14	TP_Edge	114
7.6.15	TP_DirectedEdge	115
7.6.16	TP_Face.....	115
7.6.17	TP_DirectedFace	117
7.6.18	TP_Solid	117
7.6.19	TP_DirectedSolid	118
7.6.20	TP_Expression	118
7.7	Topological complex package.....	121
7.7.1	Semantics	121
7.7.2	TP_Complex	121
8	Derived topological relations.....	123
8.1	Introduction	123
8.2	Boolean or set operators.....	124
8.2.1	Form of the Boolean operators	124
8.2.2	Boolean Relate	124
8.2.3	Relation to set operations	125
8.3	Egenhofer operators.....	125
8.3.1	Form of the Egenhofer operators	125
8.3.2	Egenhofer relate	125
8.3.3	Relation to set operations	126
8.4	Full topological operators	126
8.4.1	Form of the full topological operators	126
8.4.2	Full topological relate	126
8.5	Combinations	126
Annex A	(normative) Abstract test suite	127
A.1	Geometric primitives	127
A.2	Geometric complexes.....	130
A.3	Topological complexes	132
A.4	Topological complexes with geometric realization.....	134
A.5	Boolean operators	136
Annex B	(informative) Conceptual organization of terms and definitions	138
B.1	Introduction	138
B.2	General terms	138
B.3	Collections and related terms.....	139
B.4	Modelling terms.....	139
B.5	Positioning terms.....	140
B.6	Geometric terms.....	140
B.7	Topological terms	143
B.8	Relationship of geometric and topological complexes	146
Annex C	(informative) Examples of spatial schema concepts	148
C.1	Geometry.....	148

This is a preview of "ISO 19107:2003". [Click here to purchase the full version from the ANSI store.](#)

Annex D (informative) Examples for application schemata	154
D.1 Introduction.....	154
D.2 Simple Topology.....	154
D.3 Feature Topology	158
D.4 MiniTopo.....	159
Bibliography.....	165

Figures

Figure 1 — UML example association	16
Figure 2 — UML example package dependency	20
Figure 3 — Normative clause as UML package dependencies	21
Figure 4 — Geometry package: Class content and internal dependencies	23
Figure 5 — Geometry basic classes with specialization relations	24
Figure 6 — GM_Object.....	26
Figure 7 — GM_Boundary	33
Figure 8 — GM_Primitive	36
Figure 9 — GM_Point.....	38
Figure 10 — GM_OrientablePrimitive	41
Figure 11 — GM_Curve	43
Figure 12 — GM_Surface.....	45
Figure 13 — GM_Solid.....	46
Figure 14 — DirectPosition	48
Figure 15 — Curve segment classes	50
Figure 16 — Linear, arc and geodesic interpolation	56
Figure 17 — Arcs.....	59
Figure 18 — Conics and placements	65
Figure 19 — Spline and specialty curves	69
Figure 20 — Surface patches.....	76
Figure 21 — Polygonal surface	79
Figure 22 — TIN construction	81
Figure 23 — GM_ParametricCurveSurface and its subtypes	83
Figure 24 — GM_Aggregate	90
Figure 25 — GM_Complex.....	94
Figure 26 — GM_Composite.....	95
Figure 27 — GM_CompositePoint	96
Figure 28 — GM_CompositeCurve	96
Figure 29 — GM_CompositeSurface	97
Figure 30 — GM_CompositeSolid.....	98
Figure 31 — Topology packages, class content and internal dependencies.....	99
Figure 32 — Topological class diagram	100
Figure 33 — Relation between geometry and topology	101
Figure 34 — TP_Object.....	102
Figure 35 — Boundary and coboundary operation represented as associations	103
Figure 36 — Important classes in topology	104
Figure 37 — Boundary relation data types.....	106
Figure 38 — TP_Primitive	108
Figure 39 — TP_DirectedTopo subclasses.....	110
Figure 40 — TP_DirectedTopo	110

This is a preview of "ISO 19107:2003". [Click here to purchase the full version from the ANSI store.](#)

Figure 41 — TP_Node	113
Figure 42 — TP_Edge	114
Figure 43 — TP_Face	116
Figure 44 — TP_Solid	117
Figure 45 — TP_Expression	119
Figure 46 — TP_Complex	122
Figure C.1 — A data set composed of the GM_Primitives	149
Figure C.2 — Simple cartographic representation of sample data	151
Figure C.3 — A 3D Geometric object with labeled coordinates	152
Figure C.4 — Surface example	153
Figure D.1 — Packages and classes for simple topology	155
Figure D.2 — Topology and geometry classes in simple topology	156
Figure D.3 — Feature components in simple topology	157
Figure D.4 — Theme based feature topology	159
Figure D.5 — Geometric example of MiniTopo topology structure	160
Figure D.6 — MiniTopo	161
Figure D.7 — Classic MiniTopo record illustration	163
Tables	
Table 1 — Conformance classes for geometric primitives	3
Table 2 — Conformance classes for geometric complexes	3
Table 3 — Conformance classes for topological complexes	3
Table 4 — Conformance classes for topological complexes with geometric realizations	3
Table 5 — Conformance classes for Boolean operators	3
Table 6 — Package and classes	21
Table 7 — Various types of parametric curve surfaces	84
Table 8 — Meaning of Boolean intersection pattern matrix	124
Table 9 — Meaning of Egenhofer intersection pattern matrix	125
Table 10 — Meaning of full topological intersection pattern matrix	126
Table D.1 — Correspondence between original MiniTopo pointers and the current model	164

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 19107 was prepared by Technical Committee ISO/TC 211, *Geographic information/Geomatics*.

This is a preview of "ISO 19107:2003". [Click here to purchase the full version from the ANSI store.](#)

Introduction

This International Standard provides conceptual schemas for describing and manipulating the spatial characteristics of geographic features. Standardization in this area will be the cornerstone for other geographic information standards.

A feature is an abstraction of a real world phenomenon; it is a geographic feature if it is associated with a location relative to the Earth. Vector data consists of geometric and topological primitives used, separately or in combination, to construct objects that express the spatial characteristics of geographic features. Raster data is based on the division of the extent covered into small units according to a tessellation of the space and the assignment to each unit of an attribute value. This International Standard deals only with vector data.

In the model defined in this International Standard, spatial characteristics are described by one or more spatial attributes whose value is given by a geometric object (GM_Object) or a topological object (TP_Object). Geometry provides the means for the quantitative description, by means of coordinates and mathematical functions, of the spatial characteristics of features, including dimension, position, size, shape, and orientation. The mathematical functions used for describing the geometry of an object depend on the type of coordinate reference system used to define the spatial position. Geometry is the only aspect of geographic information that changes when the information is transformed from one geodetic reference system or coordinate system to another.

Topology deals with the characteristics of geometric figures that remain invariant if the space is deformed elastically and continuously — for example, when geographic data is transformed from one coordinate system to another. Within the context of geographic information, topology is commonly used to describe the connectivity of an n -dimensional graph, a property that is invariant under continuous transformation of the graph. Computational topology provides information about the connectivity of geometric primitives that can be derived from the underlying geometry.

Spatial operators are functions and procedures that use, query, create, modify, or delete spatial objects. This International Standard defines the taxonomy of these operators in order to create a standard for their definition and implementation. The goals are to:

- a) Define spatial operators unambiguously, so that diverse implementations can be assured to yield comparable results within known limitations of accuracy and resolution.
- b) Use these definitions to define a set of standard operations that will form the basis of compliant systems, and, thus act as a test-bed for implementers and a benchmark set for validation of compliance.
- c) Define an operator algebra that will allow combinations of the base operators to be used predictably in the query and manipulation of geographic data.

Standardized conceptual schemas for spatial characteristics will increase the ability to share geographic information among applications. These schemas will be used by geographic information system and software developers and users of geographic information to provide consistently understandable spatial data structures.