

Second edition 2019-12

Geographic information — **Positioning services**

Information géographique — Services de positionnement



Reference number ISO 19116:2019(E)

ISO 19116:2019(E)

This is a preview of "ISO 19116:2019". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents			Page
Fore	eword		v
Intr	oductio	n	vii
1	Scon	e	1
2	-	native references	
3		ns and definitions	
4	_	ools, abbreviated terms, backwards compatibility, UML notation, and packages	
	4.1	Symbols and abbreviated termsSymbols and abbreviated terms	6
	4.2	Backwards compatibility	
	4.3	UML notation	
	4.4	UML packages	7
5	Conf	ormance	8
	5.1	Overview	
	5.2	Conformance requirements	
	5.3	Structure of requirements clauses	
6		tioning services model	
	6.1	Overview	
	6.2 6.3	Static data structures of a positioning service	
		•	
7		c information definition and description	12
	7.1 7.2	Overview	
	7.2	7.2.1 Overview	
		7.2.2 PS_System	
		7.2.3 System capability	14
		7.2.4 Positioning technology	
		7.2.5 Referencing method	
	7.3	7.2.6 Instrument identification Session	
	7.3	7.3.1 Overview	
		7.3.2 PS_Session	
	7.4	Observation information	
		7.4.1 Overview	
		7.4.2 PS_ObservationMode	
		7.4.3 PS_LinkToReferenceSystem 7.4.4 PS_MeasurementType 7.4.4 PS_Measur	
		7.4.5 Observation	
		7.4.6 Coordinate transfer (offset) values	
		7.4.7 Offset vector	
		7.4.8 PS_OffsetSourceType	
	7.5	Quality information	
		7.5.1 Overview	
	7.6	Positioning services operations	
	7.0	7.6.1 Definition of positioning services operations	
		7.6.2 Requirements for positioning service operations	
		7.6.3 Applying the positioning services operations	32
8	Relia	ibility of positioning results	33
	8.1	Overview	
	8.2	Reliability model	33
9	Tech	nology-specific information	35
	9.1	Overview	

ISO 19116:2019(E)

This is a preview of "ISO 19116:2019". Click here to purchase the full version from the ANSI store.

0.2	Our analysis as a small bloom a	25	
9.2	Operating conditions	35	
	9.2.1 PS_OperatingConditions	36	
	9.2.2 PS_ComputationalConditions	36	
	9.2.3 PS_PositionFixMode	37	
	9.2.4 PS_PositioningMode	37	
	9.2.5 PS_ProcessingMode	37	
	Operating conditions 9.2.1 PS_OperatingConditions 9.2.2 PS_ComputationalConditions 9.2.3 PS_PositionFixMode 9.2.4 PS_PositioningMode 9.2.5 PS_ProcessingMode 9.2.6 Performance indicators	38	
	9.2.7 Measurement conditions	38	
9.3	9.2.7 Measurement conditions Raw measurement data	38	
Annex A (normative) Conformance			
Annex B (informative) Implementing accuracy reports for positioning services			
Annex C (in	formative) Overview of positioning services	46	
Annex D (in	formative) GNSS operating conditions	48	
Annex E (informative) Reliability evaluation methods			
Annex F (informative) Examples for extending positioning service results			
Annex G (informative) Use case examples			
Bibliography			

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 211, *Geographic information/Geomatics*.

This second edition cancels and replaces the first edition (ISO 19116:2004), which has been technically revised.

The main changes compared to the previous edition are as follows.

- Device specific definitions have been removed from the model and normative body of the document.
 These have been clarified and reformatted in <u>Annex D</u>.
- Constructs from withdrawn standards ISO 19113, ISO 19114, and ISO 19115 have been updated where necessary to ISO 19115-1 and ISO 19157. References to these new standards are carried out using approved methods.
- Terminology entries from the first edition were updated and harmonized with other current standards in ISO/TC 211. As per ISO/IEC Directives, Part 2, 2018, unused terms have been removed from this edition.
- Constructs from ISO 19111 have been updated. References to the revised ISO 19111:2019 document are carried out using approved methods.
- A new, convenient yet unobtrusive, set of constructs for determining the reliability of a positioning result have been added to the model, in <u>Clause 8</u>.
- Based on the concepts related to the model, conformance with the other standards, and separation
 of the technology specific content from the abstract model, all UML models have been updated.
- Original requirements "drafted as normative shall statements" were rechecked for consistency with the model. Where necessary the requirements were revised or retained as regular text.
- Significant editorial revisions have been carried out, clarifying the structure of the document, correction of errors, and following current ISO/IEC Directives, Part 2 for drafting specifications.

ISO 19116:2019(E)

This is a preview of "ISO 19116:2019". Click here to purchase the full version from the ANSI store.

In accordance with the ISO/IEC Directives, Part 2, 2018, *Rules for the structure and drafting of International Standards*, in International Standards the decimal sign is a comma on the line. However, the General Conference on Weights and Measures (Conférence Générale des Poids et Mesures) at its meeting in 2003 passed unanimously the following resolution:

"The decimal marker shall be either a point on the line or a comma on the line."

In practice, the choice between these alternatives depends on customary use in the language concerned. In the technical areas of geodesy and geographic information it is customary for the decimal point always to be used, for all languages. That practice is used throughout this document.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Positioning services are among the processing services identified in ISO 19119:2016. Processing services include services that are computationally oriented and operate upon the elements from the model domain, rather than being directly integrated in the model domain itself. This document defines and describes the positioning service.

Positioning services employ a wide variety of technologies that provide position and related information to a similarly wide variety of applications, as depicted in Figure 1. Although these technologies differ in many respects, there are important items of information that are common among them and serve the needs of these application areas, such as the position data, time of observation and its accuracy. Also, there are items of information that apply only to specific technologies and are sometimes required in order to make correct use of the positioning results, such as signal strength, geometry factors, and raw measurements. Therefore, this document includes both general data elements that are applicable to a wide variety of positioning services and technology specific elements that are relevant to particular technologies.

Interface Position providing device / service Position using device / service General **Application Positioning Technologies Fields** Satellite Surveying WiFi Navigation others... ITS others... **Technology** Specific

Figure 1 — Positioning services overview

Electronic positioning technology can measure the coordinates of a location on or near the Earth with great speed and accuracy, thereby allowing geographic information systems to be populated with any number of objects. However, the technologies for position determination have neither a common structure for expression of position information, nor common structures for expression of accuracy and reliability. The positioning services interface specified in this document provides data structures and operations that allow spatially oriented systems to employ positioning technologies with greater efficiency and interoperability.