

This is a preview of "ISO 19132:2007". [Click here to purchase the full version from the ANSI store.](#)

First edition  
2007-10-15

---

---

## Geographic information — Location-based services — Reference model

*Information géographique — Services basés sur la localisation —  
Modèle de référence*



Reference number  
ISO 19132:2007(E)

© ISO 2007

This is a preview of "ISO 19132:2007". [Click here to purchase the full version from the ANSI store.](#)

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

This is a preview of "ISO 19132:2007". [Click here to purchase the full version from the ANSI store.](#)

## Contents

Page

Foreword.....	vii
Introduction .....	viii
1 Scope .....	1
2 Conformance .....	2
3 Normative references .....	2
4 Terms and definitions.....	2
5 Symbols and abbreviated terms .....	11
5.1 Acronyms .....	11
5.2 UML Notation.....	13
5.3 Taxonomy of data and services — Mapping to RDF.....	13
6 ODP Viewpoints used.....	15
6.1 Enterprise specification .....	15
6.2 Information specification .....	15
6.3 Computational specification.....	15
7 Participation Model.....	15
7.1 Model overview – Package: ISO 19132 (this International Standard).....	15
7.2 Package – LBS Participants .....	17
7.2.1 Scenarios and semantics.....	17
7.2.2 Type – LBS_Participant.....	19
7.2.3 Type – LBS_User .....	20
7.2.4 Type – LBS_ApplicationProvider .....	23
7.2.5 Type – LBS_DataProvider.....	24
7.2.6 Type – LBS_FeatureDataProvider.....	24
7.2.7 Type – LBS_ContentProvider .....	24
7.2.8 Type – LBS_SpatialContentProvider .....	24
7.2.9 Type – LBS_ServiceProvider.....	24
7.2.10 Type – LBS_ServiceBroker.....	25
7.2.11 Type – LBS_MobileDevice .....	25
7.2.12 Type – LBS_DataBroker – Class semantics .....	26
8 Service model.....	26
8.1 Package – LBS_Services .....	26
8.1.1 Package structure.....	26
8.1.2 Service taxonomy .....	27
8.2 Package – Basic Services.....	27
8.2.1 Package structure.....	27
8.2.2 Type – LBS_Tracking .....	28
8.2.3 Type – LBS_Routing.....	29
8.2.4 Type – LBS_Navigation.....	30
8.3 Package – Geomatics services .....	31
8.3.1 Package structure.....	31
8.3.2 Type – LBS_Location Transformation.....	32
8.3.3 Type – LBS_AddressParsing.....	34
8.3.4 Type – LBS_Geoparsing .....	34
8.3.5 Type – LBS_Gazetteer .....	35
8.3.6 Type – LBS_MapService .....	36
8.4 Package – Information Services.....	37
8.4.1 Package structure.....	37
8.4.2 Type – LBS_DataService.....	37

This is a preview of "ISO 19132:2007". [Click here to purchase the full version from the ANSI store.](#)

8.4.3	Type – LBS_NetworkDataService – semantics .....	39
8.4.4	Type – LBS_EventSubscription.....	40
8.4.5	Type – LBS_MovingObjectManagement.....	41
8.5	Package – System management.....	41
8.5.1	Managing users and groups .....	41
8.5.2	Type – LBS_UserProfileService.....	41
8.5.3	Type – LBS_LocationTriggerControl .....	42
8.6	Package – Digital rights management .....	42
8.6.1	Digital rights management.....	42
8.6.2	Type – LBS_Resource .....	43
8.6.3	Type – LBS_License .....	43
8.6.4	Type – LBS_Right .....	43
8.6.5	Type – LBS_RightsCondition.....	44
9	Message Data Model.....	44
9.1	Semantics .....	44
9.2	Package – Message Data Types .....	44
9.2.1	Package structure .....	44
9.2.2	Type – LanguageSpecificCharacterString.....	45
9.2.3	Type – LBS_AccessInfo .....	46
9.2.4	Type – LBS_Accuracy – Class semantics .....	47
9.2.5	Type – LBS_Address .....	47
9.2.6	Type – LBS_CostFunction .....	47
9.2.7	Type – LBS_Data.....	48
9.2.8	Type – LBS_DataSource.....	48
9.2.9	Type – LBS_DisplayParameters .....	49
9.2.10	Type – LBS_EventInfo .....	50
9.2.11	Type – LBS_Instruction .....	50
9.2.12	Type – LBS_Location.....	51
9.2.13	Type – LBS_Maneuver.....	51
9.2.14	Type – LBS_MapFormat .....	52
9.2.15	Type – LBS_Notification.....	52
9.2.16	Type – LBS_Position .....	53
9.2.17	Type – LBS_Preference .....	53
9.2.18	Type – LBS_Route .....	54
9.2.19	Type – LBS_RouteConstraint .....	55
9.2.20	Type – LBS_RouteCriteria.....	55
9.2.21	Type – LBS_SecurityCertificate.....	56
9.2.22	Type – LBS_SymbolSet .....	57
9.2.23	Type – LBS_TrackingLocation.....	57
9.2.24	Type – LBS_Trigger .....	58
9.2.25	Type – LBS_UserID .....	58
9.2.26	Union – LBS_FeatureData .....	59
9.2.27	Union – LBS_GeometryChoice .....	59
9.2.28	Union – LBS_NamedLocation.....	60
9.2.29	Union – LBS_TrackTrigger.....	61
Annex A	(normative) Abstract test suite .....	62
Annex B	(informative) Architecture .....	66
Annex C	(informative) Scenarios .....	69
Annex D	(informative) Standards development in LBS .....	75
Annex E	(informative) Crosswalk between common terminology in ISO/TC 211 and ISO/TC 204 .....	77
Annex F	(informative) Use cases for location-based services .....	87
Bibliography	.....	91

This is a preview of "ISO 19132:2007". [Click here to purchase the full version from the ANSI store.](#)

## Figures

Figure 1 — Relation between LBS and GIS.....	viii
Figure 2 — Simplified navigation service represented as an RDF graph .....	14
Figure 3 — Example of composition of services.....	14
Figure 4 — Overview of UML package structure .....	16
Figure 5 — Package dependencies to other ISO standards.....	17
Figure 6 — Roles of the Enterprise view .....	18
Figure 7 — Enterprise view communication channels as associations .....	19
Figure 8 — License associations for LBS_Participant .....	19
Figure 9 — LBS_User associations .....	20
Figure 10 — LBS_ApplicationProvider associations .....	24
Figure 11 — Service provider associations .....	25
Figure 12 — Service broker associations .....	25
Figure 13 — Mobile device associations.....	26
Figure 14 — Subpackages of LBS_Services.....	27
Figure 15 — Basic services .....	28
Figure 16 — Context Diagram: LBS_Tracking .....	29
Figure 17 — Context Diagram: LBS_Routing .....	30
Figure 18 — Context Diagram: LBS_Navigation .....	31
Figure 19 — Geomatics services .....	32
Figure 20 — Context Diagram: LBS_LocationTransformation .....	33
Figure 21 — Context Diagram: LBS_AddressParsing .....	34
Figure 22 — Context Diagram: LBS_Geoparsing.....	34
Figure 23 — Context Diagram: LBS_Gazetteer .....	35
Figure 24 — Context Diagram: LBS_MapService .....	37
Figure 25 — Information services .....	38
Figure 26 — Context Diagram: LBS_DataService .....	38
Figure 27 — Context Diagram: LBS_NetworkDataService .....	39
Figure 28 — Context Diagram: LBS_EventSubscription .....	40
Figure 29 — Context Diagram: LBS_MovingObjectManagement.....	41
Figure 30 — Context Diagram: LBS_UserProfileService.....	41
Figure 31 — Context Diagram: LBS_LocationTriggerControl.....	42
Figure 32 — Digital rights management types .....	43
Figure 33 — Message data types .....	45
Figure 34 — Context diagram: LanguageSpecificCharacterString .....	46
Figure 35 — Context diagram: LBS_AccessInfo .....	46
Figure 36 — Context Diagram: LBS_Accuracy.....	47
Figure 37 — Context Diagram: LBS_Address.....	47
Figure 38 — Context Diagram: LBS_CostFunction.....	47

This is a preview of "ISO 19132:2007". [Click here to purchase the full version from the ANSI store.](#)

Figure 39 — Context Diagram: LBS_Data .....	48
Figure 40 — Context Diagram: LBS_DataSource .....	48
Figure 41 — Context Diagram: LBS_DisplayParameters .....	49
Figure 42 — Context Diagram: LBS_EventInfo .....	50
Figure 43 — Context Diagram: LBS_Instruction .....	51
Figure 44 — Context Diagram: LBS_Location .....	51
Figure 45 — Context Diagram: LBS_Maneuver .....	52
Figure 46 — Context Diagram: LBS_MapFormat .....	52
Figure 47 — Context Diagram: LBS_Notification .....	53
Figure 48 — Context Diagram: LBS_Position .....	53
Figure 49 — Context Diagram: LBS_Preference .....	54
Figure 50 — Context Diagram: LBS_Route .....	54
Figure 51 — Context Diagram: LBS_RouteConstraint .....	55
Figure 52 — Context Diagram: LBS_RouteCriteria .....	56
Figure 53 — Context Diagram: LBS_SecurityCertificate .....	57
Figure 54 — Context Diagram: LBS_SymbolSet .....	57
Figure 55 — Context Diagram: LBS_TrackingLocation .....	58
Figure 56 — Context Diagram: LBS_Trigger .....	58
Figure 57 — Context Diagram: LBS_UserID .....	59
Figure 58 — Context Diagram: LBS_FeatureData .....	59
Figure 59 — Context Diagram: LBS_GeometryChoice .....	60
Figure 60 — Context Diagram: LBS_NamedLocation .....	61
Figure 61 — Context Diagram: LBS_TrackTrigger .....	61
Figure B.1 — Conceptual architecture equating mobile and non-mobile services .....	66
Figure B.2 — LBS interface schema and tentative standardization items .....	67

**Tables**

Table B.1 — Elementary components of LBS .....	67
Table D.1 — Standards Development Organizations in LBS .....	75
Table E.1 — Data model terminology .....	79
Table E.2 — Mathematical terminology .....	80
Table E.3 — Geodetic terminology .....	81
Table E.4 — Geometric terminology .....	83
Table E.5 — World model (feature) terminology .....	84
Table E.6 — Functional definitions .....	85

This is a preview of "ISO 19132:2007". [Click here to purchase the full version from the ANSI store.](#)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.


Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 19132 was prepared by Technical Committee ISO/TC 211, *Geographic information/Geomatics*.

## Introduction

This International Standard establishes a framework supporting the development of location-based services (LBS). LBS are software services whose request and response pattern or values depend upon the location of some number of things, either real or conceptual. For example, tracking and navigation as defined in ISO 19133 are both location-based. Emergency response services are location-based since the requested assistance is invariably for a location fairly near the requestor at the time of the request. Environmental monitoring and remediation is dependent on the location and motion or other continuous change of the polluting agents. Even yellow-page directory services are dependent on the location, or tentative future location, of the requestor in search of a convenient business location for the acquisition of specific goods or services, either near his current location or his planned route.

A reference model is a conceptual framework consisting of a set of system decisions, both architectural and policy, which construct the logical environment for a set of applications and processes within a specific domain. A framework contains or references a taxonomy of terms and an ontology that defines the target domain. A framework can contain or reference other frameworks for related application sets or design paradigms. An LBS framework may relate to a framework of geographic information services, since much of its activity is associated to manipulation of location representations and the use of location as a key to other services. Models for frameworks exist at a variety of levels of abstraction, each of which is a generalization of the more detailed model, and a specialization of the more general ones. At the highest level, the only entities are the frameworks representing their respective reference models. This is illustrated in Figure 1.



**Figure 1 — Relation between LBS and GIS**

What this says, in its simplest and most direct terms, is that the two frameworks are coupled and, depending on form more than on functionality, each will invoke services (functions) supplied by the other. This International Standard deals with the communication across the channel depicted in Figure 1. It does so by creating a reference model for the location-based services framework and linking it to the reference model defined in ISO 19101 and ISO/TS 19101-2.

A distinction between an LBS service <sup>1)</sup> and a GIS service <sup>2)</sup> is that LBS will normally have a larger granularity and significant non-spatial information component, and therefore is able to interact with both geographic data

1) The term “LBS” includes the word “service”, and so the phrase “LBS service” is logically redundant. When discussing LBSs in relation to other software components, the phrase “LBS service” can be used to maintain symmetry of expression. While logically inconsistent, this is grammatically and poetically acceptable.

2) It would be useful to redefine GIS as “geographic information service”, but past attempts to override the definition of “geographic information system” with “geographic information science” have not proven very fruitful. In this International Standard, all software components are viewed as services, and so mentions of “GIS” will be taken as “service implementation of GIS functionality”.



This is a preview of "ISO 19132:2007". [Click here to purchase the full version from the ANSI store.](#)

frameworks and with general information frameworks containing non-spatial data. Such data may be spatially linked in manners not traditionally used in geographic systems, such as by postal address or telephone number. Another distinction is that LBS services have to deal with the delivery mechanism at a finer level than GIS frameworks. LBS clients are likely to include mobile devices on a multitude of network types, and with a wide variety of capabilities. Thus, an LBS framework supports the same services through a variety of different interface protocols, each tailored for a class of client needs and capabilities. While the details of each client device's interface protocols are beyond the scope of this International Standard, it does address the common semantics of all of the LBS client classes by defining a set of common patterns that provide extensible templates for applications within this domain.

Two of the annexes included in this International Standard are there to highlight the harmonization issue as the LBS domain develops. Organizations that develop standards in LBS need to be aware of other activities. Annex D lists some of the important standards development organizations. Annex E is a crosswalk between common terminology in the geographic information and the intelligent transport system domains. Crosswalks between common terminologies of differing domains are important for semantic interoperability. ITS is used only as an example of one crosswalk.