

This is a preview of "ISO 19901-4:2016". [Click here to purchase the full version from the ANSI store.](#)

Second edition
2016-07-15

Petroleum and natural gas industries — Specific requirements for offshore structures —

Part 4: Geotechnical and foundation design considerations

*Industries du pétrole et du gaz naturel — Exigences spécifiques
relatives aux structures en mer —*

Partie 4: Bases conceptuelles des fondations



Reference number
ISO 19901-4:2016(E)

© ISO 2016



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

This is a preview of "ISO 19901-4:2016". Click here to purchase the full version from the ANSI store.

Contents

	Page
Foreword	v
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Symbols and abbreviated terms	4
4.1 General.....	4
4.2 Symbols for shallow foundations design.....	4
4.3 Symbols for pile foundations design.....	7
4.4 Symbols for soil-structure interaction for auxiliary subsea structures, risers and flowlines.....	10
4.5 Symbols for design of anchors for stationkeeping systems.....	11
4.6 Abbreviated terms.....	12
5 General requirements	13
5.1 General.....	13
5.2 Design cases and safety factors.....	14
5.3 Characteristic values of soil properties.....	14
5.4 Testing and instrumentation.....	15
6 Geotechnical data acquisition and identification of hazards	16
6.1 General.....	16
6.2 Shallow geophysical investigation.....	16
6.3 Geological modelling and identification of hazards.....	17
6.3.1 General.....	17
6.3.2 Earthquakes.....	17
6.3.3 Fault planes.....	17
6.3.4 Seafloor instability.....	17
6.3.5 Scour and sediment mobility.....	18
6.3.6 Shallow gas.....	18
6.3.7 Seabed subsidence.....	18
6.4 Carbonate soils.....	19
7 Design of shallow foundations	19
7.1 General.....	19
7.2 Principles.....	20
7.2.1 General principles.....	20
7.2.2 Sign conventions, nomenclature and action reference point.....	21
7.2.3 Action transfer.....	21
7.2.4 Idealization of foundation area and the effective area concept.....	21
7.3 Acceptance criteria and design considerations.....	22
7.3.1 Action and material factors.....	22
7.3.2 Use in design.....	22
7.3.3 Special cases.....	23
7.3.4 Additional design considerations.....	24
7.3.5 Alternative method of design based on yield surfaces.....	26
7.3.6 Selection of soil parameter values for design.....	27
7.4 Stability of shallow foundations.....	27
7.4.1 Assessment of bearing capacity.....	27
7.4.2 Assessment of sliding capacity.....	29
7.4.3 Assessment of torsional capacity.....	31
7.5 Serviceability (displacements and rotations).....	31
7.5.1 General.....	31
7.5.2 Displacement under static loading.....	31
7.5.3 Displacement under dynamic and cyclic actions.....	34

7.5.4	Other contributors to foundation settlement	34
7.6	Other design considerations	34
7.6.1	Hydraulic stability	34
7.6.2	Installation, retrieval and removal	34
8	Pile foundation design	35
8.1	Pile capacity for axial compression	35
8.1.1	General	35
8.1.2	Axial pile capacity	36
8.1.3	Skin friction and end bearing in cohesive soils	37
8.1.4	Skin friction and end bearing in cohesionless soils	38
8.1.5	Skin friction and end bearing of grouted piles in rock	40
8.2	Pile capacity for axial tension	41
8.3	Axial pile performance	41
8.3.1	Static axial behaviour of piles	41
8.3.2	Cyclic axial behaviour of piles	41
8.4	Soil reaction for piles under axial compression	41
8.4.1	Axial shear transfer <i>t-z</i> curves	41
8.4.2	End bearing resistance–displacement, <i>Q-z</i> , curve	42
8.5	Soil reaction for piles under lateral actions	44
8.5.1	General	44
8.5.2	Lateral capacity for soft clay	45
8.5.3	Lateral soil resistance–displacement <i>p-y</i> curves for soft clay	45
8.5.4	Lateral capacity for stiff clay	45
8.5.5	Lateral soil resistance–displacement <i>p-y</i> curves for stiff clay	46
8.5.6	Lateral capacity for sand	47
8.5.7	Lateral soil resistance – displacement <i>p-y</i> curves for sand	48
8.6	Pile group behaviour	49
8.6.1	General	49
8.6.2	Axial behaviour	49
8.6.3	Lateral behaviour	50
9	Pile installation assessment	50
9.1	General	50
9.2	Drivability studies	51
9.3	Obtaining required pile penetration	51
9.4	Driven pile refusal	52
9.5	Pile refusal remedial measures	52
9.5.1	Review of hammer performance	52
9.5.2	Re-evaluation of design penetration	52
9.5.3	Modifications to piling procedures	52
9.6	Selection of pile hammer and stresses during driving	53
9.7	Use of hydraulic hammers	53
9.8	Drilled and grouted piles	54
9.9	Belled piles	55
9.10	Grouting pile-to-sleeve connections	55
9.11	Pile installation data	55
9.12	Installation of conductors and shallow well drilling	55
10	Soil-structure interaction for auxiliary subsea structures, risers and flowlines	56
11	Design of anchors for floating structures	56
Annex A (informative) Additional information and guidance		57
Bibliography		175

This is a preview of "ISO 19901-4:2016". Click here to purchase the full version from the ANSI store.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 67, *Materials, equipment and offshore structures for the petroleum, petrochemical and natural gas industries*, Subcommittee SC 7, *Offshore structures*.

This second edition cancels and replaces the first edition (ISO 19901-4:2003), which has been technically revised.

ISO 19901 consists of the following parts, under the general title *Petroleum and natural gas industries — Specific requirements for offshore structures*:

- *Part 1: Metocean design and operating considerations*
- *Part 2: Seismic design procedures and criteria*
- *Part 3: Topsides structure*
- *Part 4: Geotechnical and foundation design considerations*
- *Part 5: Weight control during engineering and construction*
- *Part 6: Marine operations*
- *Part 7: Stationkeeping systems for floating offshore structures and mobile offshore units*
- *Part 8: Marine soil investigations*

The following part is under preparation:

- *Part 9: Structural integrity management*

ISO 19901 is one of a series of standards for offshore structures. The full series consists of the following International Standards which are relevant to offshore structures for the petroleum and natural gas industries:

- ISO 19900, *Petroleum and natural gas industries — General requirements for offshore structures*

This is a preview of "ISO 19901-4:2016". [Click here to purchase the full version from the ANSI store.](#)

- ISO 19901 (all parts), *Petroleum and natural gas industries — Specific requirements for offshore structures*
- ISO 19902, *Petroleum and natural gas industries — Fixed steel offshore structures*
- ISO 19903, *Petroleum and natural gas industries — Fixed concrete offshore structures*
- ISO 19904, *Petroleum and natural gas industries — Floating offshore structures*
- ISO 19905-1, *Petroleum and natural gas industries — Site-specific assessment of mobile offshore units — Part 1: Jack-ups*
- ISO/TR 19905-2, *Petroleum and natural gas industries — Site-specific assessment of mobile offshore units — Part 2: Jack-ups commentary and detailed sample calculation*
- ISO 19905-3, *Petroleum and natural gas industries — Site specific assessment of mobile offshore units — Part 3: Floating units (under preparation)*
- ISO 19906, *Petroleum and natural gas industries — Arctic offshore structures*

Other ISO standards can have implications for the geotechnical design of foundations for offshore structures, in particular:

- ISO 13623 (all parts), *Petroleum and natural gas industries — Pipeline transportation systems*
- ISO 13628 (all parts), *Petroleum and natural gas industries — Design and operation of subsea production systems*

This is a preview of "ISO 19901-4:2016". [Click here to purchase the full version from the ANSI store.](#)

Introduction

The International Standards for offshore structures, ISO 19900 to ISO 19906, constitute a common basis covering those aspects that address design requirements and assessments of all offshore structures used by the petroleum and natural gas industries worldwide. Through their application, the intention is to achieve reliability levels appropriate for manned and unmanned offshore structures, whatever the type of structure and the nature of the materials used.

It is important to recognize that structural integrity is an overall concept comprising models for describing actions, structural analyses, design rules, safety elements, workmanship, quality control procedures and national requirements, all of which are mutually dependent. The modification of one aspect of design in isolation can disturb the balance of reliability inherent in the overall concept or structural system. The implications involved in modifications, therefore, need to be considered in relation to the overall reliability of all offshore structural systems.

For foundations, some additional considerations apply. These include the time, frequency and rate at which actions are applied, the method of foundation installation, the properties of the surrounding soil, the overall behaviour of the seabed, effects from adjacent structures and the results of drilling into the seabed. All of these, and any other relevant information, need to be considered in relation to the overall reliability of the foundation.

These International Standards are intended to provide wide latitude in the choice of structural configurations, materials and techniques without hindering innovation. The design practice for the foundations of offshore structures has proved to be an innovative and evolving process over the years. This evolution is expected to continue and is encouraged. Therefore, circumstances can arise when the procedures described herein or in ISO 19900 to ISO 19906 (or elsewhere) are insufficient on their own to ensure that a safe and economical foundation design is achieved.

Seabed soils vary. Experience gained at one location is not necessarily applicable at another, and extra caution is necessary when dealing with unconventional soils or unfamiliar foundation concepts. Sound engineering judgment is therefore necessary in the use of this part of ISO 19901.

For an offshore structure, the action effects at the interface between the structure's subsystem and the foundation's subsystem(s) are internal forces, moments and deformations. When addressing the foundation's subsystem(s) in isolation, these internal forces, moments and deformations can be considered as actions on the foundation's subsystem(s) and this approach is followed in this part of ISO 19901.

Some background to and guidance on the use of this part of ISO 19901 is provided for information in [Annex A](#). Guidance on foundations in carbonate soils is provided for information in [A.6.4](#), but there is, as yet, insufficient knowledge and understanding of such soils to produce normative requirements.

In this part of ISO 19901, in accordance with the latest edition of the ISO/IEC Directives, Part 2, the following verbal forms are used:

- 'shall' and 'shall not' are used to indicate requirements strictly to be followed in order to comply with the document and from which no deviation is permitted;
- 'should' and 'should not' are used to indicate that among several possibilities one is recommended as particularly suitable, without mentioning or excluding others, or that a certain course of action is preferred but not necessarily required, or that (in the negative form) a certain possibility or course of action is deprecated but not prohibited;
- 'may' and 'need not' are used to indicate a course of action permissible within the limits of the document;
- 'can' and 'cannot' are used for statements of possibility and capability, whether material, physical or causal.