First edition 2008-11-01

Mechanical vibration — Measurement of vibration on ships —

Part 2:

Measurement of structural vibration

Vibrations mécaniques — Mesurage des vibrations à bord des navires —

Partie 2: Mesurage des vibrations structurelles



Reference number ISO 20283-2:2008(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Con	ntents	Page
Foreword		iv
Introduction		v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Measurement conditions and manoeuvres	2
5	Measurement positions	3
6	Signal acquisition, processing and storage	3
7	Test report	4
Anne	x A (informative) Typical extent of measurement positions for global ship vibration	6
Anne	x B (informative) Procedure for optional propeller pressure pulse measurements	8
Anne	x C (informative) Examples for a result presentation of global vibration measurement	10
Anne	x D (informative) Local structural vibration	14
Biblio	ography	15

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 20283-2 was prepared by Technical Committee ISO/TC 108, *Mechanical vibration, shock and condition monitoring*, Subcommittee SC 2, *Measurement and evaluation of mechanical vibration and shock as applied to machines, vehicles and structures*.

This part of ISO 20283 cancels and replaces ISO 4867:1984 and ISO 4868:1984, of which it constitutes a technical revision.

ISO 20283 consists of the following parts, under the general title *Mechanical vibration* — *Measurement of vibration on ships*:

- Part 2: Measurement of structural vibration
- Part 3: Pre-installation vibration measurement of shipboard equipment

The following parts are under preparation:

- Part 1: General guidelines
- Part 4: Measurement and evaluation of vibration of the ship propulsion machinery

Introduction

Vibration in a ship is generated by machinery, propeller and sea. The vibration responses of the ship structure at different locations are dependent on the dynamic forces and natural frequencies. The dynamic forces vary with the engine load, and the speed and draught of the ship. The natural frequencies vary with the loading condition and draught of the ship.

Global structural vibration in a ship is highly dependent on these parameters. This part of ISO 20283 gives guidance how to obtain an overall picture of the vibration behaviour of the ship by setting up guidelines for measurement of natural frequencies and vibration responses at selected positions under a given loading condition of the ship.

Such data are necessary to describe uniformly the vibration characteristics of ship hulls and the relevant excitation originating from the propulsion plant. This will provide a basis for improved vibration engineering, *i.e.*, systematic comparison against theoretical predictions, other ships and vibration reference levels.

Inclusion of this part of ISO 20283 in the building specification or the contract between purchaser and builder does not necessarily require the measurements and evaluations as described in this part of ISO 20283.