First edition 2004-10-01

# Photography — Electronic scanners for photographic images — Dynamic range measurements

Photographie — Scanners électroniques pour images photographiques — Mesurages d'intervalles dynamiques



Reference number ISO 21550:2004(E)

#### **PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

## Contents

Forewordiv		
Introduction		v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4 4.1 4.2 4.3	Test chart Representation and recommended size The reflective test chart The transparent test chart	4 5
5 5.1 5.2 5.3 5.4	Test conditions General Temperature and relative humidity Luminance and colour measurements Scanner settings	6 6 7
6 6.1 6.2	Measuring the Scanner OECF General Scanner settings	7
7 7.1 7.2 7.3	Calculation of the scanner dynamic range Luminance OECF Scanner dynamic range Determination of the signal to noise ratio	8 8
8 8.1 8.2 8.3	Presentation of results General Scanner OECF Scanner dynamic range measurements	9 10
Annex A (normative) Scanner OECF Test Patches12		12
Annex	Annex B (normative) Density shift to measure ISO scanner <i>d</i> <sub>max</sub> 1	
Bibliog	Bibliography	

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 21550 was prepared by Technical Committee ISO/TC 42, Photography.

#### Introduction

The use of scanners to provide digital image files is rapidly growing. A standard is needed in order to measure the ability of scanners to capture tones especially in the dark areas of the original. At the present time most manufacturers calculate the dynamic range from the bit depth of the implemented A/D conversion which is usually higher than the actual capabilities of the scanner. This International Standard can be used for photofinishing, professional, graphic arts and consumer scanners.

This International Standard specifies methods for measuring the ability of scanners to capture tones especially in the dark areas of the original. The scanner measurements described in this International Standard are performed in the digital domain, using digital analysis techniques. A test chart of appropriate size and characteristics is scanned and the resulting data is analysed. The test chart described in this International Standard is designed specifically to evaluate continuous tone film and reflection scanners. It is not designed for evaluating electronic still-picture cameras, video cameras, or bi-tonal document scanners.