

This is a preview of "ISO 2162-1:1993". [Click here to purchase the full version from the ANSI store.](#)

STANDARD

2162-1

First edition
1993-12-01

**Technical product documentation —
Springs —**

**Part 1:
Simplified representation**

*Documentation technique de produits — Ressorts —
Partie 1: Représentation simplifiée*



Reference number
ISO 2162-1:1993(E)

This is a preview of "ISO 2162-1:1993". [Click here to purchase the full version from the ANSI store.](#)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 2162-1 was prepared by Technical Committee ISO/TC 10, *Technical drawings, product definition and related documentation*, Sub-Committee SC 6, *Mechanical engineering documentation*.

This first edition of ISO 2162-1 cancels and replaces ISO 2162:1973, of which it constitutes an extension and technical revision.

ISO 2162 consists of the following parts, under the general title *Technical product documentation — Springs*:

- *Part 1: Simplified representation*
- *Part 2: Presentation of data for cylindrical helical compression springs*
- *Part 3: Vocabulary*

© ISO 1993

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

This is a preview of "ISO 2162-1:1993". Click here to purchase the full version from the ANSI store.

Technical product documentation — Springs —

Part 1: Simplified representation

1 Scope

This part of ISO 2162 gives rules for the simplified representation of compression, extension, torsion, disc, spiral and leaf springs on technical drawings.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 2162. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 2162 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 2162-2:1993, *Technical product documentation — Springs — Part 2: Presentation of data for cylindrical helical compression springs*.

ISO 5261:1981, *Technical drawings for structural metal work*.

3 General

In simplified representations, springs are represented as follows.

- Coiled wire springs: by a line following the axis of the spring wire.

- Other types of springs: by lines showing the characteristics of the respective type of springs and their elements.

The representations shown are examples only.

4 Helical compression springs

The following requirements shall be applied for the indication of the geometrical characteristics of wire-made springs on a simplified representation.

a) Cross-section of the material

Cylindrical: the appropriate graphical symbol in accordance with ISO 5261 (\emptyset) need not be indicated.

Other than cylindrical: the appropriate graphical symbol in accordance with ISO 5261 shall be indicated (e.g. \square , \square).

b) Direction of helix

Right-hand: assumed as normal and the designation RH need not be indicated.

Left-hand: exceptional and the designation LH¹⁾ shall be indicated.

c) Shape of ends

Ground: no indication is necessary.

Other than ground: the type shall be specified on the drawing, with dimensions if necessary (see ISO 2162-2).

1) In accordance with the rules given for the indication of left-hand screw threads (see ISO 5854:1978, *ISO inch screw threads — Allowances and tolerances*, clause 11).