Second edition 2015-11-01

Medical devices utilizing animal tissues and their derivatives —

Part 2: **Controls on sourcing, collection and handling**

Dispositifs médicaux utilisant des tissus animaux et leurs dérivés — Partie 2: Contrôles de l'origine, de la collecte et du traitement



ISO 22442-2:2015(E)

This is a preview of "ISO 22442-2:2015". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

ForewordIntroduction							
				1	Scop	e	1
				2	Norr	native references	1
3	Tern	ns and definitions	1				
4	General requirements						
	4.1	General					
	4.2	Quality system elements					
	4.3	Procedures					
	4.4	Personnel	3				
	4.5	Current regulatory requirements and guidance	4				
5	Sourcing		4				
	5.1	General					
	5.2	Species and strain					
	5.3	Geography					
	5.4	Inspection					
	5.5	Certification					
	5.6	Traceability					
6	Colle	Collection					
7	Han	Handling					
8	Storage and transport		6				
Ann	ex A (no	ormative) Additional requirements relating to the application of this part of 22442 to bovine-sourced materials	7				
Ann	ex B (in	formative) Certification and attestation	12				
Annex C (informative) Veterinary services			14				
Bibliography			15				

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 194, *Biological and clinical evaluation of medical devices*, Subcommittee SC 1, *Tissue product safety*.

This second edition cancels and replaces the first edition (ISO 22442-2:2007), of which it constitutes a minor revision.

ISO 22442 consists of the following parts, under the general title *Medical devices utilizing animal tissues* and their derivatives:

- Part 1: Application of risk management
- Part 2: Controls on sourcing, collection and handling
- Part 3: Validation of the elimination and/or inactivation of viruses and transmissible spongiform encephalopathy (TSE) agents
- Part 4: Principles for elimination and/or inactivation of transmissible spongiform encephalopathy (TSE) agents and validation assays for those processes [Technical Report]

Introduction

Certain medical devices utilize materials of animal origin.

Animal tissues and their derivatives are used in the design and manufacture of medical devices to provide performance characteristics that have been chosen for advantages over non-animal based materials. The range and quantities of materials of animal origin in medical devices vary. These materials can comprise a major part of the device (e.g. bovine/porcine heart valves, bone substitutes for use in dental or orthopaedic applications, haemostatic devices), can be a product coating or impregnation (e.g. collagen, gelatine, heparin), or can be used in the device manufacturing process (e.g. tallow derivatives such as oleates and stearates, foetal calf serum, enzymes, culture media).

Tissues and derivatives for use in medical devices are typically obtained by the manufacturer from a range of sources such as animal herds or flocks and commercial harvesting (including fishing). Some specialized industries also process materials of animal origin to manufacture a finished product (e.g. gelatine) which is incorporated as a raw material into the finished medical device by the manufacturer.

To show compliance with this part of ISO 22442, its specified requirements should be fulfilled. The guidance given in the notes and informative annexes is not normative and is not provided as a checklist for auditors.