

This is a preview of "ISO 22634-1:2017". [Click here to purchase the full version from the ANSI store.](#)

First edition
2017-11

Cigarettes — Determination of benzo[a]pyrene in cigarette mainstream smoke using GC/MS — Part 1: Method using methanol as extraction solvent

*Cigarettes — Dosage du benzo[a]pyrène dans le courant principal
de la fumée de cigarette par CG/SM — Partie 1: Méthode utilisant
du méthanol comme solvant d'extraction*



Reference number
ISO 22634-1:2017(E)

© ISO 2017

This is a preview of "ISO 22634-1:2017". [Click here to purchase the full version from the ANSI store.](#)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

This is a preview of "ISO 22634-1:2017". Click here to purchase the full version from the ANSI store.

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	1
5 Apparatus	2
6 Reagents	2
7 Standards	3
7.1 General.....	3
7.2 Primary B[a]P stock solution.....	3
7.3 Secondary B[a]P stock solution.....	3
7.4 B[a]P-d12 stock solution.....	3
7.5 B[a]P-d12 spiking solution.....	3
7.6 Working standard solutions.....	3
7.7 Storage of standard solutions.....	3
8 Preparation of sample	3
8.1 Sampling.....	3
8.2 Smoking.....	4
8.3 Filter pads extraction.....	4
8.4 Sample clean-up.....	4
9 Determination	5
9.1 GC/MS operating conditions.....	5
9.2 Calibration.....	5
9.3 Determination of B[a]P.....	5
9.4 Calculation.....	6
10 Repeatability and reproducibility	6
11 Test report	6
11.1 General.....	6
11.2 Characteristic data about the cigarette.....	7
11.3 Data about sampling.....	7
11.4 Description of the test.....	7
11.5 Test results.....	8
Annex A (informative) Example of a chromatogram of a cigarette smoke extract	9
Bibliography	11

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 126, *Tobacco and tobacco products*.

This first edition of ISO 22634-1 cancels and replaces ISO 22634:2008, of which it constitutes a minor revision.

The main changes compared to the previous edition are as follows:

- the number of ISO 22634 has been changed to ISO 22634-1 as a new part 2 of ISO 22634 has been elaborated;
- the titles of the two parts have been modified accordingly;
- the text has been editorially revised.

A list of all parts in the ISO 22634 series can be found on the ISO website.

This is a preview of "ISO 22634-1:2017". [Click here to purchase the full version from the ANSI store.](#)

Introduction

Between 1999 and 2003, a task force composed of Cooperation Centre for Scientific Research Relative to Tobacco (CORESTA) members studied the existing methodologies for the determination of benzo[a]pyrene (B[a]P) in the mainstream smoke of cigarettes. Several methods have been proposed for this determination, which are mainly based on two types of analytical methodology: high performance liquid chromatography (HPLC) with fluorescence detection and gas chromatography/mass spectrometry (GC/MS). In both cases, it is necessary to purify the smoke condensate extract before performing the chromatography in order to obtain a correct separation of the B[a]P peak.

The task force decided in the first instance to develop a method using HPLC with fluorescence detection. However, after several collaborative experiments, it appeared that achieving a significant reduction of the initially observed variability would be technically very difficult. The task force then decided to investigate a GC/MS method as an alternative and was able to demonstrate, through collaborative experiments, that a lower variability can be obtained with this methodology.

This document, produced through collaborative experiments involving many laboratories in many countries, provides an optimized procedure for the determination of B[a]P in cigarette mainstream smoke. The repeatability and reproducibility of this method have been assessed according to ISO recommendations and are included.

No machine smoking regime can represent all human smoking behaviours:

- it is recommended that cigarettes also be tested under conditions of a different intensity of machine smoking than those specified in this document;
- machine smoking testing is useful to characterize cigarette emissions for design and regulatory purposes, but communication of machine measurements to smokers can result in misunderstandings about differences in exposure and risk across brands;
- smoke emission data from machine measurements may be used as inputs for product hazard assessment, but they are not intended to be nor are they valid measures of human exposure or risks. Communicating differences between products in machine measurements as differences in exposure or risk is a misuse of testing using ISO standards.