First edition 2010-04-15

# Intelligent transport systems — Devices to aid reverse manoeuvres — Extended-range backing aid systems (ERBA)

Systèmes intelligents de transport — Dispositifs d'aide aux manœuvres de marche-arrière — Système d'aide à la marche-arrière à gamme de distances étendue (ERBA)



Reference number ISO 22840:2010(E)

### **PDF** disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



### COPYRIGHT PROTECTED DOCUMENT

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents  Foreword		Page
		iv
		v
1	Scope	1
2	Normative references	2
3	Terms and definitions	2
4	Symbols and abbreviated terms	4
5 5.1 5.2 5.3 5.4 5.5 5.6 5.7 5.8 5.9 5.10 5.11	Functional and performance requirements Steering angle Detection range Minimum performance requirements Detection latency Driver interface and information strategy System activation System deactivation Operation with trailers Presence detection requirements Dynamic detection requirements Self-test capabilities and failure indications	
6	Requirements and tests for components	12
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7	Test requirements Test objects Ambient conditions — General Response time for object detection Test requirements — Presence warning Test requirements — Dynamic warning Detection acceptance criteria — Presence warning Detection acceptance criteria — Dynamic warning	12 13 14 15
Anne	ex A (normative) Examples	20
Bibli	iography	24

## **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 22840 was prepared by Technical Committee ISO/TC 204, Intelligent transport systems.

# Introduction

Extended-range backing aids (ERBA) are detection devices with non-contact sensors that assist the driver during low- to mid-speed backing manoeuvring. These systems detect and warn the driver of objects in the pathway of the vehicle. In comparison to low-speed-only devices whose main purpose is assisting in parking manoeuvres (e.g. ISO 17386), the purpose of the ERBA is to assist in higher-speed backing manoeuvres associated with traversing longer distances.