This is a preview of "ISO 2286-3:1998". Click here to purchase the full version from the ANSI store.

First edition 1998-06-01

# Rubber- or plastics-coated fabrics — Determination of roll characteristics —

## Part 3:

Method for determination of thickness

Supports textiles revêtus de caoutchouc ou de plastique — Détermination des caractéristiques des rouleaux —

Partie 3: Méthode de détermination de l'épaisseur



This is a preview of "ISO 2286-3:1998". Click here to purchase the full version from the ANSI store.

### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 2286-3 was prepared by Technical Committee ISO/TC 45, *Rubber and rubber products*.

Together with the other parts (see below), it cancels and replaces ISO 2286:1986, which has been technically revised.

ISO 2286 consists of the following parts, under the general title *Rubber-and plastics-coated fabrics* — *Determination of roll characteristics*:

- Part 1: Methods for determination of length, width and net mass
- Part 2: Methods for determination of total mass per unit area, mass per unit area of coating and mass per unit area of substrate
- Part 3: Method for determination of thickness

#### © ISO 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case postale 56 • CH-1211 Genève 20 • Switzerland
Internet iso@iso.ch

Printed in Switzerland

This is a preview of "ISO 2286-3:1998". Click here to purchase the full version from the ANSI store.

# Introduction

Compared with metals, coated fabrics are easily compressed, and the measured thickness will depend considerably upon the method and pressure employed. This is perhaps the single most important reason for having a standard method for measuring the thickness of coated fabrics.

An effort has been made to enable the results to be comparable with measurements of the thickness of textile substrates.