First edition 2021-04

Health informatics — Interoperability and integration reference architecture – Model and framework

Informatique de santé — Architecture de référence d'interopérabilité et d'intégration — Modèle et cadre



Reference number ISO 23903:2021(E)

ISO 23903:2021(E)

This is a preview of "ISO 23903:2021". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Con	tent	S	F	Page
Forev	vord			iv
Intro	ductio	n		v
1	Scop	e		1
2	Normative references			
3	Terms and definitions			1
4	Abbreviations			
5	Over	view on	standard system architecture	5
6	6.1 6.2 6.3	Interop Interop system	lity and Integration Reference Architecture for ICT Supported Systems berability and Integration Reference Architecture domains and granularity level berability and Integration Reference Architecture model for ICT supported berability and Integration Reference Architecture framework Basic requirements Management of relationships in the Interoperability and Integration Reference Architecture Business process modelling using the Interoperability and Integration Reference Architecture	s6 7 8 8
Anne			e) Cross-domain interoperability for security and privacy aware EHR	
			on	
	-		e) Interoperability between different communication standards	
			e) Integration of Standards in ISO 12967 (all parts)	15
Anne	x D (in Arch	formative itecture	e) Deployment of the Interoperability and Integration Reference Approach in ISO 13972	18
Anne	Arch	itecture	e) Deployment of the Interoperability and Integration Reference Approach for the Representation and Harmonization of Alternative chitectures	19
Biblio	ogranh	ıv		.21

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 215, *Health informatics*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 251, *Health informatics*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

0.1 Preface

This document supports the integration of a) specifications from different domains with their specific methodologies, terminologies and ontologies including specific specification style as well as b) systems based on those specifications. Enabling the use-case-specific identification and consistent, formal representation including constraints of necessary components with their specific concepts and their relationships, this document facilitates the deployment of existing standards and systems, the analysis and improvement of specifications under revision as well as the design of new projects.

This document provides an overview of the Interoperability and Integration Reference Architecture (first introduced in the 1990s as the Generic Component Model – $GCM^{[1][2]}$), providing scope, justification and explanation of key concepts and the resulting model and framework. It contains explanatory material on how this Interoperability and Integration Reference Architecture is interpreted and applied by its users, who might include standards writers and architects of interoperable systems, but also systems integrators.

The ongoing organizational, methodological and technological paradigm changes in health and social care result in health systems transformation toward P5 (personalized, preventive, predictive, participative precision) systems medicine as fully distributed, highly dynamic, strongly integrated, multi-disciplinary (or multi-domain) intelligent ecosystems, comprising both structured systems, communities governed by rules, and combinations thereof^[3].

0.2 Interoperability levels

Interoperability (see 3.16) has evolved during the last 30 years from structured messaging (e.g. EDI, HL7®¹) messaging) over sharing concepts [e.g. openEHR®²) Archetypes, ISO 13940[⁴] (system of concepts to support continuity of care)] – both representing the data/information exchange paradigm – to cooperation at application level (e.g. Web services). All those solutions focus on information and communication technologies (ICT) systems interoperability using ICT terminologies and ontologies for representing data, information, or even concepts and knowledge, thereby distinguishing the three interoperability levels: a) foundational, b) structural, and c) semantic interoperability.

On the move towards digital health, ICT systems get more closely integrated in the real world business process. This move requires supporting advanced, knowledge-level and business process focused interoperability between all principals acting in those ecosystems such as persons, organizations, devices, applications, components, or objects to achieve the common business objectives. As knowledge, methodologies and terminologies of the domains involved in the business case and represented through those domains' ontologies, but also individual contexts, abilities and capabilities are highly different, they must be shared and adapted in advance or dynamically at runtime, enabling adequate cooperation of actors and systems involved. Table 1 summarizes the different interoperability levels[5].

¹⁾ HL7 is a registered trademark of Health Level Seven International. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the product named.

²⁾ openEHR is a registered trademark of the openEHR Foundation. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the product named.

Table 1 — Interoperability levels

In	formation Perspective	Organization Perspective	
Interoperability Level	Instances	Interoperability Level	
Technical	Technical plug&play, signal & protocol compatibility	Light-weight interactions	
Structural	Simple EDI, envelopes	Data sharing	
Syntactic	Messages and clinical documents with agreed vocabulary	Information sharing	
Semantic	Advanced messaging with common information models and terminologies	Knowledge sharing at IT concept level in computer-parsable form	
		Coordination	
	Common business process	Knowledge sharing at business concept level	
Service		Agreed service function level cooperation	
Knowledge based	Multi-domain processes	Knowledge sharing at domain level	
		Cross-domain cooperation	
Skills based	Individual engagement in multiple domains	Knowledge sharing in individual context	
		Moderated end-user collaboration	

0.3 Motivation for the Interoperability and Integration Reference Architecture

Meeting the objectives of improving safety, quality and efficiency of care with ICT support requires advancing interoperability between computer systems towards a business-process-specific cooperation of actors representing the different domains participating in the business case. For that purpose, the agreed domain knowledge, but also the individual and shared context (language, education, skills, experiences, psychological, social, occupational, environmental aspects, etc.), need to be represented correctly and formally for integration with the ICT system as part of the business system. As the domain experts involved describe specific aspects of that business system in their own specific contexts and using specific terminologies and ontologies, methodologies and frameworks, the resulting informational representations are often quite inconsistent, requiring a peer-to-peer interoperability adaptation process. Adapting existing standardized informational representations of domain-specific use cases to changing contexts or contexts including multiple domains requires another common harmonized informational representation, resulting in permanent revisions of specifications.

Modelling systems for multi-domain interoperability requires the advancement from the data model, information model, and ICT domain knowledge perspective to the knowledge perspective of the business domains^[6]. For achieving the latter, the relevant stakeholders are responsible to define the provided view of the model as well as the way of structuring and naming the concepts of the problem space. First capturing key concepts and key relations at a high level of abstraction, different abstraction levels can be used iteratively. Thereby, the first iteration is performed in a top-down manner to guarantee the conceptual integrity of the model. This demands meeting design principles such as orthogonality, generality, parsimony, and propriety.^[7] ISO 30401^[8] defines the requirements for knowledge management systems in organizations to meet business objectives.

It is impossible to represent the highly complex, highly dynamic, multi-disciplinary/multi-domain healthcare system by one domain's terminology/ontology or – even worse for the reasons mentioned right before - by exclusively using ICT ontologies and ICT specific representation styles.

The alternative is an abstract, domain-independent representation of systems using Universal Type Theory^[9] and corresponding logics. The mathematical concept representation using a Meta Reference Architecture according to the formal theory of the Barendregt Cube with Parameters^[9] in combination with systems engineering methodologies allows representing any system architecturally (i.e. the system's components, their functions and internal as well as external relations) by generically describing its composition/decomposition and behaviour from the perspectives of all domains of relevance in a specific business case. A third dimension describes the system's development process such as evolution

for living systems, manufacturing for technical systems, or a software development process, resulting in a generic system model or Generic Reference Architecture presented in <u>Figure 1</u>. Details regarding the dimensions of the model are explained in <u>Clause 5</u> and <u>Clause 6</u>.




Figure 1 — Generic Reference Architecture model

To represent advanced interoperability and integration settings, different domain-specific representations are linked to the same real world component. Therefore, an abstract and generic reference architecture is needed which is able to represent any aspect or domain of interest. For correctly and formally representing the concepts and relations of the domain-specific subsystems involved in that business case, those subsystems are represented by their corresponding approved domain ontologies, resulting in a system-theoretical, architecture-centric, top-level ontology driven approach^{[10][11]}. Requirements for top level ontologies are specified in ISO 21838 (all parts). Health domain ontologies are SNOMED-CT®³⁾ or specific ontologies such as the Open Biomedical Ontologies (OBO), including the Gene Ontology,^[12] maintained by the OBO Foundry^[13].

As we can consistently model and compute only systems of reasonable complexity, the Generic Reference Architecture model (Figure 1) can be used recursively at different granularity levels, so representing, e.g. the continuum of real-world systems from elementary particles to the universe. The concepts of the system's components and their relations are represented in appropriate expressions in natural or formal languages up to the basic level of primitives. The system analysis or design needs to address partial systems when considering higher granularity levels of the system in question.

0.4 Technical approach

A system is a composition of interrelated components, ordered to accomplish a specific function or a set of functions. Systems can be decomposed into subsystems or composed to form super-systems. There are constructive or structural and behavioural or functional aspects of systems. According to IEEE 1471,[14] the architecture of a system is the fundamental organization of that system embodied in its components, their relationships to each other and to the environment, and the principles guiding its design and evolution. Rules for selecting and constraining components and functions as well as relations according to a business case are called policies. Policies define the intended behaviour of a system. For living systems, factors such as homeostasis, with the attributes of self-organization and self-regulation as well as growth and development, reproduction, with the associated heredity (structure preservation) and mutation (structural change), and higher development through selection of best-adapted variants out of a large number make the description of living systems more complicated than that of technical systems^[15].

³⁾ SNOMED CT is the registered trademark of the International Health Terminology Standards Development Organisation (IHTSDO). This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the product named.

In the 1970s and 1980s, a data level interoperability approach was developed by defining the application and technology agnostic standard data exchange format EDI (electronic data interchange) in order to transform proprietary data formats into the standard data format and vice versa. Thus International Standards arose such as ISO 9735 (EDIFACT),[16] or its healthcare-specific pendant ISO/HL7 27931:2009,[17] an application protocol for electronic data exchange in healthcare environments. This document defines a generic system architecture for knowledge level interoperability. It allows consistently transforming and interrelating any domain specific subsystem's structure and behaviour (e.g. domain specific standards and specifications) by ontologically representing its concepts and relationships at the real world system component's level of granularity in the abstract generic component system. In other words, the domain specific subsystem (e.g. a domain specific standard or specification) is re-engineered using the Interoperability and Integration Reference Architecture, by that way providing a standardized interface to that specification. In this way, the methodology offered in this document maps between domain specific or proprietary systems and their representation as specification or domain specific standard by transforming them into a standard system architecture and vice versa. Annex A demonstrates the integration of two domain specific standards by reengineering the ISO 13606-1[18] Reference Model and the HL7® Composite Security and Privacy Domain Analysis Model^[19] and combining them in an Interoperability and Integration Reference Architecture model instance. Annex B demonstrates the integration of different communication standards by reengineering HL7 v3®⁴⁾ methodology and creating an adequate HL7 v2®⁴⁾ methodology and transforming them into an Interoperability and Integration Reference Architecture instance. In this way, the Interoperability and Integration Reference Architecture supports the mutual transformation of those communications standards for the sake of interoperability of existing solutions. For ontologically representing the models, the Communication Standards Ontology (CSO)[20] has been used. Figure 2 correspondingly presents this standard's interoperability approach. Annex C demonstrates the integration of different standards in the light of ISO 12967(all parts)[21], while Annex D presents the approach in context of ISO 13972^[22]. Finally, Annex E demonstrates the deployment of this document's Interoperability and Integration Reference Architecture for the representation and harmonization of alternative reference architectures.

viii

⁴⁾ HL7 v3 and HL7 v2 are registered trademarks of Health Level Seven International. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the products named.




Figure 2 — Overview of this document's interoperability approach

Bound to the GCM Framework, inter-domain relationships need to happen at the same level of granularity^[23]. To get there, intra-domain specializations/generalizations are performed.