ISO

This is a preview of "ISO 24442:2011". Click here to purchase the full version from the ANSI store.

First edition 2011-12-15

Cosmetics — Sun protection test methods — In vivo determination of sunscreen UVA protection

Cosmétique — Méthodes d'évaluation de la protection solaire — Détermination in vivo de la protection UVA



Reference number ISO 24442:2011(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents Page		'age
Forew	ord	iv
Introdu	uction	V
1	Scope	
2	Terms and definitions	
3	Principle	
4	Test subjects	
4.1	Selection of test subjects	2
4.2	Number of subjects	
5	Reference sunscreen formulae	
6 6.1	UVA source Spectral characteristics	
6.2	Maintenance and monitoring the UV solar simulator output	
6.3 6.4	Beam size and uniformity	
	Total irradiance (UV, visible and near-infrared rays)	
7 7.1	Product application quantity and procedure	
7.2	Position of the subject	5
7.3 7.4	Defining test sites	
	Application procedure	
8 8.1	Determination of minimal persistent pigment darkening doses (MPPDD)	6 6
8.2	Determination of the minimal pigmenting dose on the unprotected test sites (MPPDDu) using	g a
8.3	multiple-beam solar simulator Determination of the MPPDDu using a single-beam output solar simulator	
8.4	Determination of the MPPDDp using a multiple-beam solar simulator	
8.5	Determination of the MPPDDp on the protected test site with a single-beam solar simulator	0
9	Product removal	
10 10.1	MPPDD assessment procedure Observation time for responses of MPPDDs	
10.2	Position of subjects for MPPDD observations	
10.3	MPPDD evaluation	
11	Calculations of the UVAPF and statistics	
11.1 11.2	Calculation of the individual UVAPF (UVAPFi) for each test product for each subject	
11.3	Statistical test	10
11.4	Test rejection for failure of meeting the statistical test for the reference sunscreen	10
12	Test report	10
Annex	A (normative) Selection criteria for the test subjects	11
Annex	B (normative) Definition of the source of UVA radiation	13
Annex	C (normative) UVAPF reference sunscreen S1	15
Annex	Annex D (normative) Statistics and calculations	
Bibliog	Bibliography	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 24442 was prepared by Technical Committee ISO/TC 217, Cosmetics.

Introduction

This International Standard specifies the procedure to determine the Ultraviolet A Protection Factor (UVAPF) of a sunscreen product using the persistent pigment darkening method according to the principles recommended by the Japan Cosmetic Industry Association (JCIA) in 1995^[1]. The outcome of this test method can be used to determine the UVA classification of topical sunscreen products according to local regulatory requirements.

Topical sunscreen products are primarily rated and labelled according to their ability to protect against sunburn, using a test method to determine the *in vivo* Sun Protection Factor (see ISO/FDIS 24444). This rating evaluates filtration of sunburn generating radiation across the electromagnetic UV spectrum (290 nm to 400 nm). However, knowledge of the Sun Protection Factor (SPF) rating does not provide explicit information on the magnitude of the protection provided specifically in the UVA range of the spectrum (320 nm to 400 nm), as it is possible to have high SPF products with very modest UVA protection (e.g. SPF 50 with a UVAPF of only 3 to 4). There is demand among medical professionals, as well as knowledgeable consumers, to have fuller information on the UVA protection provided by their sunscreen product, in addition to the SPF, in order to make a more informed choice of product, providing a more balanced and broader-spectrum protection. The UVAPF value of a product provides information on the magnitude of the protection provided explicitly in the UVA portion of the spectrum, independent of the SPF values.

The test method outlined in this International Standard is derived primarily from the UVAPF test methods as developed by the JCIA. Modifications have been made to attempt to harmonize with other methodologies without changing the integrity of the fundamental underlying principles of the test method.