

This is a preview of "ISO 24443:2021". [Click here to purchase the full version from the ANSI store.](#)

Second edition
2021-12

Corrected version
2022-02

Cosmetics — Determination of sunscreen UVA photoprotection in vitro

Cosmétiques — Détermination in vitro de la photoprotection UVA



Reference number
ISO 24443:2021(E)

© ISO 2021

This is a preview of "ISO 24443:2021". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

This is a preview of "ISO 24443:2021". Click here to purchase the full version from the ANSI store.

Contents

	Page
Foreword.....	iv
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	1
3 Terms, definitions, symbols and abbreviated terms.....	1
3.1 Terms and definitions.....	1
3.2 Symbols and abbreviated terms.....	2
4 Principle.....	3
5 Apparatus.....	3
5.1 Spectrophotometer specifications.....	3
5.2 Calibration of the spectrophotometer.....	4
5.3 Calibration of the UV exposure source.....	4
5.4 Monitoring of the UV exposure source.....	5
5.5 Calibration of the UVA radiometer used to monitor the test sample irradiation.....	5
5.6 Substrate/plate.....	5
6 Test method.....	6
6.1 Outline of the test procedure.....	6
6.2 Equipment calibration and validation of test plates.....	6
6.3 Absorption measurements through the plate.....	6
6.4 Sample application.....	7
6.5 Absorbance measurements of the product-treated plate.....	8
6.6 Number of determinations.....	8
6.7 Determination of initial calculated SPF ($SPF_{in\ vitro,0}$), "C" value, initial UVA-PF ($UVA-PF_0$), and UV exposure dose.....	8
6.7.1 Determination of initial in vitro SPF ($SPF_{in\ vitro,0}$).....	8
6.7.2 Determination of "C" value.....	8
6.7.3 Determination of initial UVA protection factor before UV exposure ($UVA-PF_0$).....	9
6.7.4 Determination of the UV exposure dose.....	10
6.8 UV exposure of sample plates.....	10
6.9 Calculation of UVA-PF of plates after UV exposure of the sample.....	10
6.10 Calculation of critical wavelength of plates after UV exposure of the sample.....	11
7 Procedure using the spreadsheet in this document.....	11
8 Product reference sunscreen.....	12
8.1 Formula S2.....	12
8.2 Standard P8.....	12
9 Test report.....	12
Annex A (normative) Calibration of spectrophotometer and plate transmission test.....	14
Annex B (normative) Radiometer calibration to spectroradiometric irradiance procedure.....	18
Annex C (normative) Computation values: PPD and erythema action spectra and UVA and UV-SSR spectral irradiances.....	20
Annex D (normative) PMMA substrate plate surface specifications.....	23
Annex E (normative) Product reference sunscreen formulations.....	26
Annex F (informative) Statistical calculations.....	32
Annex G (informative) Definition and examples of valid results/Factor "C".....	35
Bibliography.....	36

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 217 *Cosmetics*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 392, *Cosmetics*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 24443:2012), which has been technically revised.

The main changes compared to the previous edition are as follows:

- acceptance of moulded and sandblasted PMMA plates, according to specifications described in [Annex D](#);
- product application fitted to 1,2mg/cm² for sandblasted plates;
- description of application gesture according to tested products;
- introduction of a new high UVA PF standard P8;
- introduction of critical wavelength calculation;
- calculation of coefficient "C" accepted from in vivo screening SPF, with specific conditions based on SEM and percentage of variability, and new range proposed from 0,6 to 1,6;
- limitation of UVA irradiation dose to 36 J/cm².

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This corrected version of ISO 24443:2021 incorporates the following corrections:

- [Formulae \(2\)](#) and [\(4\)](#) have been corrected;
- in [6.7.2](#), the significance of SEM has been explained;

This is a preview of "ISO 24443:2021". [Click here to purchase the full version from the ANSI store.](#)

- in [A.5.1](#), the transmission values for sandblasted PMMA plates have been corrected;
- Bibliographic references have been corrected.

Introduction

This document specifies the procedure to determine the ultraviolet protection factor (UVA-PF) of a sunscreen product using the in vitro UVA-PF according to the principles recommended by the European Cosmetic and Perfumery Association (COLIPA) in 2011. The outcome of this test method can be used to determine the UVA classification of topical sunscreen products according to local regulatory requirements.

Topical sunscreen products are primarily rated and labelled according to their ability to protect against sunburn, using a test method to determine the in vivo sun protection factor (see ISO 24444). This rating evaluates filtration of sunburn generating radiation across the electromagnetic UV spectrum (290 nm to 400 nm). However, knowledge of the sun protection factor (SPF) rating does not provide explicit information on the magnitude of the protection provided specifically in the UVA range of the spectrum (320 nm to 400 nm), as it is possible to have high SPF products with very modest UVA protection (e.g. SPF 50 with a UVA-PF of only 3 to 4). There is a demand among medical professionals, as well as knowledgeable consumers, to have fuller information on the UVA protection provided by their sunscreen product, in addition to the SPF, in order to make a more informed choice of product, providing a more balanced and broader-spectrum protection. Moreover, there is also a demand to prevent UVA-induced darkening of the skin from a cultural point of view even without sunburn. The UVA-PF value of a product provides information on the magnitude of the protection provided explicitly in the UVA portion of the spectrum, independent of the SPF values.

The test method outlined in this document is derived primarily from the in vitro UVA-PF test method as developed by COLIPA.