

This is a preview of "ISO 294-1:2017". [Click here to purchase the full version from the ANSI store.](#)

Second edition
2017-05

Plastics — Injection moulding of test specimens of thermoplastic materials —

Part 1: General principles, and moulding of multipurpose and bar test specimens

*Plastiques — Moulage par injection des éprouvettes de matériaux
thermoplastiques —*

*Partie 1: Principes généraux, et moulage des éprouvettes à usages
multiples et des barreaux*



Reference number
ISO 294-1:2017(E)

© ISO 2017

This is a preview of "ISO 294-1:2017". Click [here](#) to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

This is a preview of "ISO 294-1:2017". Click here to purchase the full version from the ANSI store.

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Apparatus	6
4.1 Moulds.....	6
4.1.1 ISO (multi-cavity) moulds.....	6
4.1.2 Single-cavity moulds.....	9
4.2 Injection-moulding machine.....	10
4.2.1 General.....	10
4.2.2 Moulding volume.....	10
4.2.3 Control system.....	10
4.2.4 Screw.....	10
4.2.5 Clamping force.....	11
4.2.6 Thermometers.....	11
5 Procedure	11
5.1 Conditioning of material.....	11
5.2 Injection moulding.....	12
5.3 Measurement of mould temperature.....	13
5.4 Measurement of the melt temperature.....	13
5.5 Post-moulding treatment of test specimens.....	13
6 Report on test-specimen preparation	13
Annex A (informative) Examples of runner configurations	15
Annex B (informative) Standardized injection-moulding mould components	16
Annex C (informative) Example of an injection mould	17
Annex D (informative) Methods for setting the injection moulding parameters	18
Annex E (informative) Methods of determining the hold pressure and hold time	23
Bibliography	29

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 9, *Thermoplastic materials*.

This second edition cancels and replaces the first edition (ISO 294-1:1996), which has been technically revised with the following changes:

- the types of test specimen have been replaced according to ISO 20753;
- [Annex D](#) has been added to clarify the methods for setting the operation parameters on injection machine;
- the original Annex D has been renamed as [Annex E](#).

It also incorporates the Amendments ISO 294-1:1996/Amd.1:2001 and ISO 294-1:1996/Amd.2:2005.

A list of all the parts in the ISO 294 series can be found on the ISO website.

This is a preview of "ISO 294-1:2017". [Click here to purchase the full version from the ANSI store.](#)

Introduction

Many factors in the injection-moulding process influence the properties of moulded test specimens and hence the measured values obtained when the specimens are used in a test method. The mechanical properties of such specimens are strongly dependent on the conditions of the moulding process used to prepare the specimens. Exact definition of each of the main parameters of the moulding process is a basic requirement for reproducible and comparable operating conditions.

It is important in defining moulding conditions to consider any influence the conditions may have on the properties to be determined. Thermoplastics exhibit differences in molecular orientation in crystallization morphology (for crystalline and semicrystalline polymers), in phase morphology (for heterogeneous thermoplastics) as well as in the orientation of anisotropic fillers such as short fibres. Residual ("frozen-in") stresses in the moulded test specimens and thermal degradation of the polymer during moulding also influence properties. Each of these phenomena must be controlled to minimize variability of the numerical values of the properties measured.

Care has been taken to ensure that the ISO moulds described can all be fitted in existing injection-moulding equipment and have interchangeable cavity plates.