

This is a preview of "ISO 29400:2015". [Click here to purchase the full version from the ANSI store.](#)

First edition
2015-05-01

Ships and marine technology — Offshore wind energy — Port and marine operations

*Navires et technologie maritime — Énergie éolienne offshore —
Opérations portuaires et maritimes*



Reference number
ISO 29400:2015(E)

© ISO 2015

This is a preview of "ISO 29400:2015". [Click here to purchase the full version from the ANSI store.](#)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

This is a preview of "ISO 29400:2015". [Click here to purchase the full version from the ANSI store.](#)

Contents

	Page
Foreword	xii
Introduction	xiii
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Symbols and abbreviated terms	23
4.1 Symbols.....	23
4.2 Abbreviated terms.....	27
5 General considerations	27
5.1 Introduction.....	27
5.1.1 General.....	27
5.1.2 Safety requirements.....	29
5.2 Jurisdiction.....	29
5.2.1 Introduction.....	29
5.2.2 Life at sea.....	30
5.2.3 Environment.....	30
5.3 HSSE plan.....	30
5.4 Risk management.....	31
5.4.1 Introduction.....	31
5.4.2 Techniques to evaluate risks.....	31
5.5 Job safety analysis.....	31
5.6 Environmental impact study.....	32
5.7 Manning, qualifications, job and safety training.....	32
5.8 Incident reporting.....	33
5.9 Personnel tracking.....	33
5.10 Approval by national authorities.....	33
6 Organization, documentation and planning	33
6.1 Introduction.....	33
6.2 Organization and communication.....	34
6.2.1 Project organization.....	34
6.2.2 Operational organization.....	34
6.3 Quality assurance and administrative procedures.....	35
6.4 Technical procedures.....	35
6.5 Technical documentation.....	36
6.5.1 Document numbering system.....	36
6.5.2 Port and marine operations documents.....	36
6.5.3 Operational schedule/programme.....	37
6.5.4 Contingency philosophy.....	38
6.5.5 Contingency planning and emergency procedures.....	38
6.5.6 Emergency preparedness bridging document.....	39
6.5.7 As-built documentation.....	39
6.5.8 Standards for data transfer to CAD systems.....	40
6.6 Certification and documentation.....	43
6.6.1 General.....	43
6.6.2 Required or recommended documentation.....	43
6.7 Marine warranty survey.....	43
6.7.1 Role of the marine warranty surveyor.....	44
6.7.2 Certificate of approval.....	44
6.7.3 MWS scope of work.....	45
6.7.4 Certificate of approval.....	45
6.8 Systems and equipment.....	45
6.8.1 General.....	45

6.8.2	Marine vessels.....	45
6.8.3	Major equipment.....	47
7	Metoccean and earthquake requirements.....	47
7.1	Introduction.....	47
7.2	Weather-restricted/weather-unrestricted operations.....	48
7.2.1	Weather-restricted operations.....	48
7.2.2	Weather-unrestricted operations.....	48
7.3	Metoccean conditions.....	48
7.3.1	Wind.....	48
7.3.2	Wave, wave period and swell conditions.....	49
7.3.3	Current.....	49
7.3.4	Tidal factors.....	49
7.3.5	Other metoccean factors.....	50
7.3.6	Temperature.....	50
7.3.7	Marine growth.....	50
7.4	Metoccean criteria.....	50
7.4.1	Design criteria and operational limits.....	50
7.4.2	Return periods.....	51
7.4.3	Response-based analysis.....	52
7.4.4	Probability distributions of sea state parameters.....	53
7.5	Weather windows.....	53
7.5.1	Weather-restricted operations.....	53
7.5.2	Impact on design.....	54
7.6	Operational duration and weather window.....	54
7.6.1	Time schedule.....	54
7.6.2	Point of no return.....	54
7.7	Operational limits.....	55
7.8	Forecasted and monitored operational limits.....	55
7.9	Metoccean forecast.....	55
7.9.1	General.....	55
7.9.2	Forecast parameters.....	56
7.9.3	On-site monitoring.....	56
7.10	Earthquake.....	56
7.11	Soil.....	56
8	Onshore transport and nearshore transport.....	56
8.1	Introduction.....	56
8.2	Structural integrity calculations.....	56
8.3	Personnel qualifications.....	57
8.4	Loading, unloading and lifting.....	57
8.5	Transport via roads.....	57
8.6	Transport via inshore waterways.....	57
8.7	Transport via nearshore waterways.....	57
8.8	Transport via railways.....	58
8.9	Transport frames and equipment.....	58
9	Intermediate storage areas.....	58
9.1	Introduction.....	58
9.2	Infrastructure requirements.....	59
9.2.1	Load bearing.....	59
9.2.2	Surface.....	59
9.3	Personnel qualifications.....	59
9.4	Loadout, unloading and lifting.....	59
9.5	Storage frames and equipment.....	59
9.6	Requirements of components for storage.....	60
9.7	Protection of components against environmental conditions.....	60
9.8	Structural integrity calculations.....	60
9.9	Safety and security.....	60

This is a preview of "ISO 29400:2015". [Click here to purchase the full version from the ANSI store.](#)

10	Pre-assembly	60
	10.1 Introduction	60
	10.2 Pre-assembly area requirements	61
	10.3 Personnel qualifications	61
	10.4 Loadout, lifting and internal transport	61
	10.5 Pre-assembly activities	61
	10.6 Operational limits/weather conditions	61
	10.7 Pre-assembly equipment	61
	10.8 Structural integrity calculations	61
	10.9 Safety and security	61
11	Harbour activities	62
	11.1 Introduction	62
	11.2 Personnel qualifications	62
	11.3 Accessibility of harbour areas	62
	11.3.1 Water access	62
	11.3.2 Inland access	62
	11.4 Storage areas of quayside	62
	11.5 Safety and security measures	63
	11.6 Quayside requirements	63
	11.7 Harbour subsea soil requirements for jacking activities	63
12	Weight control	64
	12.1 Introduction	64
	12.2 Weight control classes	64
	12.3 Weight and CoG constraints	64
	12.4 Weight control audits	64
	12.5 Dimensional control	65
	12.6 Serial items	65
	12.7 Offshore wind farm components	65
	12.8 Weight determinations	65
13	Stability	65
	13.1 Introduction	65
	13.2 General requirements	66
	13.3 Stability calculations	66
	13.4 Intact stability	67
	13.4.1 Introduction	67
	13.4.2 Intact stability criteria	68
	13.5 Damage stability	69
	13.5.1 Introduction	69
	13.5.2 Damage stability criteria	70
	13.6 Single-barge transports	71
	13.7 Multi-barge transports	71
	13.8 Classed vessels	72
	13.9 Self-floating structures	72
	13.9.1 General	72
	13.9.2 Intact and damage stability	72
	13.9.3 Upending and installation of self-floating and launched steel structures	73
	13.10 Loadout operations	74
	13.11 Watertight integrity and temporary closures	75
	13.12 Inclining tests	75
14	Ballasting operations	75
	14.1 Introduction	75
	14.2 Ballast calculations for different stages	76
	14.3 In ballast system	77
	14.3.1 Operational aspects	77
	14.3.2 Other operational considerations	78
	14.4 Protection against damage and deterioration	78

This is a preview of "ISO 29400:2015". [Click here to purchase the full version from the ANSI store.](#)

14.4.1	General	78
14.4.2	Freezing	78
14.5	Prevention of progressive flooding in damage condition	78
14.6	Control and indicating systems	79
14.7	Pumps	80
14.7.1	Specification and layout	80
14.7.2	Pump performance curves and functional limitations	80
14.8	Valve arrangements	80
14.9	Vent systems	80
14.10	Air cushion system capacity	81
14.11	System testing	81
15	Loadout	81
15.1	Introduction	81
15.2	Categories of loadout	82
15.2.1	Design: structural analysis during all loadout phases	82
15.2.2	Loadout planning	82
15.2.3	Cargo weight details and COG information	83
15.2.4	Deck loading plan	83
15.3	Structure being loaded	83
15.4	Site and quay	84
15.5	Barge	84
15.6	Link beams, skidways and skidshoes	85
15.7	Moorings	85
15.7.1	Weather-restricted operation	85
15.7.2	Temporary mooring system	85
15.8	Grounded loadouts	86
15.9	Pumping and ballasting	86
15.9.1	Pump capacity	86
15.9.2	Recommended pump capacity	86
15.10	Loadouts by trailers, SPMTs or hydraulic skidshoes	88
15.10.1	Introduction	88
15.10.2	Structural capacity	88
15.10.3	Load equalization and stability	89
15.10.4	Vertical alignment	89
15.10.5	Skidshoes	89
15.11	Propulsion system design, redundancy and back-up	89
15.11.1	Propulsion system	89
15.11.2	Redundancy ad recommendations	90
15.12	Float-on onto submersible barges or vessels	91
15.13	Lifted loadouts	93
15.14	Transverse loadouts	93
15.15	Barge reinstatement and sea fastenings	93
15.16	Tugs	94
15.17	Management and organization	94
15.18	Loadout manual	94
15.19	Operating manual	95
16	Transportation	96
16.1	Introduction	96
16.2	General considerations	97
16.2.1	Manned tows	97
16.2.2	Unmanned tows	97
16.2.3	Navigation lights, signals and day shapes	97
16.2.4	Contingency	97
16.2.5	Motion responses	97
16.2.6	Structural verification of the transported object	98
16.2.7	Bunker ports	99
16.2.8	Weather forecast	99

This is a preview of "ISO 29400:2015". [Click here to purchase the full version from the ANSI store.](#)

16.2.9	Design: Structural analysis during all transport phases.....	99
16.2.10	Transport planning.....	99
16.2.11	Operational limits.....	99
16.3	Weather routing and forecasting.....	100
16.4	Ports of shelter, shelter areas, holding areas.....	100
16.5	Inspections during the towage or voyage.....	100
16.6	Responsibility.....	101
16.7	Hazardous materials.....	101
16.8	Ballast water.....	101
16.9	Restricted depths, heights and manoeuvrability.....	101
16.10	Under-keel clearances.....	102
16.11	Air draught.....	103
16.12	Channel width and restricted manoeuvrability.....	103
16.13	Towline pull required, fleet composition and towing arrangement.....	103
16.13.1	Towline pull required.....	103
16.13.2	Towing fleet.....	104
16.13.3	Towing arrangement.....	104
16.13.4	Towline length.....	105
16.14	Tow out from dry dock.....	105
16.14.1	General.....	105
16.14.2	Under-keel clearance.....	105
16.14.3	Side clearances.....	105
16.14.4	Air cushion/air pressure.....	106
16.14.5	Capacity of winching and towing arrangements.....	106
16.14.6	Navigation systems.....	106
16.14.7	Survey requirements.....	106
16.15	Inshore tow.....	106
16.15.1	Tow route and towing clearances.....	106
16.15.2	Survey requirements.....	107
16.15.3	Navigation systems.....	107
16.16	Offshore tow.....	107
16.16.1	Holding areas and contingency plans for routing.....	107
16.16.2	Under-keel clearance.....	107
16.16.3	Special considerations.....	107
16.16.4	Navigation systems.....	108
16.16.5	Survey requirements.....	108
16.17	Transport onboard a vessel.....	108
16.17.1	Vessel selection.....	108
16.17.2	Stability.....	108
16.17.3	Under-keel clearance.....	108
16.17.4	Special considerations.....	108
16.17.5	Sea fastening.....	108
16.17.6	Navigation systems.....	110
16.18	Transport manual.....	110
16.18.1	Voyage planning.....	110
17	Temporary mooring and stationkeeping for marine operations.....	112
17.1	Introduction.....	112
17.2	Environmental criteria.....	112
17.3	Determination of mooring response.....	113
17.3.1	Analysis methods.....	113
17.3.2	General considerations on the mooring design.....	113
17.4	Sizing of mooring lines.....	114
17.4.1	General considerations.....	114
17.4.2	Line tension limits and design safety factors.....	114
17.4.3	Particular mooring conditions.....	114
17.5	Sizing of anchors.....	115
17.6	Sizing of attachments.....	115
17.7	Sizing of mooring line components.....	115

This is a preview of "ISO 29400:2015". [Click here to purchase the full version from the ANSI store.](#)

17.8	Clearances under extreme conditions	116
17.9	Tensioning of moorings	116
17.10	Other stationkeeping means	116
	17.10.1 General	116
	17.10.2 DP systems	117
	17.10.3 Purpose-built mooring arrangements	117
	17.10.4 Use of tugs	117
17.11	System for common reference stations	117
18	Offshore installation operations	118
18.1	Introduction	118
	18.1.1 General	118
	18.1.2 Design: Structural analysis during all installation phases	118
	18.1.3 Installation planning	118
	18.1.4 Cargo weight details and COG information	121
	18.1.5 Operational limits	121
	18.1.6 Design	122
18.2	Installation site	122
	18.2.1 Sea floor survey	122
	18.2.2 Soil survey	123
	18.2.3 Soil preparation	123
	18.2.4 Site-specific site plan	123
	18.2.5 Unexploded Ordnance (UXO) Survey	123
18.3	Site actions on and motions of floating units	123
18.4	Systems and equipment	124
	18.4.1 General	124
	18.4.2 Vessels	124
	18.4.3 Equipment (e.g. hammer, upending tools, grout spread, ROV, special lifting tools)	124
	18.4.4 Position monitoring system	125
	18.4.5 Ballast systems	125
	18.4.6 Transport vessel interface with marine equipment	125
	18.4.7 Floating structure interface with marine equipment	125
18.5	Launching	125
	18.5.1 General	125
	18.5.2 Operational aspects	125
	18.5.3 Preparations at fabrication yard	126
	18.5.4 Operational control parameters	126
18.6	Float-off	126
	18.6.1 General	126
	18.6.2 Operational aspects	126
	18.6.3 Preparations at the fabrication yard	127
	18.6.4 Operational control parameters	127
18.7	Positioning of vessels	127
18.8	Site reference system	128
18.9	Geotechnical site specific assessment	128
	18.9.1 Required soil investigations	128
	18.9.2 Penetration analysis, punch-through and horizontal-vertical-interaction	128
18.10	Site specific installation plan	130
18.11	Jack-up preloading procedure	131
18.12	Upending of foundation structure	131
	18.12.1 General	131
	18.12.2 Operational aspects	131
	18.12.3 Preparations at the fabrication yard/offload location	132
	18.12.4 Operational control parameters	132
18.13	Ballasting	132
18.14	Lifted installations	132
	18.14.1 General	132
	18.14.2 Installation of liftable jackets	133

This is a preview of "ISO 29400:2015". [Click here to purchase the full version from the ANSI store.](#)

18.14.3	Installation of templates for piles	133
18.14.4	Installation of piles	133
18.14.5	Installation of transition pieces	133
18.14.6	Installation of GBS	133
18.14.7	Installation of topsides	133
18.14.8	Transfer of items from a barge to the deck of a crane vessel/jack-up vessel	134
18.14.9	Installation of towers	134
18.14.10	
	Installation of WTG including nacelle, hub and blades	134
18.14.11	
	Operational aspects	134
18.14.12	
	Fabrication yard	135
18.14.13	
	Operational control parameters	135
18.15	Lowering by ballasting	135
18.15.1	General	135
18.15.2	Operational aspects	135
18.15.3	Operational control parameters	136
18.16	Precise positioning on the sea floor by active and passive means	136
18.16.1	General	136
18.16.2	Operational aspects	136
18.16.3	Operational control parameters	136
18.17	Skirt penetration	137
18.17.1	General	137
18.17.2	Gravity penetration	137
18.17.3	Suction penetration	137
18.17.4	Operational aspects	137
18.17.5	Operational control parameters	137
18.18	Piles installation	138
18.18.1	General	138
18.18.2	Operational aspects	138
18.18.3	Operational control parameters	139
18.19	Grouting	139
18.19.1	General	139
18.19.2	Grouting of pile — Transition-piece structure	139
18.19.3	Underbase grouting of pile — Jacket structures	140
18.19.4	Operational aspects	140
18.19.5	Preparations	140
18.19.6	Operational control parameters	141
18.20	Bolted connections of foundation	141
18.21	Welding of piles/foundation to topsides	141
18.22	Noise mitigation measures	141
18.23	Crew transfer from installation units	141
18.24	Offshore completion	142
18.24.1	General	142
18.24.2	ROV inspection	142
18.24.3	Removal of temporary equipment	142
18.24.4	Scour protection	142
18.25	Operating manual	143
19	Design of lifting equipment	144
19.1	Introduction	144
19.2	Rigging geometry	145
19.3	Actions and action effects	146
19.4	Weight contingency factors	147
19.5	Dynamic amplification factors (DAFs)	148
19.5.1	General	148
19.5.2	For lifts by a single crane on a vessel	148

This is a preview of "ISO 29400:2015". [Click here to purchase the full version from the ANSI store.](#)

19.5.3	For lifts by cranes on two or more vessels	149
19.5.4	Representative hook load	150
19.5.5	Representative lift weight per lift point	151
19.5.6	Representative forces on a lift point	152
19.6	Strengths of slings, grommets and shackles	156
19.6.1	General	156
19.6.2	Calculated strengths of the bodies of slings and grommets	157
19.6.3	Termination efficiency factor	159
19.6.4	Bending efficiency factor	160
19.6.5	Representative strengths of slings and grommets	161
19.6.6	Working load limits and design strengths of slings and grommets	162
19.6.7	Working load limit and design strength of shackles	164
19.7	Design verifications	165
19.7.1	Allowable hook load	165
19.7.2	Slings and grommets	165
19.7.3	Lift points and their attachment to the structure and supporting members	167
19.8	Lift point design	168
19.8.1	Introduction	168
19.8.2	Sling ovalization	169
19.8.3	Plate rolling direction and direction of loading	169
19.8.4	Pinholes	169
19.8.5	Cast padears and welded trunnions	169
19.8.6	Cheek plates	169
19.9	Clearances	170
19.9.1	Introduction	170
19.9.2	Clearances around lifted objects	170
19.9.3	Clearances around crane vessel	170
19.9.4	Clearances around mooring lines and anchors of crane vessels	171
19.9.5	Clearances around array cable zones	172
19.9.6	Clearances around spud-can positions of jack-up vessels	172
19.10	Bumpers and guides	172
19.10.1	Introduction	172
19.10.2	Object movements	172
19.10.3	Position of bumpers and guides	172
19.10.4	Bumper and guide loads	173
19.10.5	Design considerations	173
19.11	Heave compensated lifts	174
19.12	Lifts using DP	174
19.13	Practical considerations	174
19.13.1	Access	174
19.13.2	Design of sea fastening	174
19.13.3	Equipment	174
19.13.4	Slings	175
19.14	Certification requirements for lifting equipment	175
19.14.1	Standard lifting equipment	175
19.14.2	Custom-made lifting equipment	175
20	Laying, burial and pull-in of sub-sea cables	175
20.1	General	175
20.2	Planning and design	176
20.2.1	Cable dimensions and handling parameters	176
20.2.2	Seafloor survey — Specifically cable route corridors between turbines and substation(s)	177
20.2.3	Metocean conditions and criteria	177
20.2.4	Vessel suitability	179
20.2.5	Cable storage and cable handling equipment	180
20.2.6	Navigation equipment — Positioning and control of vessel/cable interface	180
20.3	Cable laying	181
20.3.1	Cable pull-in procedures	181

This is a preview of "ISO 29400:2015". [Click here to purchase the full version from the ANSI store.](#)

	20.3.2	Cable lay	181
20.4		Cable protection.....	182
	20.4.1	Cable burial.....	182
	20.4.2	Non-burial cable protection.....	182
20.5		Post installation survey.....	184
20.6		Cable commissioning.....	184
20.7		Cable installation manual.....	184
21		Personnel transfer	184
22		Construction management.....	185
	22.1	Introduction	185
	22.2	Marine coordination.....	185
	22.3	Harbour coordination.....	186
	22.4	Guard vessel	186
	22.5	Reporting.....	186
	22.6	Personnel tracking.....	186
		Annex A (informative) Additional information and guidance.....	187
		Bibliography.....	201

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 8, *Ships and marine technology*.

This is a preview of "ISO 29400:2015". [Click here to purchase the full version from the ANSI store.](#)

Introduction

The series of International Standards applicable to the offshore wind industry, ISO 29400 to ISO 29406¹⁾, constitutes a comprehensive and common basis covering port and marine operations of all offshore structures installed and maintained by the offshore wind industries worldwide. Through their application, the intention is to achieve reliability levels appropriate for offshore wind farm components, whatever the type of structure and the nature or combination of materials used.

This International Standard presumes compliance with international (e.g. IMO), national and local rules and regulations. This International Standard does not replace the applicable rules and regulations. Adherence to this International Standard will not necessarily ensure compliance with all applicable rules and regulations.

It is important to recognize that during port and marine operations the structural integrity of the component is an overall concept comprising models for describing actions, structural analysis, design rules, safety elements, workmanship, quality control procedures and national requirements, all of which are mutually dependent. The modification of one aspect of design in isolation can disturb the balance of reliability inherent in the overall concept or structural system. It is necessary, therefore, to consider the implications involved in modifications in relation to the overall reliability of structures in offshore wind farms.

The series of International Standards applicable to offshore wind farms is intended to provide a wide latitude in the choice of structural configuration, material and techniques without hindering innovation. Sound engineering judgment is, therefore, necessary in the use of these International Standards.

ISO 29400 was developed to provide comprehensive requirements and guidance for the planning, engineering and safe execution of port and marine operations for all types of components of offshore wind farms including cable-laying and -burial barges and diving support vessels but excluding floating structures.

Port operations for installation of components of offshore wind farms cover all component transport to the ports, whether by land or via inland waterways, any intermediate storage as well as preassembly activities at the ports until placing the components close to any quayside for subsequent marine operations to start.

Marine operations for offshore wind farm structures cover loadout from the quayside, offshore transportation and installation phases when the structure is at risk from the marine environment up to and including any marine logistics during offshore commissioning works. Marine operations can extend to decommissioning, redeployment, removal, etc.

ISO 29400 describes the principles of and provides requirements and guidance for port and marine operations associated with WTG, cables and topsides installed in offshore wind farms, from the point of view of planning, engineering, implementation and documentation. Alternative requirements, methods and provisions can fulfil the intention of ISO 29400 and may be applied, provided it can be demonstrated that they achieve at least the same level of assurance and reliability. The overall objective of ISO 29400 is to ensure that port and marine operations are conducted within defined and recognized safety and reliability levels, wherever they are performed. Additional standards, codes and guidelines should also be taken into account, where applicable. Special attention should be paid to national regulations governing the area in which the port and marine operations are performed.

It is not the intent of ISO 29400 to govern the design of structures, systems and components used in port and marine operations, beyond the principles given. Recognized codes and standards are normally accepted as the basis for the detailed design and the fabrication requirements of such components.

[Annex A](#) provides some background and some additional information to the main body of the document and it is intended that it be read in conjunction with the main body of the document.

This International Standard is based on ISO 19901-6 while adapting it extensively to the specific requirements of the offshore wind industry.

1) Planned International Standards.