Third edition 2021-09

Railway applications — Acoustics — Noise measurement inside railbound vehicles

Applications ferroviaires — Acoustique — Mesurage du bruit à l'intérieur des véhicules circulant sur rails



Reference number ISO 3381:2021(E)

ISO 3381:2021(E)

This is a preview of "ISO 3381:2021". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Pore-work	Con	Contents Page					
1 Normative references 1 3 Terms and definitions 2 4 Instrumentation and calibration 3 4.1 Instrumentation 3 4.2 Calibration 3 5 Measurement positions 4 5.1 Division of the unit into areas 4 5.1.1 Definition of area types 4 5.1.2 Definition of area types 4 5.1.3 Definition of area types 4 5.1.2 Definition of area acoustics 4 5.1.2 Definition of area types 4 5.2.1 Selection of areas to be assessed 4 5.2 Measurement positions 6 5.3 Measurement position 7 5.3.1 Seating position 7 5.3.2 Standing position 7 5.3.3 Lying position 7 5.3.4 Driving position 7 6.1 General 9 6.2 Environmental conditions 9 6.2.1 Accustical environment 9 </th <th>Forev</th> <th>word</th> <th></th> <th>vi</th>	Forev	word		vi			
1 Normative references 1 3 Terms and definitions 2 4 Instrumentation and calibration 3 4.1 Instrumentation 3 4.2 Calibration 3 5 Measurement positions 4 5.1 Division of the unit into areas 4 5.1.1 Definition of area types 4 5.1.2 Definition of area types 4 5.1.3 Definition of area types 4 5.1.2 Definition of area acoustics 4 5.1.2 Definition of area types 4 5.2.1 Selection of areas to be assessed 4 5.2 Measurement positions 6 5.3 Measurement position 7 5.3.1 Seating position 7 5.3.2 Standing position 7 5.3.3 Lying position 7 5.3.4 Driving position 7 6.1 General 9 6.2 Environmental conditions 9 6.2.1 Accustical environment 9 </th <th>1</th> <th>Scop</th> <th>De</th> <th>1</th>	1	Scop	De	1			
3 Terms and definitions 2 4 Instrumentation and calibration 3 4.1 Instrumentation 3 4.2 Calibration 3 5 Measurement positions 4 5.1 Division of the unit into areas 4 5.1 Enfinition of area types 4 5.1.3 Definition of area acoustics 4 5.1.3 Definition of area acoustics 4 5.1.4 Selection of areas to be assessed 4 5.2 Measurement positions 6 5.3 Measurement position 7 5.3.1 Seating position 7 5.3.2 Standing position 7 5.3.3 Lying position 7 5.3.4 Driving position 7 5.3.3 Lying position 7 5.3.4 Driving position 8 6.1 General 9 6.2 Environmental conditions 9 6.2.1 Accoustical environment <td< th=""><th>2</th><th>Norn</th><th>mative references</th><th>1</th></td<>	2	Norn	mative references	1			
4.1 Instrumentation 3 4.1 Instrumentation 3 4.2 Calibration 3 5 Measurement positions 4 5.1 Division of the unit into areas 4 5.1.1 General 4 5.1.2 Definition of area types 4 5.1.3 Definition of area sto be assessed 4 5.1.4 Selection of areas to be assessed 4 5.2 Measurement height 7 5.3.1 Scating position 7 5.3.2 Standing position 7 5.3.3 Lying position 7 5.3.4 Driving position 7 5.3.3 Lying position 7 6.1 General 9 6.2 Environmental conditions 9 6.2 Environmental conditions 9 6.2.1 Acoustical environment 9 6.2.2 Meteorological conditions 9 6.2.3 Background sound pressure level 10	3						
4.1 Instrumentation 3 4.2 Calibration 3 5 Measurement positions 4 5.1 Division of the unit into areas 4 5.1.1 Definition of area types 4 5.1.2 Definition of area acoustics 4 5.1.4 Selection of areas to be assessed 4 5.2 Measurement positions 6 5.3 Measurement height 7 5.3.1 Scataling position 7 5.3.2 Standing position 7 5.3.3 Lying position 7 5.3.4 Driving position 7 5.3.3 Lying position 7 5.3.4 Driving position 7 6.1 General 9 6.2 Environmental conditions 9 6.2.1 Accountricial environment 9 6.2.2 Metheorological conditions 9 6.2.2 Metheorological conditions 9 6.2.2 Metheorological conditions 10 6.4 Onward operating conditions 10 <th></th> <th colspan="5"></th>							
4.2 Calibration 3 5 Measurement positions 4 5.1 Division of the unit into areas 4 5.1.1 General 4 5.1.2 Definition of area types 4 5.1.3 Definition of area acoustics 4 5.1.4 Selection of areas to be assessed 4 5.2 Measurement positions 6 5.3 Measurement position 7 5.3.1 Seating position 7 5.3.2 Standing position 7 5.3.3 Driving position 7 5.3.3 Driving position 8 6.1 General 9 6.2 Environmental conditions 9 6.1 General 9 6.2 Environmental conditions 9 6.2.1 Acoustical environment 9 6.2.2 Background sound pressure level 10 6.3 Track conditions 10 6.4 Vehicle conditions 10 6.4.2 Normal operating conditions 11	т						
5.1 Division of the unit into areas 4 5.1.1 General 4 5.1.2 Definition of area types 4 5.1.3 Definition of area acoustics 4 5.1.4 Selection of areas to be assessed 4 5.2 Measurement positions 6 5.3 Measurement height 7 5.3.1 Scating position 7 5.3.2 Standing position 7 5.3.3 Lying position 7 5.3.4 Driving position 7 6.2 S.3.4 Driving position 7 6.2.3 Backer power position 7 6.2 Environmental conditions 9 6.1 General 9 6.2 Environmental conditions 9 6.2.1 Acoustical environment 9 6.2.2 Meteorological conditions 10 6.3 Track conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 11 6.5 Measured quantities 11 </td <td></td> <td>4.2</td> <td></td> <td></td>		4.2					
5.1.1 General 4 5.1.2 Definition of area types 4 5.1.3 Definition of area acoustics 4 5.1.4 Selection of areas to be assessed 4 5.2 Measurement positions 6 5.3 Measurement height 7 5.3.1 Seating position 7 5.3.2 Standing position 7 5.3.3 Lying position 7 5.3.4 Driving position 7 6.3 Stationary test 9 6.1 General 9 6.2 Environmental conditions 9 6.2 Environmental conditions 9 6.2.1 Acoustical environment 9 6.2.2 Meteorological conditions 9 6.2.3 Background sound pressure level 10 6.3 Track conditions 10 6.4 Vehicle conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 10 6.5 Measured quantities 11 6.5 Measured quantities 11 6.6 Test procedure 11 6.7 Data processing 11 6.7.1 Standard processing 12 7.1 Environmental condit	5	Meas	surement positions	4			
5.1.2 Definition of area types 4 5.1.3 Definition of area acoustics 4 5.2 Measurement positions 6 5.3 Measurement position 7 5.3.1 Seating position 7 5.3.2 Standing position 7 5.3.3 Lying position 7 5.3.4 Driving position 8 6 Stationary test 9 6.1 General 9 6.2 Environmental conditions 9 6.2.1 Acoustical environment 9 6.2.2 Meteorological conditions 9 6.2.3 Background sound pressure level 10 6.4 Vehicle conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 10 6.4.3 Additional operating conditions 11 6.5 Measured quantities 11 6.7 Data processing 11 6.7.1 Standard processing <		5.1					
5.1.3 Definition of area acoustics 4 5.1.4 Selection of areas to be assessed 4 5.2 Measurement positions 6 5.3 Measurement height 7 5.3.1 Seating position 7 5.3.2 Standing position 7 5.3.3 Lying position 7 5.3.4 Driving position 8 6 Stationary test 9 6.1 General 9 6.2 Environmental conditions 9 6.2.1 Acoustical environment 9 6.2.2 Meteorological conditions 9 6.2.3 Background sound pressure level 10 6.3 Track conditions 10 6.4 Vehicle conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 11 6.5 Measured quantities 11 6.6 Test procedure 11 6.7 Data processing 11 </td <td></td> <td></td> <td></td> <td></td>							
5.1.4 Selection of areas to be assessed 4 5.2 Measurement positions 6 5.3 Measurement height 7 5.3.1 Seating position 7 5.3.2 Standing position 7 5.3.3 Lying position 8 6 Stationary test 9 6.1 General 9 6.2 Environmental conditions 9 6.2.1 Acoustical environment 9 6.2.2 Meteorological conditions 9 6.2.3 Background sound pressure level 10 6.3 Track conditions 10 6.4 Vehicle conditions 10 6.4 Vehicle conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 11 6.5 Measured quantities 11 6.6 Test procedure 11 6.7 Data processing 11 6.7.1 Standard processing 12 7.1 Environmental conditions 12 7.1.							
5.2 Measurement positions 6 5.3 Measurement height 7 5.3.1 Scating position 7 5.3.2 Standing position 7 5.3.3 Lying position 8 6 Stationary test 9 6.1 General 9 6.2 Environmental conditions 9 6.2 Environmental conditions 9 6.2.1 Acoustical environment 9 6.2.2 Meteorological conditions 10 6.3 Track conditions 10 6.4 Vehicle conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 11 6.5 Measured quantities 11 6.6 Testing in cabs when sounding an external warning horn 12 7.1 Environmental conditions							
5.3 Measurement height 7 5.3.1 Seating position 7 5.3.2 Standing position 7 5.3.3 Lying position 8 6 Stationary test 9 6.1 General 9 6.2 Environmental conditions 9 6.2.1 Acoustical environment 9 6.2.2 Meteorological conditions 9 6.2.3 Background sound pressure level 10 6.3 Track conditions 10 6.4 Vehicle conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 11 6.5 Measured quantities 11 6.6 Test procedure 11 6.7 Data processing 11 6.7.1 Standard processing 12 7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.1.2		5.2					
5.3.1 Seating position 7 5.3.2 Standing position 7 5.3.3 Lying position 8 6 Stationary test 9 6.1 General 9 6.2 Environmental conditions 9 6.2.1 Acoustical environment 9 6.2.2 Meteorological conditions 9 6.2.3 Background sound pressure level 10 6.3 Track conditions 10 6.4 Vehicle conditions 10 6.4 Vehicle conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 10 6.4.3 Additional operating conditions 11 6.5 Measured quantities 11 6.6 Test procedure 11 6.7 Data processing 11 6.7 Data processing 11 6.7.1 Standard processing 12 7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.							
5.3.2 Standing position 7 5.3.3 Lying position 8 6.1 Driving position 8 6.1 General 9 6.2 Environmental conditions 9 6.2.1 Acoustical environment 9 6.2.2 Meteorological conditions 9 6.2.3 Background sound pressure level 10 6.4 Track conditions 10 6.4 Vehicle conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 10 6.4.2 Normal operating conditions 11 6.5 Measured quantities 11 6.6 Test procedure 11 6.7 Data processing 11 6.7.1 Standard processing 12 7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.1.2 Meteorological conditions 13							
5.3.4 Driving position 8 Stationary test 9 6.1 General 9 6.2 Environmental conditions 9 6.2.1 Acoustical environment 9 6.2.2 Meteorological conditions 9 6.2.3 Background sound pressure level 10 6.3 Track conditions 10 6.4 Vehicle conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 10 6.5 Measured quantities 11 6.6 Test procedure 11 6.7 Data processing 11 6.7.1 Standard processing 11 6.7.2 Additional processing 12 7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.1.2 Meteorological conditions 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.4 Measured quantities 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing 14 7.6.2 Additional processing 14 7.6.2			5.3.2 Standing position				
61. General 9 6.1 General 9 6.2 Environmental conditions 9 6.2.1 Acoustical environment 9 6.2.2 Meteorological conditions 9 6.2.3 Background sound pressure level 10 6.4 Vehicle conditions 10 6.4 Vehicle conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 10 6.4.3 Additional operating conditions 11 6.5 Measured quantities 11 6.6 Test procedure 11 6.7 Data processing 11 6.7.1 Standard processing 12 7.1 Environmental conditions processing 12 7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.1.2 Meteorological conditions 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.4 Measured quantities 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.2 Additional processing 14 7.6.2 Additional processing 14			J 01				
6.1 General 9 6.2 Environmental conditions 9 6.2.1 Acoustical environment 9 6.2.2 Meteorological conditions 9 6.2.3 Background sound pressure level 10 6.3 Track conditions 10 6.4 Vehicle conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 10 6.4.3 Additional operating conditions 11 6.5 Measured quantities 11 6.6 Test procedure 11 6.7 Data processing 11 6.7.1 Standard processing 12 7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.1.2 Meteorological conditions 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.4 Measured quantities 13 7.5 Test procedure 13 7.6 Data processing 14			5.3.4 Driving position	8			
6.2 Environmental conditions 9 6.2.1 Acoustical environment 9 6.2.2 Meteorological conditions 9 6.2.3 Background sound pressure level 10 6.3 Track conditions 10 6.4 Vehicle conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 11 6.5 Measured quantities 11 6.6 Test procedure 11 6.7 Data processing 11 6.7 Data processing 11 6.7.1 Standard processing 12 7.1 Environmental conditions 12 7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.1.2 Meteorological conditions 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing 14 <t< td=""><td>6</td><td>Stati</td><td></td><td></td></t<>	6	Stati					
6.2.1 Acoustical environment 9 6.2.2 Meteorological conditions 9 6.2.3 Background sound pressure level 10 6.3 Track conditions 10 6.4 Vehicle conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 10 6.4.3 Additional operating conditions 11 6.5 Measured quantities 11 6.6 Test procedure 11 6.7 Data processing 11 6.7.1 Standard processing 11 6.7.2 Additional processing 12 7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.1.2 Meteorological conditions 13 7.1.3 Background sound pressure level 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing <							
6.2.2 Meteorological conditions 9 6.2.3 Background sound pressure level 10 6.3 Track conditions 10 6.4 Vehicle conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 11 6.5 Measured quantities 11 6.6 Test procedure 11 6.7 Data processing 11 6.7.1 Standard processing 11 6.7.2 Additional processing 12 7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.1.2 Meteorological conditions 13 7.1.3 Background sound pressure level 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing 14 7.6.2 Additional processing 14 7.6.2 Additional processing 14		6.2					
6.2.3 Background sound pressure level. 10 6.3 Track conditions. 10 6.4 Vehicle conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 10 6.4.3 Additional operating conditions 11 6.5 Measured quantities. 11 6.6 Test procedure 11 6.7 Data processing 11 6.7.1 Standard processing 11 6.7.2 Additional processing 12 7.1 Esting in cabs when sounding an external warning horn 12 7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.1.2 Meteorological conditions 13 7.1.3 Background sound pressure level 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.4 Measured quantities 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standa							
6.3 Track conditions 10 6.4 Vehicle conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 10 6.4.3 Additional operating conditions 11 6.5 Measured quantities 11 6.6 Test procedure 11 6.7 Data processing 11 6.7.1 Standard processing 11 6.7.2 Additional processing 12 7.1 Environmental conditions 12 7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.1.2 Meteorological conditions 13 7.1.3 Background sound pressure level 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.4 Measured quantities 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing 14 7.6.2 Additional processing 14 <							
6.4 Vehicle conditions 10 6.4.1 General 10 6.4.2 Normal operating conditions 10 6.4.3 Additional operating conditions 11 6.5 Measured quantities 11 6.6 Test procedure 11 6.7 Data processing 11 6.7.1 Standard processing 11 6.7.2 Additional processing 12 7 Testing in cabs when sounding an external warning horn 12 7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.1.2 Meteorological conditions 13 7.1.2 Meteorological conditions 13 7.1.3 Background sound pressure level 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.4 Measured quantities 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing 14 7.6.2 Additional		63		10			
6.4.1 General 10 6.4.2 Normal operating conditions 10 6.4.3 Additional operating conditions 11 6.5 Measured quantities 11 6.6 Test procedure 11 6.7 Data processing 11 6.7.1 Standard processing 11 6.7.2 Additional processing 12 7 Testing in cabs when sounding an external warning horn 12 7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.1.2 Meteorological conditions 13 7.1.3 Background sound pressure level 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.4 Measured quantities 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing 14 7.6.2 Additional processing 14 8 Constant speed test 14 8.1 General 14 8.2 Environmental conditions 14 8.2.1 Acoustical environment 14							
6.4.2 Normal operating conditions 10 6.4.3 Additional operating conditions 11 6.5 Measured quantities 11 6.6 Test procedure 11 6.7 Data processing 11 6.7.1 Standard processing 11 6.7.2 Additional processing 12 7 Testing in cabs when sounding an external warning horn 12 7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.1.2 Meteorological conditions 13 7.1.2 Meteorological conditions 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.4 Measured quantities 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing 14 7.6.2 Additional processing 14 8 Constant speed test 14 8.1 General 14 8.2.1 Acoustical environment </td <td></td> <td>0.1</td> <td></td> <td></td>		0.1					
6.5 Measured quantities 11 6.6 Test procedure 11 6.7 Data processing 11 6.7.1 Standard processing 11 6.7.2 Additional processing 12 7 Testing in cabs when sounding an external warning horn 12 7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.1.2 Meteorological conditions 13 7.1.3 Background sound pressure level 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.4 Measured quantities 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing 14 7.6.2 Additional processing 14 8 Constant speed test 14 8.1 General 14 8.2 Environmental conditions 14 8.2.1 Acoustical environment 14							
6.6 Test procedure. 11 6.7 Data processing. 11 6.7.1 Standard processing. 11 6.7.2 Additional processing. 12 7 Testing in cabs when sounding an external warning horn. 12 7.1 Environmental conditions. 12 7.1.1 Acoustical environment. 12 7.1.2 Meteorological conditions. 13 7.1.3 Background sound pressure level. 13 7.2 Track conditions. 13 7.3 Vehicle conditions. 13 7.4 Measured quantities. 13 7.5 Test procedure. 13 7.6 Data processing. 14 7.6.1 Standard processing. 14 7.6.2 Additional processing. 14 8 Constant speed test. 14 8.1 General. 14 8.2 Environmental conditions. 14 8.2.1 Acoustical environment. 14			1 0				
6.7 Data processing 11 6.7.1 Standard processing 11 6.7.2 Additional processing 12 7 Testing in cabs when sounding an external warning horn 12 7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.1.2 Meteorological conditions 13 7.1.3 Background sound pressure level 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.4 Measured quantities 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing 14 7.6.2 Additional processing 14 7.6.2 Additional processing 14 8 Constant speed test 14 8.1 General 14 8.2 Environmental conditions 14 8.2.1 Acoustical environment 14							
6.7.1 Standard processing 11 6.7.2 Additional processing 12 7 Testing in cabs when sounding an external warning horn 12 7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.1.2 Meteorological conditions 13 7.1.3 Background sound pressure level 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.4 Measured quantities 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing 14 7.6.2 Additional processing 14 8 Constant speed test 14 8.1 General 14 8.2 Environmental conditions 14 8.2.1 Acoustical environment 14			•				
6.7.2 Additional processing 12 7 Testing in cabs when sounding an external warning horn 12 7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.1.2 Meteorological conditions 13 7.1.3 Background sound pressure level 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.4 Measured quantities 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing 14 7.6.2 Additional processing 14 8 Constant speed test 14 8.1 General 14 8.2 Environmental conditions 14 8.2 Environmental conditions 14 8.2.1 Acoustical environment 14		6./					
7 Testing in cabs when sounding an external warning horn 12 7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.1.2 Meteorological conditions 13 7.1.3 Background sound pressure level 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.4 Measured quantities 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing 14 7.6.2 Additional processing 14 8 Constant speed test 14 8.1 General 14 8.2 Environmental conditions 14 8.2.1 Acoustical environment 14							
7.1 Environmental conditions 12 7.1.1 Acoustical environment 12 7.1.2 Meteorological conditions 13 7.1.3 Background sound pressure level 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.4 Measured quantities 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing 14 7.6.2 Additional processing 14 8 Constant speed test 14 8.1 General 14 8.2 Environmental conditions 14 8.2.1 Acoustical environment 14	_	m .					
7.1.1 Acoustical environment 12 7.1.2 Meteorological conditions 13 7.1.3 Background sound pressure level 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.4 Measured quantities 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing 14 7.6.2 Additional processing 14 8 Constant speed test 14 8.1 General 14 8.2 Environmental conditions 14 8.2.1 Acoustical environment 14	7						
7.1.2 Meteorological conditions 13 7.1.3 Background sound pressure level 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.4 Measured quantities 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing 14 7.6.2 Additional processing 14 8 Constant speed test 14 8.1 General 14 8.2 Environmental conditions 14 8.2.1 Acoustical environment 14		7.1					
7.1.3 Background sound pressure level 13 7.2 Track conditions 13 7.3 Vehicle conditions 13 7.4 Measured quantities 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing 14 7.6.2 Additional processing 14 8 Constant speed test 14 8.1 General 14 8.2 Environmental conditions 14 8.2.1 Acoustical environment 14							
7.2 Track conditions 13 7.3 Vehicle conditions 13 7.4 Measured quantities 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing 14 7.6.2 Additional processing 14 8 Constant speed test 14 8.1 General 14 8.2 Environmental conditions 14 8.2.1 Acoustical environment 14							
7.4 Measured quantities 13 7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing 14 7.6.2 Additional processing 14 8 Constant speed test 14 8.1 General 14 8.2 Environmental conditions 14 8.2.1 Acoustical environment 14		7.2					
7.5 Test procedure 13 7.6 Data processing 14 7.6.1 Standard processing 14 7.6.2 Additional processing 14 8 Constant speed test 14 8.1 General 14 8.2 Environmental conditions 14 8.2.1 Acoustical environment 14		7.3					
7.6 Data processing 14 7.6.1 Standard processing 14 7.6.2 Additional processing 14 8 Constant speed test 14 8.1 General 14 8.2 Environmental conditions 14 8.2.1 Acoustical environment 14			•				
7.6.1 Standard processing 14 7.6.2 Additional processing 14 8 Constant speed test 14 8.1 General 14 8.2 Environmental conditions 14 8.2.1 Acoustical environment 14			•				
7.6.2 Additional processing 14 8 Constant speed test 14 8.1 General 14 8.2 Environmental conditions 14 8.2.1 Acoustical environment 14		7.6	1 0				
8 Constant speed test 14 8.1 General 14 8.2 Environmental conditions 14 8.2.1 Acoustical environment 14							
8.1 General 14 8.2 Environmental conditions 14 8.2.1 Acoustical environment 14	0						
8.2 Environmental conditions 14 8.2.1 Acoustical environment 14	8						
8.2.1 Acoustical environment							
		0.4					

		8.2.3 Background sound pressure level	
	8.3	Track conditions	
		8.3.1 General	
		8.3.2 Track design	
		8.3.3 Track superstructure	
		8.3.4 Track quality	
		8.3.5 Rail roughness and track dynamic properties	
		8.3.6 Special conditions	
	8.4	Vehicle conditions	
		8.4.1 General	
		8.4.2 Normal operating conditions	
		8.4.3 Occupancy and load	
		8.4.4 Wheel tread conditioning	
	- -	8.4.5 Additional conditions	
	8.5	Measured quantities	
	8.6	Test procedure	
		8.6.1 General	
		8.6.2 Test speeds	
	0.7	8.6.3 Measurement time intervals	
	8.7	Data processing	
		8.7.1 Standard processing	
		8.7.2 Additional processing	
9	Accele	ration from stand-still test and deceleration to stand-still test	
	9.1	General	
	9.2	Environmental conditions	
		9.2.1 Acoustical environment	
		9.2.2 Meteorological conditions	
		9.2.3 Background sound pressure level	
	9.3	Track conditions	
	9.4	Vehicle conditions	
		9.4.1 General	
		9.4.2 Normal operating conditions	
		9.4.3 Occupancy and load	
	0.5	9.4.4 Wheel tread conditions	
	9.5	Test procedure for the acceleration test	
	9.6	Test procedure for the deceleration test	
	9.7	Maximum level method 9.7.1 Measured quantities	
		9.7.2 Data processing	
	9.8	Averaged level method	
	9.0	9.8.1 Measured quantity	
		9.8.2 Data processing	
10		y of the measurements	
	10.1	Deviations from the requirements	
	10.2	Positional tolerances	
	10.3	Measurement spread	
	10.4	Measurement uncertainties	25
11		eport	
Annex	A (info	rmative) Guidance on the definition and reporting of vehicle conditions	27
	-	rmative) Method to characterize the impulsive character of the noise	
	_	mative) Acoustic track characteristics	
	-	ormative) Specific environments	34
Annex		rmative) Quantification of measurement uncertainties according to CG Guide 98-3	37
	- ,		

Bibliography.......41

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 256, *Railway applications*, in collaboration with ISO Technical Committee ISO/TC 43, *Acoustics*, Subcommittee SC 1, *Noise*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This third edition cancels and replaces the second edition (ISO 3381:2005), which has been technically revised.

The main changes compared to the previous edition are as follows:

- new structure of the document to align it with the structure of ISO 3095;
- an improved selection process of the measurement positions see <u>Clause 5</u>;
- new measurement procedures for noise in driver's cab see <u>Clause 7</u>;
- improved specifications of the vehicle conditions for the different types of tests see <u>6.4</u>, <u>7.3</u>, <u>8.4</u> and <u>9.4</u>;
- an improved assessment of the tonality see 6.7, 8.7 and 9.8.2.
- an improved indirect assessment of the track acoustic characteristics see 8.3.4, 9.3 and Annex C;
- precisions for measurement in specific environments (tunnels, ...) see Annex D;
- an assessment of measurement uncertainties see <u>Annex E</u>.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.