

Second edition 2023-03

# Industrial trucks — Safety requirements and verification —

Part 2: **Self-propelled variable-reach trucks** 

Chariots de manutention — Exigences de sécurité et vérification — Partie 2: Chariots automoteurs à portée variable



Reference number ISO 3691-2:2023(E)

#### ISO 3691-2:2023(E)

This is a preview of "ISO 3691-2:2023". Click here to purchase the full version from the ANSI store.



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

| Cor   | Contents             |   |   |    |  |  |
|-------|----------------------|---|---|----|--|--|
| Fore  | word                 |   |   | v  |  |  |
| Intro | ductio               | n   |   | vi |  |  |
|       |                      |   |   |    |  |  |
| 1     | -                    |   |   |    |  |  |
| 2     | Normative references |   |   |    |  |  |
| 3     | Tern                 | ns and d                                    | lefinitions   | 3  |  |  |
| 4     | Safe                 | ety requirements and/or protective measures |   |    |  |  |
|       | 4.1                  | General                                     |   |    |  |  |
|       |                      | 4.1.1                                       | Overall requirements  |    |  |  |
|       |                      | 4.1.2                                       | Normal climatic conditions                                      | 5  |  |  |
|       |                      | 4.1.3                                       | Normal operating conditions                                     |    |  |  |
|       |                      | 4.1.4                                       | Sharp edges   |    |  |  |
|       |                      | 4.1.5                                       | Electrical requirements   |    |  |  |
|       |                      | 4.1.6                                       | Stored energy components  |    |  |  |
|       | 4.2                  |   | ing/moving  |    |  |  |
|       |                      | 4.2.1                                       | Unauthorized starting   |    |  |  |
|       | 4.2                  | 4.2.2                                       | Unintended movement and inadvertent activation                  |    |  |  |
|       | 4.3                  |   | Con oral  |    |  |  |
|       |                      | 4.3.1<br>4.3.2                              | General Failure of anargy supply                                |    |  |  |
|       | 4.4                  | _   | Failure of energy supply al control actuator                    |    |  |  |
|       | 4.4                  | 4.4.1                                       | General   |    |  |  |
|       |                      | 4.4.2                                       | Travel and braking controls                                     |    |  |  |
|       |                      | 4.4.3                                       | Steering controls   |    |  |  |
|       |                      | 4.4.4                                       | Load-handling controls  | 9  |  |  |
|       |                      | 4.4.5                                       | Other controls  |    |  |  |
|       |                      | 4.4.6                                       | Marking   |    |  |  |
|       | 4.5                  | Power                                       | r systems and accessories                                       |    |  |  |
|       |                      | 4.5.1                                       | Exhaust system  |    |  |  |
|       |                      | 4.5.2                                       | Cooling system  | 10 |  |  |
|       |                      | 4.5.3                                       | Fuel tanks  |    |  |  |
|       |                      | 4.5.4                                       | Access to engine and other compartments                         |    |  |  |
|       |                      | 4.5.5                                       | Liquefied petroleum gas (LPG)-powered trucks                    | 11 |  |  |
|       | 4.6                  |   | ms for telescoping, lifting and tilting                         |    |  |  |
|       |                      | 4.6.1                                       | Lift chains.  |    |  |  |
|       |                      | 4.6.2                                       | Hydraulic lifting, telescoping and carriage tilting             |    |  |  |
|       |                      | 4.6.3                                       | Hydraulic systems   |    |  |  |
|       |                      | 4.6.4<br>4.6.5                              | Fork arms Fork-arm extensions                                   |    |  |  |
|       |                      | 4.6.6                                       | Fork carriers   |    |  |  |
|       |                      | 4.6.7                                       | Load-handling attachments                                       |    |  |  |
|       | 4.7                  |   | ator positions  |    |  |  |
|       | 1.7                  | 4.7.1                                       | Dimensions  |    |  |  |
|       |                      | 4.7.2                                       | Operator's seat   |    |  |  |
|       |                      | 4.7.3                                       | Operator restraint  |    |  |  |
|       |                      | 4.7.4                                       | Operator access and egress                                      |    |  |  |
|       |                      | 4.7.5                                       | Protection from road wheels and objects thrown up by the wheels |    |  |  |
|       |                      | 4.7.6                                       | Protection from burning   | 17 |  |  |
|       |                      | 4.7.7                                       | Protection against crushing, shearing and trapping              | 18 |  |  |
|       | 4.8                  |   | lity  |    |  |  |
|       |                      | 4.8.1                                       | General   |    |  |  |
|       |                      | 4.8.2                                       | Specific operating conditions                                   |    |  |  |
|       | 4.0                  | 4.8.3                                       | Longitudinal stability determination                            |    |  |  |
|       | 4.9                  | Prote                                       | ctive devices   | 19 |  |  |

|              |      | 4.9.1 Overhead guard   |          |  |  |  |
|--------------|------|--|----------|--|--|--|
|              |      | 4.9.2 Load backrest extension                                      |          |  |  |  |
|              |      | 4.9.3 Roll-over protective structures (ROPSs)                      |          |  |  |  |
|              |      | 4.9.4 Warning device   |          |  |  |  |
|              |      | 4.9.5 Starter battery requirements                                 |          |  |  |  |
|              | 4.10 | Visibility and lighting  |          |  |  |  |
|              |      | 4.10.1 Visibility  |          |  |  |  |
|              |      | 4.10.2 Lighting  |          |  |  |  |
|              | 4.11 | 1  |          |  |  |  |
|              |      | 4.11.1 General   |          |  |  |  |
|              |      | 4.11.2 Doors and windows   |          |  |  |  |
|              |      | 4.11.3 Fire resistance   |          |  |  |  |
|              |      | 4.11.4 Ventilation   |          |  |  |  |
|              |      | 4.11.5 Heating, air conditioning and ventilation system            |          |  |  |  |
|              |      | 4.11.6 Demisting and defrosting                                    | 22       |  |  |  |
|              |      | 4.11.7 Pressurization system                                       |          |  |  |  |
|              |      | 4.11.8 Wipers and washers  |          |  |  |  |
|              |      | 4.11.9 Access and an emergency exit                                |          |  |  |  |
|              |      | 4.11.11 Additional operator's position                             |          |  |  |  |
|              | 4.12 |  | 43<br>22 |  |  |  |
|              | 4.12 |  |          |  |  |  |
|              | 4.13 | 4.13.1 Noise emissions   |          |  |  |  |
|              |      | 4.13.2 Vibration   |          |  |  |  |
|              |      | 4.13.3 Electromagnetic compatibility (EMC)                         |          |  |  |  |
|              | 4.14 | Devices for towing   |          |  |  |  |
|              |      |  |          |  |  |  |
| 5            |      | Verification of safety requirements and/or protective measures     |          |  |  |  |
|              | 5.1  | General  |          |  |  |  |
|              | 5.2  | Structural verification  |          |  |  |  |
|              |      | 5.2.1 Test loads   |          |  |  |  |
|              |      | 5.2.2 Static test  |          |  |  |  |
|              | = 0  | 5.2.3 Dynamic test   |          |  |  |  |
|              | 5.3  |  |          |  |  |  |
| 6            | Info | Information for use  |          |  |  |  |
|              | 6.1  | General  | 26       |  |  |  |
|              | 6.2  | Instruction handbook   | 26       |  |  |  |
|              |      | 6.2.1 Truck  | 26       |  |  |  |
|              |      | 6.2.2 Operation of truck   | 26       |  |  |  |
|              |      | 6.2.3 Details for battery-powered trucks                           | 27       |  |  |  |
|              |      | 6.2.4 Details for internal-combustion-engine-powered trucks        |          |  |  |  |
|              |      | 6.2.5 Service and maintenance                                      | 28       |  |  |  |
|              |      | 6.2.6 Transportation, commissioning and storage                    |          |  |  |  |
|              |      | 6.2.7 Truck modification   |          |  |  |  |
|              | 6.3  | Marking  |          |  |  |  |
|              |      | 6.3.1 Information plates   |          |  |  |  |
|              |      | 6.3.2 Load chart   |          |  |  |  |
|              |      | 6.3.3 Information plate for trucks operating in special conditions |          |  |  |  |
|              |      | 6.3.4 Other information  |          |  |  |  |
|              |      | 6.3.5 Languages  |          |  |  |  |
|              |      | 6.3.6 Operator restraint   | 33       |  |  |  |
|              | •    | formative) Rated capacity of truck                                 |          |  |  |  |
|              | -    | formative) List of significant hazards                             |          |  |  |  |
|              | •    | ormative) Verification of essential health and safety requirements |          |  |  |  |
| Bibliography |      |  |          |  |  |  |

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 110, *Industrial trucks*, Subcommittee SC 2, *Safety of powered industrial trucks*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 150, *Industrial trucks - Safety*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 3691-2:2016), which has been technically revised.

The main changes are as follows:

- exclusions and limitations in the Scope have been clarified;
- references for European regional requirements have been updated;
- requirements defining the normal operator position necessary in order for the controls to function have been added;
- operator weight has been updated;
- information relating to truck modification has been updated;
- verification methods have been added as a new Annex C.

A list of all parts in the ISO 3691 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

## Introduction

This document is a type-C standard as stated in ISO 12100.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises);
- health and safety bodies (regulators, accident prevention organisations, market surveillance etc.).

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, e. g. for maintenance (small, medium and large enterprises);
- consumers (in case of machinery intended for use by consumers).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document.

The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the Scope of this document.

When requirements of this type-C standard are different from those which are stated in type-A or type-B standards, the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard.

The ISO 3691 series covers safety requirements and their verification for industrial trucks as defined in ISO 5053-1.

This document does not repeat all the technical rules which are state-of-the-art and which are applicable to the material used to construct the industrial truck. Reference will also need to be made to ISO 12100.