

Second edition  
2021-02

---

---

# **Straight cylindrical involute splines — Metric module, side fit —**

## **Part 3: Inspection**

*Cannelures cylindriques droites à flancs en développante — Module  
métrique, à centrage sur flancs —*

*Partie 3: Vérification*



Reference number  
ISO 4156-3:2021(E)

© ISO 2021



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

This is a preview of ISO 4156-3:2021. Click [here](#) to purchase the full version from the ANSI store.

## Contents

	Page
<b>Foreword</b> .....	<b>v</b>
<b>Introduction</b> .....	<b>vi</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Symbols and abbreviated terms</b> .....	<b>1</b>
<b>5 Reference conditions</b> .....	<b>4</b>
<b>6 Quality features</b> .....	<b>4</b>
6.1 General.....	4
6.2 Size.....	4
6.2.1 Actual size.....	4
6.2.2 Effective size.....	4
6.3 Location.....	5
6.4 Form.....	5
<b>7 Methods of inspection</b> .....	<b>5</b>
7.1 Size.....	5
7.1.1 General methods.....	5
7.1.2 Choice of measuring instrument.....	5
7.1.3 Actual size.....	5
7.1.4 Effective size.....	8
7.2 Location.....	8
7.2.1 General.....	8
7.2.2 Choice of the method of inspection of location.....	8
7.2.3 Effective axis using mating part.....	9
7.2.4 Actual pitch cylinder axis.....	9
7.2.5 Calculation with Fourier analysis.....	9
7.2.6 Spline clamping system.....	10
7.3 Form.....	10
<b>8 Measurements with balls or pins</b> .....	<b>10</b>
8.1 General.....	10
8.2 Selection of balls or pins.....	11
8.3 Use and marking of pins.....	11
8.4 Statistical actual tolerance limit $L_{STA}$ .....	11
8.4.1 General.....	11
8.4.2 Acceptance of parts according to the statistical actual tolerance limit $L_{STA}$ .....	12
8.4.3 Examples.....	13
8.5 Calculation of ball or pin diameter ( $D_{Re}$ or $D_{Ri}$ ).....	13
8.5.1 External spline.....	13
8.5.2 Internal spline.....	14
8.6 Calculation of dimensions for ball or pin inspection (part and gauge inspection).....	15
8.6.1 Exact calculation.....	15
8.6.2 Approximation factor.....	18
<b>9 Measurement over <math>k</math> teeth — External splines (<math>W</math>)</b> .....	<b>21</b>
9.1 Calculation of $W$ .....	21
9.2 Choice of $k$ .....	21
<b>10 Gauges</b> .....	<b>23</b>
10.1 Generalities.....	23
10.1.1 Conditions of use of gauges.....	23
10.1.2 Limiting dimensions of use for gauges.....	23
10.1.3 Handles of spline gauges.....	23

This is a preview of ISO 4156-3:2021. Click [here](#) to purchase the full version from the ANSI store.

10.1.4	Number of teeth for sector NO GO gauges.....	23
10.2	Length of measuring part of gauges.....	24
10.2.1	Influence of the active spline length and of the length of engagement.....	24
10.2.2	GO or NO GO gauges.....	24
10.2.3	Master plug gauges.....	25
10.2.4	Spline gauges of pitch diameters $D > 180$ mm.....	25
10.3	Manufacturing tolerances for spline gauges.....	25
10.4	Values of deviation allowances of spline gauges.....	28
10.5	Inspection of gauges.....	28
10.5.1	Damage.....	28
10.5.2	Marking.....	28
10.5.3	Major diameter of plug gauges and minor diameter of ring gauges.....	28
10.5.4	Form diameter.....	29
10.5.5	Tooth thickness of plug gauges.....	29
10.5.6	Space width of ring gauges.....	29
10.5.7	Form deviations.....	30
10.5.8	Gauge wear inspection.....	30
10.5.9	Inspection certificates.....	30
10.6	Dimensions, designation and marking of gauges.....	30
10.6.1	Inspection of external splines.....	30
10.6.2	Inspection of internal splines.....	37
10.6.3	Inspection with plain gauges for internal and external splines.....	39
10.6.4	Marking of gauges.....	40
<b>11</b>	<b>Measurement of spline deviations.....</b>	<b>40</b>
11.1	General.....	40
11.2	Total profile deviation $F_\alpha$ .....	40
11.3	Total pitch deviation $F_p$ .....	41
11.4	Total helix deviation $F_\beta$ .....	41
<b>Annex A (informative) Influences of eccentricity and pitch deviation as explained in ISO 4156:1981.....</b>		<b>42</b>
<b>Bibliography.....</b>		<b>47</b>

This is a preview of ISO 4156-3:2021. Click [here](#) to purchase the full version from the ANSI store.

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 14, *Shafts for machinery and accessories*.

This second edition cancels and replaces the first edition (ISO 4156-3:2005), which has been technically revised.

The main changes compared to the previous edition includes:

- ISO/R 1938-1 has been removed from [Clause 2](#);
- ISO 268-1 and ISO 1328 (all parts) have been moved from [Clause 2](#) to Bibliography;
- symbols of length and arc length between two points, according to ISO 80000-3, have been adopted and used in the formulae;
- in [Figure 9](#), ball or pin contact diameter, internal spline has been added;
- in [Figure 12](#), measurement  $W$ , indication of base pitch, circular base thickness, and base diameter have been corrected;
- Table [10](#) has been revised;
- in [Figure 16](#), measurement of value  $A$  has been corrected;
- [Formula \(A.3\)](#) has been corrected;
- calculation results  $B_1$  and  $E_r$  in [A.3](#) have been corrected;
- in [Figure A.2](#), the figure and subfigure titles have been corrected.

A list of all parts in the ISO 4156 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

ISO 4156 (all parts) provides the data and indications necessary for the design, manufacture and inspection of straight (non-helical) side-fitting cylindrical involute splines.

Straight cylindrical involute splines manufactured in accordance with ISO 4156 (all parts) are used for clearance, sliding and interference connections of shafts and hubs. They contain all the necessary characteristics for the assembly, transmission of torque, and economic production.

The nominal pressure angles are  $30^\circ$ ,  $37,5^\circ$  and  $45^\circ$ . For electronic data processing purposes, the form of expression  $37,5^\circ$  has been adopted instead of  $37^\circ30'$ . ISO 4156 (all parts) establishes a specification based on the following modules:

— for pressure angles of  $30^\circ$  and  $37,5^\circ$  the module increments are:

0,5; 0,75; 1; 1,25; 1,5; 1,75; 2; 2,5; 3; 4; 5; 6; 8; 10;

— for pressure angle of  $45^\circ$  the module increments are:

0,25; 0,5; 0,75; 1; 1,25; 1,5; 1,75; 2; 2,5.