Second edition 2013-07-15

Methods of test for full-flow lubricating oil filters for internal combustion engines —

Part 5:

Test for cold start simulation and hydraulic pulse durability

Méthodes d'essai des filtres à huile de lubrification à passage intégral pour moteurs à combustion interne —

Partie 5: Essai pour simulation de démarrage à froid et de résistance aux impulsions hydrauliques



Reference number ISO 4548-5:2013(E)

ISO 4548-5:2013(E)

This is a preview of "ISO 4548-5:2013". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Cont	tents	Page
Forew	vord	iv
Introduction		
1	Scope	1
2	Normative references	1
3	Terms and definitions and graphical symbols 3.1 Terms and definitions 3.2 Graphical symbols	1
4	Operational characteristics to be tested	1
5	Test rig	
6	Test liquid	2
7	Accuracy	2
8	Cold start simulation test (see Figure 1)	
9	Hydraulic pulse durability test (see Figure 1)	3
10	Test report	4
Annex	A (normative) Values to be used for tests if no agreement is reached with the manufacturer	7
Biblio	graphy	8

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

The committee responsible for this document is ISO/TC 70, *Internal combustion engines*, Subcommittee SC 7, *Tests for lubricating oil filters*.

This second edition cancels and replaces the first edition (ISO 4548-5:1990), of which it constitutes a minor revision.

ISO 4548 consists of the following parts, under the general title *Methods of test for full-flow lubricating oil filters for internal combustion engines*:

- Part 1: Differential pressure/flow characteristics
- Part 2: Element by-pass valve characteristics
- Part 3: Resistance to high differential pressure and to elevated temperature
- Part 4: Initial particle retention efficiency, life and cumulative efficiency (gravimetric method)
- Part 5: Test for cold start simulation and hydraulic pulse durability
- Part 6: Static burst pressure test
- Part 7: Vibration fatigue test
- Part 9: Inlet and outlet anti-drain valve tests
- Part 12: Filtration efficiency using particle counting, and contamination retention capacity

The following parts are under preparation:

- Part 13: Static burst pressure test for composite filter housings
- Part 14: Cold start simulation and hydraulic pulse durability for composite filter housings
- Part 15: Vibration fatigue test for composite filter housings

Introduction

ISO 4548 (all parts) establishes standard test procedures for measuring the performance of full-flow lubricating oil filters for internal combustion engines. The series has been prepared in separate parts, each part relating to a particular performance characteristic.

Together the tests provide the information necessary to assess the characteristics of a filter, but if agreed between the purchaser and the manufacturer, the tests can be conducted separately.