Second edition 2010-04-01

Glassware — Hydrolytic resistance of the interior surfaces of glass containers —

Part 1:

Determination by titration method and classification

Verrerie — Résistance hydrolytique des surfaces internes des récipients en verre —

Partie 1: Détermination par analyse titrimétrique et classification



Reference number ISO 4802-1:2010(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Cor	ntents	Page
Fore	word	iv
Introduction		v
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Principle	4
5	Reagents	4
6	Apparatus	4
7	Sample preparation	5
7.1	Sample size	5
7.2	Determination of the filling volume	
8 8.1	Procedure	
8.2	Cleaning of samples	7
8.3	Filling and heating	
8.4 8.5	Analysis of the extraction solutions Testing to determine whether the containers have been surface treated	
9	Expression of results	
9.1	Calculation	
9.2	Classification	9
9.3	Distinction between containers of hydrolytic resistance container class HC _T 1 and	•
9.4	hydrolytic resistance container class HC _T 2 Designation	
10	Test report	
11	Reproducibility	
Biblio	ography	
	- , ,	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 4802-1 was prepared by Technical Committee ISO/TC 76, *Transfusion, infusion and injection equipment for medical and pharmaceutical use.*

This second edition cancels and replaces the first edition (ISO 4802-1:1988), which has been technically revised.

ISO 4802 consists of the following parts, under the general title *Glassware* — *Hydrolytic resistance of the interior surfaces of glass containers*:

- Part 1: Determination by titration method and classification
- Part 2: Determination by flame spectrometry and classification

Introduction

This part of ISO 4802 is largely based on a method of test approved by the International Commission on Glass (ICG), Technical Committee 2, *Chemical Durability and Analysis*, for measuring the hydrolytic resistance of the interior surfaces of glass containers.

The European Pharmacopoeia Commission has adopted the principle of the determination by titration and has set up a classification for glass containers for injectable preparations which is now included in this part of ISO 4802. In addition, this part of ISO 4802 contains a classification of containers other than for injectable preparations.

According to many results of international interlaboratory tests this part of ISO 4802 specifies the test conditions in more detail than the European Pharmacopoeia in order to increase the reproducibility of the test results. In particular, the autoclaving cycle is described in detail. The principle of the test method described in this part of ISO 4802 is, however, in full compliance with the corresponding test method of the European Pharmacopeia^[11].