

This is a preview of "ISO 532-2:2017". [Click here to purchase the full version from the ANSI store.](#)

First edition  
2017-06

---

---

## Acoustics — Methods for calculating loudness —

### Part 2: Moore-Glasberg method

*Acoustique — Méthode de calcul d'isotonie —  
Partie 2: Méthode Moore-Glasberg*



Reference number  
ISO 532-2:2017(E)

© ISO 2017

This is a preview of "ISO 532-2:2017". Click [here](#) to purchase the full version from the ANSI store.



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

This is a preview of "ISO 532-2:2017". Click here to purchase the full version from the ANSI store.

## Contents

	Page
<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 General</b> .....	<b>5</b>
<b>5 Specifications of signals</b> .....	<b>5</b>
5.1 General.....	5
5.2 Complex tone.....	5
5.3 Noise consisting of bands of pink or white noise of defined width.....	5
5.4 Mixture of discrete sinusoidal components and bands of pink or white noise.....	6
5.5 Sound specified in terms of the sound pressure levels in 29 adjacent one-third-octave bands.....	6
<b>6 Instrumentation</b> .....	<b>6</b>
<b>7 Description of the method</b> .....	<b>7</b>
7.1 Introduction.....	7
7.2 Determination of sound spectrum at the tympanic membrane.....	7
7.2.1 General.....	7
7.2.2 Free field and diffuse field transfer functions for sound picked up by a single microphone.....	8
7.2.3 Earphones.....	8
7.2.4 Signal recorded at eardrum.....	8
7.2.5 Head and torso simulator.....	8
7.2.6 Interpolation and extrapolation.....	8
7.3 Determination of sound spectrum at the oval window.....	9
7.4 Transformation of sound spectrum into excitation pattern.....	10
7.5 Transformation of excitation pattern into specific loudness.....	13
7.5.1 Introduction.....	13
7.5.2 Reference excitation at the reference threshold of hearing.....	14
7.5.3 Gain of the cochlear amplifier for inputs with low sound pressure levels.....	14
7.5.4 Calculation of specific loudness from excitation when $E_{\text{THRQ}}/E_0 \leq E/E_0$ .....	15
7.5.5 Calculation of specific loudness from excitation when $E_{\text{THRQ}}/E_0 > E/E_0$ .....	15
7.5.6 Calculation of specific loudness from excitation when $E > 10^{10}$ .....	15
<b>8 Calculation of loudness and loudness level</b> .....	<b>16</b>
8.1 Calculation of monaural and binaural loudness (diotic and dichotic stimuli).....	16
8.2 Relationship between loudness level and loudness.....	17
8.3 Calculation of the reference threshold of hearing.....	18
<b>9 Uncertainty of calculated loudness for stationary sounds</b> .....	<b>18</b>
<b>10 Data reporting</b> .....	<b>19</b>
<b>Annex A (informative) Comments regarding binaural loudness</b> .....	<b>20</b>
<b>Annex B (informative) Results for specific test signals</b> .....	<b>21</b>
<b>Annex C (informative) Software for the calculation of loudness</b> .....	<b>26</b>
<b>Bibliography</b> .....	<b>27</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html)

This document was prepared by Technical Committee ISO/TC 43, *Acoustics*.

A list of all parts in the ISO 532- series, published under the general title *Acoustics — Methods for calculating loudness*, can be found on the ISO website.

This is a preview of "ISO 532-2:2017". [Click here to purchase the full version from the ANSI store.](#)

## Introduction

Loudness and loudness level are two perceptual attributes of sound describing absolute and relative sensations of sound strength perceived by a person under specific listening conditions. Due to inherent individual differences among people, both loudness and loudness level have the nature of statistical estimators characterized by their respective measures of central tendency and dispersion determined for a specific sample of the general population.

The object of the ISO 532- series is to specify calculation procedures based on physical properties of sound for estimating loudness and loudness level of sound as perceived by persons with otologically normal hearing under specific listening conditions. Each procedure seeks single numbers that can be used in many scientific and technical applications to estimate the perceived loudness and loudness level of sound without conducting separate human observer studies for each application. Because loudness is a perceived quantity, the perception of which may vary among people, any calculated loudness value represents only an estimate of the average loudness as perceived by a group of individuals with otologically normal hearing

ISO 532-1 and ISO 532-2 specify two different methods for calculating loudness which may yield different results for given sounds. Since no general preference for one or the other method can presently be stated, it is up to the user to select the method which appears most appropriate for the given situation. Some major features of each of the methods are described below to facilitate the choice.

This document is limited to calculation of loudness and loudness level of stationary sounds and the calculations are based on the spectral properties of a sound. This calculation method is based on Moore-Glasberg loudness calculation algorithms [14-17]. It starts by converting a specified signal spectrum into a series of sinusoidal components representing that spectrum. This series is then transformed into a specific loudness pattern by applying four consecutive transformations, each of which is directly related to physiological and psychological characteristics of the human hearing system. Loudness is calculated from the specific loudness pattern.

This document describes the calculation procedures leading to estimation of loudness and loudness level and provides an executable computer program and code. The software provided with this document is entirely informative and provided for the convenience of the user. Use of the provided software is not required for conformance with this document.

The Moore-Glasberg method is limited to stationary sounds and can be applied to tones, broadband noises and complex sounds with sharp line spectral components. The method in this document differs from those in ISO 532:1975. Method A of ISO 532:1975 (Stevens loudness[18]) was removed as this method was not often used and its predictions were not accurate for sounds with strong tonal components. The method described in this document also improves the precision of calculated loudness in the low frequency range and allows for calculation of loudness under conditions where the sound differs at the two ears. It has been shown that this method provides a good match to the contours of equal loudness level as defined in ISO 226:2003 and the reference threshold of hearing as defined in ISO 389-7:2005.

The Zwicker method in ISO 532-1 can be applied for stationary and arbitrary non-stationary sounds. The method for stationary sounds in ISO 532-1 differs slightly from the methods included in the previous ISO 532:1975, method B, by specifying corrections for low frequencies and by restricting the description of the approach to numerical instructions only, thus allowing a unique software description. For reasons of continuity, the method given in ISO 532-1 is in accordance with ISO 226:1987 instead of the later revised version, ISO 226:2003.

**NOTE** Equipment or machinery noise emissions/immissions can also be judged by other quantities defined in various International Standards (see e.g. ISO 1996-1, ISO 3740, ISO 9612 and ISO 11200).