Second edition 1993-04-15

Cinematography — Splices for use on 70 mm, 65 mm, 35 mm and 16 mm motion-picture films — Dimensions and locations

Cinématographie — Raccords sur films cinématographiques 70 mm, 65 mm, 35 mm et 16 mm — Dimensions et emplacements



This is a preview of "ISO 6038:1993". Click here to purchase the full version from the ANSI store.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 6038 was prepared by Technical Committee ISO/TC 36, *Cinematography*.

This second edition cancels and replaces the first edition (ISO 6038:1985), of which it constitutes a technical revision.

Annex A of this International Standard is for information only.

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization Case Postale 56 • CH-1211 Genève 20 • Switzerland Printed in Switzerland

[©] ISO 1993

This is a preview of "ISO 6038:1993". Click here to purchase the full version from the ANSI store.

Cinematography — Splices for use on 70 mm, 65 mm, 35 mm and 16 mm motion-picture films — Dimensions and locations

1 Scope

- **1.1** This International Standard specifies the dimensions and locations of transverse cemented or welded overlap splices and butt splices on 70 mm, 65 mm, 35 mm and 16 mm motion-picture films and prints with magnetic or photographic sound records.
- **1.2** The following types are specified:
- a) Type 1 Laboratory type, overlap splice intended for negatives and intermediate films, perforated short pitch;
- b) Type 2 Projection type, overlap splice intended for prints with non-anamorphic type picture;
- c) Type 3 Projection type, overlap splice intended for prints with anamorphic type picture;
- d) Type 4 Projection type, overlap splice made with transparent adhesive tape and intended for prints;
- e) Type 5 Projection type specialized uses, butt splice made with transparent tape and intended for prints.

2 Dimensions

- **2.1** The dimensions specified in tables 1 to 5 apply to motion-picture films which contain nominal shrinkage up to 0,2 %, and recently made splices.
- **2.2** The dimensions of cemented or welded overlap splices for 16 mm motion-picture films shall be as shown in figures 1, 2 and 5 and as given in tables 1 and 5.
- **2.3** The dimensions of butt splices shall be in accordance with the dimensions B and E as specified in tables 1 to 5.
- **2.4** The dimensions for 70 mm, 65 mm and 35 mm motion-picture films shall be as shown in figures 3 to 5 and as given in tables 2 to 5.
- 2.5 The film width at the splice shall not exceed
- 70,05 mm (2,758 in) for 70 mm films;
- 65,05 mm (2,561 in) for 65 mm films;
- 35,03 mm (1,379 in) for 35 mm films;
- 16,00 mm (0,630 in) for 16 mm films.