

This is a preview of "ISO 6194-4:2009". [Click here to purchase the full version from the ANSI store.](#)

Third edition  
2009-03-15

---

---

## Rotary shaft lip-type seals incorporating elastomeric sealing elements —

### Part 4: Performance test procedures

*Bagues d'étanchéité à lèvres pour arbres tournants incorporant des éléments d'étanchéité en élastomère —*

*Partie 4: Méthodes d'essai de performance*



Reference number  
ISO 6194-4:2009(E)

© ISO 2009

This is a preview of "ISO 6194-4:2009". [Click here to purchase the full version from the ANSI store.](#)

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

This is a preview of "ISO 6194-4:2009". Click here to purchase the full version from the ANSI store.

## Contents

Page

Foreword.....	iv
Introduction .....	v
<b>1</b> <b>Scope</b> .....	<b>1</b>
<b>2</b> <b>Normative references</b> .....	<b>1</b>
<b>3</b> <b>Terms, definitions and symbols</b> .....	<b>2</b>
<b>3.1</b> <b>Terms and definitions</b> .....	<b>2</b>
<b>3.2</b> <b>Symbols</b> .....	<b>2</b>
<b>4</b> <b>Pre-test procedure</b> .....	<b>2</b>
<b>5</b> <b>Dynamic normal-temperature test</b> .....	<b>2</b>
<b>5.1</b> <b>Test apparatus</b> .....	<b>2</b>
<b>5.2</b> <b>Installation</b> .....	<b>5</b>
<b>5.3</b> <b>Test conditions</b> .....	<b>5</b>
<b>5.4</b> <b>Test procedure</b> .....	<b>5</b>
<b>5.5</b> <b>Post-test measurements</b> .....	<b>5</b>
<b>5.6</b> <b>Recording</b> .....	<b>5</b>
<b>5.7</b> <b>Acceptance criteria</b> .....	<b>5</b>
<b>6</b> <b>Dynamic low-temperature test</b> .....	<b>5</b>
<b>6.1</b> <b>General</b> .....	<b>5</b>
<b>6.2</b> <b>Test apparatus</b> .....	<b>6</b>
<b>6.3</b> <b>Installation</b> .....	<b>7</b>
<b>6.4</b> <b>Test procedure</b> .....	<b>7</b>
<b>6.5</b> <b>Post-test measurements</b> .....	<b>7</b>
<b>6.6</b> <b>Recording</b> .....	<b>7</b>
<b>6.7</b> <b>Acceptance criteria</b> .....	<b>7</b>
<b>7</b> <b>Material testing of elastomeric components</b> .....	<b>7</b>
<b>7.1</b> <b>Elastomeric material requirements</b> .....	<b>7</b>
<b>7.2</b> <b>Density</b> .....	<b>8</b>
<b>7.3</b> <b>Hardness</b> .....	<b>8</b>
<b>7.4</b> <b>Compression set</b> .....	<b>8</b>
<b>7.5</b> <b>Fluid immersion</b> .....	<b>8</b>
<b>7.6</b> <b>Dry-heat ageing in air</b> .....	<b>8</b>
<b>7.7</b> <b>Stiffness at low temperature</b> .....	<b>9</b>
<b>7.8</b> <b>Recording</b> .....	<b>9</b>
<b>8</b> <b>Identification statement (Reference to this part of ISO 6194)</b> .....	<b>9</b>
<b>Annex A</b> (informative) <b>Typical example of a seal test report for the dynamic test</b> .....	<b>10</b>
<b>Annex B</b> (informative) <b>Typical example of a seal test report for the dynamic low-temperature test</b> .....	<b>13</b>
<b>Annex C</b> (informative) <b>Typical example of an elastomeric material test report</b> .....	<b>15</b>
<b>Bibliography</b> .....	<b>17</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 6194-4 was prepared by Technical Committee ISO/TC 131, *Fluid power systems*, Subcommittee SC 7, *Sealing devices*.

This third edition cancels and replaces the second edition (ISO 6194-4:1999), which has been technically revised.

ISO 6194 consists of the following parts, under the general title *Rotary shaft lip-type seals incorporating elastomeric sealing elements*:

- *Part 1: Nominal dimensions and tolerances*
- *Part 2: Vocabulary*
- *Part 3: Storage, handling and installation*
- *Part 4: Performance test procedures*
- *Part 5: Identification of visual imperfections*

This is a preview of "ISO 6194-4:2009". [Click here to purchase the full version from the ANSI store.](#)

## Introduction

Rotary shaft lip-type seals are used to retain fluid, e.g. lubricant, in equipment where the differential pressure is relatively low. Typically, the shaft rotates, and the housing is stationary, although in some applications the shaft is stationary, and the housing rotates.

Dynamic sealing is normally the result of a designed interference fit between the shaft and a flexible element incorporated in the seal.

Similarly, a designed interference fit between the outside diameter of the seal, and the diameter of the housing bore, retains the seal and prevents static leakage.

Careful storage, handling and proper installation of all seals are necessary to avoid hazards, both prior to and during installation, which would adversely affect service life.