Second edition 2008-11-01

Powered industrial trucks and tractors — Brake performance and component strength

Chariots de manutention et tracteurs industriels automoteurs — Performance de freinage et résistance des éléments de frein



Reference number ISO 6292:2008(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Cont	ents Pag	је
Forewo	Forewordiv	
Introdu	uction	٧
1	Scope	.1
2	Normative references	.1
3	Terms and definitions	.2
4 4.1 4.2 4.3 4.4 4.5 4.6 4.7 4.8 4.9	Requirements General Required brake systems Operating means Service brake system Parking brake system Brake control forces Brake component strength Stored energy system Additional requirements	.3 .4 .4 .4 .4
5 5.1 5.2 5.3	Test conditions General Stopping distance test Drawbar drag test	.6 .6
6 6.1 6.2 6.3 6.4	Performance tests Parking brake performance Service brake performance Warning device testing (for stored energy system) Heat fade test	.7 .7 .8
Annex	A (normative) Additional requirements	11
Bibliog	graphy1	12

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 6292 was prepared by Technical Committee ISO/TC 110, *Industrial trucks*, Subcommittee SC 2, *Safety of powered industrial trucks*.

This second edition cancels and replaces the first edition (ISO 6292:1996) and includes some of the contents of ISO 6292:1996 but has some major changes in approach to brake requirements for powered industrial trucks and tractors.

The major changes in approach are:

- stopping distance methodology has been included. Braking reaction time, but not human reaction time, is included in the determination of the stopping distance. See ISO/TR 29944;
- addition of assessment of brake fade;
- groups A1 and A2 (see Table 2) to be categorised by truck rated capacity or laden mass.

Introduction

Industrial trucks, tractors and burden carriers, generally referred to as trucks throughout, can satisfy the braking requirements of this International Standard by complying with either the stopping distance requirements or the drawbar drag requirements. Based on the requirements for brakes of rubber-tyred earthmoving machinery (ISO 3450), the stopping distance as a measurement value has been established. The brake performance is limited by consideration of the load. For further reference as to how the measurement of stopping distance and measurement of brake reaction time were derived, see ISO/TR 29944.