Second edition 2003-07-01

# Calculation of load capacity of spur and helical gears —

# Part 5: Strength and quality of materials

Calcul de la capacité de charge des engrenages cylindriques à dentures droite et hélicoïdale —

Partie 5: Résistance et qualité des matériaux



Reference number ISO 6336-5:2003(E)

#### **PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

## Contents

Introduction       v         1       Scope         2       Normative references         3       Terms, definitions and symbols         4       Methods for the determination of allowable stress numbers         4.1       General         4.2       Method A         4.3       Method B         4.4       Method B         4.5       Method Bp         5       Standard allowable stress numbers — Method B         5.1       Application
2       Normative references       1         3       Terms, definitions and symbols       2         4       Methods for the determination of allowable stress numbers.       2         4.1       General       2         4.2       Method A       3         4.3       Method B       3         4.4       Method Bk       3         4.5       Method Bp       3         5       Standard allowable stress numbers — Method B       3
3       Terms, definitions and symbols       2         4       Methods for the determination of allowable stress numbers.       2         4.1       General       2         4.2       Method A       3         4.3       Method B       3         4.4       Method B       3         4.5       Method Bp       3         5       Standard allowable stress numbers — Method B       3
4       Methods for the determination of allowable stress numbers
4.1       General       2         4.2       Method A       3         4.3       Method B       3         4.4       Method Bk       3         4.5       Method Bp       3         5       Standard allowable stress numbers — Method B       3
<ul> <li>4.5 Method B<sub>p</sub></li></ul>
5 Standard allowable stress numbers — Method B 3
5.1 Application 5.2 Allowable stress number (contact), $\sigma_{H \text{ lim}}$
5.6 Case depth of surface hardened gears
6Requirements for material quality and heat treatment.246.1General aspects.246.2Normalized low carbon or cast steel, plain carbon, unalloyed steels (see Figures 1 and 2)246.3Black malleable cast iron (see Figures 3 and 4)246.4Other materials (see Figures 5 to 16)246.5Coupon35
Annex A (normative) Considerations of size of controlling section for through hardened gearing 37
Annex B (informative) Table of hardness conversions
Annex C (informative) Testing surface hardness with a file
Bibliography43

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 6336-5 was prepared by Technical Committee ISO/TC 60, *Gears*, Subcommittee SC 2, *Gear capacity calculation*.

This second edition cancels and replaces the first edition (ISO 6336-5:1996), which has been technically revised.

ISO 6336 consists of the following parts, under the general title *Calculation of load capacity of spur and helical gears*:

- Part 1: Basic principles, introduction and general influence factors
- Part 2: Calculation of surface durability (pitting)
- Part 3: Calculation of tooth bending strength
- Part 5: Strength and quality of materials

Part 6, Calculation of service life under variable load, is under preparation.

### Introduction

This part of ISO 6336, together with ISO 6336-1, ISO 6336-2 and ISO 6336-3, provides the principles for a coherent system of procedures for the calculation of the load capacity of cylindrical involute gears with external or internal teeth. ISO 6336 is designed to facilitate the application of future knowledge and developments, as well as the exchange of information gained from experience.

Allowable stress numbers, as covered by this part of ISO 6336, may vary widely. Such variation is attributable to defects and variations of chemical composition (charge), structure, the type and extent of hot working (e.g. bar stock, forging, reduction ratio), heat treatment, residual stress levels, etc.

Tables summarize the most important influencing variables and the requirements for the different materials and quality grades. The effects of these influences on surface durability and tooth bending strength are illustrated by graphs.

This part of ISO 6336 covers the most widely used ferrous gear materials and related heat treatment processes. Recommendations on the choice of specific materials, heat treatment processes or manufacturing processes are not included. Furthermore, no comments are made concerning the suitability or otherwise of any materials for specific manufacturing or heat treatment processes.