STANDARD

6346

Third edition 1995-12-01

Freight containers — Coding, identification and marking

Conteneurs pour le transport de marchandises — Codage, identification et marquage



ISO 6346:1995(E)

This is a preview of "ISO 6346:1995". Click here to purchase the full version from the ANSI store.

Contents

	P	age	
1	Scope	1	
2	Normative references	2	
3	Identification system and its associated marks	2	
4	Size and type codes and their associated marks	3	
5	Operational marks	3	
6	Physical display of marks	4	
Annexes			
A	Determination of check digit	10	
В	Symbol to denote air/surface container	12	
С	Sign warning of overhead electrical danger	14	
D	Size code designation	15	
E	Type code designation	16	
F	Height marks for containers higher than 2,6 m (8 ft 6 in)	21	
G	National registration organizations affiliated with the International Container Bureau	22	

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

This is a preview of "ISO 6346:1995". Click here to purchase the full version from the ANSI store.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 6346 was prepared by Technical Committee ISO/TC 104, Freight containers, Subcommittee SC 4, Identification and communication.

This third edition cancels and replaces the second edition (ISO 6346:1984), which has been technically revised.

Annexes A, B, C, D, E and F form an integral part of this International Standard. Annex G is for information only.

This is a preview of "ISO 6346:1995". Click here to purchase the full version from the ANSI store.

Freight containers — Coding, identification and marking

1 Scope

1.1 This International Standard provides a system for the identification and presentation of information about freight containers. The identification system is intended for general application, for example in documentation, control and communications (including automatic data processing systems), as well as for display on the containers themselves.

The methods of displaying identification and certain other data (including operational data) on containers by means of permanent marks are included.

- **1.2** This International Standard specifies:
- a) a container identification system, with an associated system for verifying the accuracy of its use, having:
 - mandatory marks for the presentation of the identification system for visual interpretation, and
 - features to be used in optional Automatic Equipment Identification (AEI) and electronic data interchange (EDI);
- a coding system for data on container size and type, with corresponding marks for their display;
- c) operational marks, both mandatory and optional;
- d) physical presentation of marks on the container.
- **1.3** The terms "mandatory" and "optional" in this International Standard are used to differentiate those ISO marking provisions which shall necessarily be fulfilled by all containers from those which are not required of all containers. The optional marks are in-

cluded to further comprehension and promote uniform application of the optional mark. If a choice has been made to display an optional mark, the provisions laid down in this International Standard relating to the mark shall be applied. The terms "mandatory" and "optional" do not refer to requirements of any regulatory body.

- **1.4** This International Standard applies to all freight containers covered by International Standards ISO 668, parts 1 to 5 of ISO 1496, ISO 8323 and should, wherever appropriate and practicable, be applied:
- to containers other than those covered by the International Standards mentioned in clause 2;
- to container-related and/or detachable equipment.

NOTE 1 Containers marked according to previous editions of ISO 6346 need not be re-marked.

- **1.5** This International Standard does not cover temporary operational marks of any kind, permanent marks, data plates, etc. which may be required by intergovernmental agreements, national legislation or nongovernmental organizations other than ISO.
- NOTE 2 Some of the major international conventions whose container-marking requirements are not covered in this International Standard are as follows:
- International Convention for Safe Containers (UN/IMO 1992);
- Customs Convention on Containers 1956 and 1972;
- Customs Convention on International Movement of Goods under Cover of TIR Carnets (TIR Convention) 1959 and 1975.

It should not be assumed that this list is exhaustive.