First edition 2007-12-01

# Dentistry — Number coding system for rotary instruments —

Part 5:

# **Specific characteristics of root-canal** instruments

Art dentaire — Système de codification numérique pour instruments rotatifs —

Partie 5: Caractéristiques spécifiques des instruments pour canaux radiculaires



Reference number ISO 6360-5:2007(E)

#### **PDF** disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



#### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

## **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 6360-5 was prepared by Technical Committee ISO/TC 106, *Dentistry*, Subcommittee SC 4, *Dental instruments*.

ISO 6360 consists of the following parts, under the general title *Dentistry — Number coding system for rotary instruments*:

- Part 1: General characteristics
- Part 2: Shapes
- Part 3: Specific characteristics of burs and cutters
- Part 4: Specific characteristics of diamond instruments
- Part 5: Specific characteristics of root-canal instruments
- Part 6: Specific characteristics of abrasive instruments
- Part 7: Specific characteristics of mandrels and special instruments

## Introduction

This part of ISO 6360 is one of a series of International Standards relating to dental rotary instruments. A wide variety of dental rotary instruments, including root-canal instruments, is manufactured throughout the world for use by the dental profession.

ISO 6360 provides a general number coding system for all types of dental rotary instruments, including accessories used in connection with these rotary instruments.

The benefits of this system for dentistry in its entirety will only be derived if the system is widely adopted; manufacturers of dental instruments, as well as the dental trade, are therefore requested to refer to ISO 6360 in their catalogues.

This part of ISO 6360 was prepared in response to a need by the dental trade and industry, and the dental profession, for a universal system of classification and designation for these instruments. It establishes a comprehensive number coding system suitable for all dental rotary instruments by use of a 15-digit code number identifying general and specific characteristics of instruments or groups of instruments.

The <u>first</u> group of three digits identifies the materials used for the working part of instruments.

The <u>second</u> group of three digits identifies the shanks and handles used for instruments and the overall lengths of instruments.

The third group of three digits identifies the shapes of instruments.

The <u>fourth</u> group of three digits identifies the specific characteristics for groups of instruments.

The <u>fifth</u> group of three digits identifies the nominal diameter of the working part of the instruments.

The code numbers are generic code numbers. They do not provide exact product information. This information is given in the respective product standard for dental rotary instruments.

For the application of the system and for the correct allocation of numbers or their identification, it is intended that the user consult ISO 6360-1 and ISO 6360-2 for general information, and in addition one of the following subsequent parts (ISO 6360-3 to ISO 6360-7) for further information on specific characteristics of instruments or groups of instruments.

For the allocation of new numbers complying with ISO 6360, an application supported by a description and a drawing should be sent to the secretariat of ISO/TC 106/SC 4, *Dental instruments*, which keeps updated records of all numbers currently allocated. An international group of experts will then decide on an appropriate identification number for the instrument in question, including its specific characteristics. The Secretary will inform the applicant, in due course, of the result and assist him in using the number correctly. The Secretariat of ISO/TC 106/SC 4 can be contacted at:

DIN NADENT Alexander-Wellendorff-Str. 2 D-75172 Pforzheim Germany