

This is a preview of "ISO 6529:2013". [Click here to purchase the full version from the ANSI store.](#)

Third edition
2013-02-15

Protective clothing — Protection against chemicals — Determination of resistance of protective clothing materials to permeation by liquids and gases

*Vêtements de protection — Protection contre les produits
chimiques — Détermination de la résistance des matériaux utilisés
pour la confection des vêtements de protection à la perméation par
des liquides et des gaz*



Reference number
ISO 6529:2013(E)

© ISO 2013

This is a preview of "ISO 6529:2013". [Click here to purchase the full version from the ANSI store.](#)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "ISO 6529:2013". Click here to purchase the full version from the ANSI store.

Contents

Page

Foreword.....	iv
Introduction.....	v
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	2
4 Principle.....	5
5 Choice of analytical technique and collection medium.....	5
5.1 General.....	5
5.2 Gaseous collection media.....	5
5.3 Liquid collection media.....	6
5.4 Other collection media.....	6
6 Apparatus.....	6
7 System configuration.....	8
7.1 Open-loop.....	8
7.2 Closed-loop.....	9
8 Detection.....	11
8.1 Frequency of analysis.....	11
8.2 Analytical methods.....	11
9 Sampling.....	12
9.1 Sampling procedure.....	12
9.2 Preparation of test specimens.....	13
9.3 Measurement of test specimen thickness and mass.....	13
10 Procedure.....	13
10.1 Pre-screening.....	13
10.2 Calibration.....	13
10.3 Validation.....	14
10.4 Preparation of test apparatus.....	14
10.5 Method A — Liquid chemicals with continuous contact.....	15
10.6 Method B — Gaseous chemicals with continuous contact.....	16
10.7 Method C — Liquid or gaseous chemical with intermittent contact.....	18
10.8 Calculation of results.....	19
10.9 Visual assessment of test specimen.....	22
10.10 Repeat tests.....	22
11 Report.....	24
Annex A (informative) Recommended list of chemicals for comparing permeation resistance of protective clothing materials.....	26
Annex B (informative) Sources of permeation test cells and permeation test cell parts.....	29
Annex C (informative) Designs and specifications of commonly-used permeation test cells.....	31
Annex D (informative) Suggested procedures for calibrating and measuring the sensitivity of permeation-test systems.....	35
Annex E (informative) Testing the permeation resistance of seams and closures.....	39
Annex F (normative) Default conditions for testing and reporting permeation resistance.....	42
Annex G (informative) Inter-laboratory and inter-sample variation.....	43
Bibliography.....	45

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 6529 was prepared by Technical Committee ISO/TC 94, *Personal safety — Protective clothing and equipment*, Subcommittee SC 13, *Protective clothing*.

This third edition cancels and replaces the second edition (ISO 6529:2001), which has been technically and editorially revised in order to:

- a) clarify explicitly that the testing of gloves and, when fitted to chemical protective clothing, boots, is included;
- b) include a normative annex defining specific default procedures for testing, calculating and reporting permeation resistance;
- c) permit the testing of fabrics, regardless of whether they are, to some degree, air-permeable or totally air-impermeable;
- d) introduce a pre-test which is used in order to determine the number of replicate tests to be carried out;
- e) include more explanatory notes;
- f) introduce an informative annex giving technical advice on the testing of seams and closures;
- g) include worked examples of the calculation of results;
- h) specify the minimum frequency of sampling the collection medium during a test;
- i) clarify the reporting of sets of replicate results in cases in which the inter-sample variation is large.

This is a preview of "ISO 6529:2013". [Click here to purchase the full version from the ANSI store.](#)

Introduction

People involved in the production, use, transportation and emergency response with liquid and gaseous chemicals can be exposed to numerous compounds capable of causing harm upon contact with the human body. The deleterious effects of these chemicals can range from acute trauma such as skin irritation and burn to chronic degenerative disease, such as cancer. Since engineering controls may not eliminate all possible exposures, attention is often placed on reducing the potential for direct skin contact through the use of protective clothing that resists permeation, penetration and degradation.

The test methods described in this International Standard are intended to be used to evaluate the barrier effectiveness of materials used for protective clothing (see Note) against ingress by liquid or gaseous chemicals. Options are provided for conducting this testing under both conditions of continuous or intermittent contact with the chemicals.

These test methods provide options for reporting test results in terms of breakthrough time, permeation rate and cumulative permeation. These parameters are key measures of the effectiveness of a clothing material to act as a barrier to the test chemical. Long breakthrough times, low permeation rates and low cumulative permeation mass are characteristic of high level barrier materials.

Resistance to penetration by liquid chemicals should be determined by using ISO 6530 while resistance to penetration by liquid chemicals under pressure should be determined by using ISO 13994. These International Standards are listed in the Bibliography.

It has been assumed in the drafting of this International Standard that the execution of its provisions will be entrusted to appropriately qualified and experienced people with a sound understanding of analytical chemistry. Appropriate precautions should be taken when carrying out this type of testing in order to avoid injury to health and contamination of the environment.

NOTE Finished items of protective clothing include gloves, arm shields, aprons, suits, hoods, boots, etc. The phrase "specimens from finished items" encompasses seamed and other discontinuous regions as well as the usual continuous regions of protective clothing items.