



International

This is a preview of ISO 6872:2024. [Click here to purchase the full version from the ANSI store.](#)

ISO 6872

Dentistry — Ceramic materials

Médecine bucco-dentaire — Matériaux céramiques

**Fifth edition
2024-08**



COPYRIGHT PROTECTED DOCUMENT

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

This is a preview of ISO 6872:2024. [Click here to purchase the full version from the ANSI store.](#)

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
3.1 Material.....	1
3.2 Processing.....	2
3.3 Properties.....	3
4 Types, classes, and their identification	3
5 Requirements	4
5.1 Uniformity.....	4
5.2 Freedom from extraneous materials.....	5
5.3 Mixing and condensation properties of type I ceramics.....	5
5.4 Physical and chemical properties.....	5
5.5 Shrinkage factor.....	5
6 Sampling	5
6.1 Type I ceramics.....	5
6.2 Type II ceramics.....	5
7 Test methods	6
7.1 Preparation of test specimens.....	6
7.1.1 General.....	6
7.1.2 Components of test specimens (type I ceramics).....	6
7.1.3 Apparatus for mixing.....	6
7.1.4 Method of mixing.....	6
7.1.5 Procedure for specimen fabrication.....	6
7.1.6 Firing.....	6
7.2 Radioactivity of dental ceramic.....	7
7.2.1 Preparation of samples.....	7
7.2.2 Counting procedure.....	7
7.2.3 Assessment of results.....	7
7.3 Flexural strength.....	7
7.3.1 General.....	7
7.3.2 Three-point and four-point flexure tests.....	7
7.3.3 Biaxial flexure test (piston-on-three-ball test).....	10
7.4 Linear thermal expansion coefficient.....	12
7.4.1 Apparatus.....	12
7.4.2 Preparing of test specimens (type I and type II ceramics).....	13
7.4.3 Dilatometric measurement.....	13
7.4.4 Assessment of results.....	13
7.5 Glass transition temperature.....	13
7.5.1 Operating procedure.....	13
7.5.2 Assessment of results.....	14
7.6 Chemical solubility.....	14
7.6.1 Reagent.....	14
7.6.2 Apparatus.....	14
7.6.3 Preparation of test specimens.....	15
7.6.4 Procedure.....	15
7.6.5 Calculation and assessment of results.....	15
8 Information and instructions	15
8.1 Information.....	15
8.1.1 General.....	15
8.1.2 Type I ceramics.....	15

This is a preview of ISO 6872:2024. [Click here to purchase the full version from the ANSI store.](#)

9	Packaging, marking, and labelling	16
9.1	Packaging.....	16
9.2	Marking and labelling.....	16
Annex A	(informative) Fracture toughness	18
Annex B	(informative) Weibull statistics	25
Annex C	(informative) Protocol to assess the hydrothermal stability of yttria-stabilized tetragonal zirconia (Y-TZP)	27
Bibliography	31

This is a preview of ISO 6872:2024. [Click here to purchase the full version from the ANSI store.](#)

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 106, *Dentistry*, Subcommittee SC 2, *Prosthetic materials*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 55, *Dentistry*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This fifth edition cancels and replaces the fourth edition (ISO 6872:2015), which has been technically revised. It also incorporates the Amendment ISO 6872:2015/Amd 1:2018.

The main changes are as follows:

- [Annex C](#) on protocol to assess the hydrothermal stability of yttria-stabilized tetragonal zirconia (Y-TZP) has been added.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This is a preview of ISO 6872:2024. [Click here to purchase the full version from the ANSI store.](#)

Specific qualitative and quantitative requirements for freedom from biological hazard are not included in this document, but it is recommended that in assessing possible biological or toxicological hazards, reference be made to ISO 10993-1 and ISO 7405.